

The relationship between challenging parenting behaviour and childhood anxiety disorders

Article

Published Version

Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Open Access

Lazarus, R. S., Dodd, H. F. ORCID: <https://orcid.org/0000-0003-1446-5338>, Majdandžić, M., de Vente, W., Morris, T., Byrow, Y., Bogels, S. and Hudson, J. L. (2016) The relationship between challenging parenting behaviour and childhood anxiety disorders. *Journal of Affective Disorders*, 190. pp. 784-791. ISSN 0165-0327 doi: <https://doi.org/10.1016/j.jad.2015.11.032> Available at <https://centaur.reading.ac.uk/49045/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.jad.2015.11.032>

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

This is the author's version of the manuscript. The final publication is available at <http://europepmc.org/abstract/med/26625090>

doi: 10.1016/j.jad.2015.11.032

The Relationship between Challenging Parenting Behaviour and Childhood Anxiety
Disorders

Rebecca S. Lazarus¹, Helen F. Dodd², Mirjana Majdandžić³, Wieke de Vente³, Talia Morris¹,
Yulisha Byrow¹, Susan M. Bögels³, and Jennifer L. Hudson¹.

¹Centre for Emotional Health, Department of Psychology, Macquarie University, Australia

² School of Psychology and Clinical Language Sciences, University of Reading, UK

³ Research Institute of Child Development and Education, University of Amsterdam, The
Netherlands.

This study was supported by the Australian Research Council Grant DP0878609.

All authors declare that they have no conflict of interest.

Corresponding Author:

Miss Rebecca Lazarus

Centre for Emotional Health

Department of Psychology

Macquarie University

NSW 2109 AUSTRALIA

rebecca.lazarus@mq.edu.au (email)

+61298507941 (ph)

Abstract

Background: This research investigates the relationship between challenging parenting behaviour and childhood anxiety disorders proposed by [Bögels and Phares \(2008\)](#).

Challenging parenting behaviour involves the playful encouragement of children to go beyond their own limits, and may decrease children's risk for anxiety ([Bögels & Phares, 2008](#)). *Method:* Parents ($n = 164$ mothers, 144 fathers) of 164 children aged between 3.4 and 4.8 years participated in the current study. A multi-method, multi-informant assessment of anxiety was used, incorporating data from diagnostic interviews as well as questionnaire measures. Parents completed self-report measures of their parenting behaviour ($n = 147$ mothers, 138 fathers) and anxiety ($n = 154$ mothers, 143 fathers). Mothers reported on their child's anxiety via questionnaire as well as diagnostic interview ($n = 156$ and 164 respectively). Of these children, 74 met criteria for an anxiety disorder and 90 did not.

Results: Fathers engaged in challenging parenting behaviour more often than mothers. Both mothers' and fathers' challenging parenting behaviour was associated with lower report of child anxiety symptoms. However, only mothers' challenging parenting behaviour was found to predict child clinical anxiety diagnosis. *Limitations:* Shared method variance from mothers confined the interpretation of these results. Moreover, due to study design, it is not possible to delineate cause and effect. *Conclusions:* The finding with respect to maternal challenging parenting behaviour was not anticipated, prompting replication of these results. Future research should investigate the role of challenging parenting behaviour by both caregivers as this may have implications for parenting interventions for anxious children.

Keywords: Anxiety Disorders, Challenging Parenting Behaviour, Fathers, Mothers.

The Relationship between Challenging Parenting Behaviour and Childhood Anxiety Disorders

Anxiety disorders are amongst the most common and debilitating forms of psychopathology experienced by children and adolescents, with a prevalence rate of approximately 5% ([Rapee, 2012](#)). Symptom onset often occurs in early childhood, sometimes as early as 2 to 3 years of age ([Egger & Angold, 2006](#)). Moreover, anxiety disorders are often chronic, persisting into adulthood ([Merikangas et al., 2010](#)). Growing recognition of the personal, social, and economic impact of anxiety disorders ([Bodden, Dirksen, & Bögels, 2008](#); [Zubrick, Silburn, Burton, & Blair, 2000](#)), highlights the importance of research into their aetiology and maintenance ([Bayer et al., 2011](#); [Pahl, Barrett, & Gullo, 2012](#)). A number of early risk factors for the development of anxiety disorders have been identified, including parenting factors and parental anxiety.

Current theory and research has emphasised the relationship between parenting factors and the development and maintenance of childhood anxiety disorders ([Creswell, Murray, Stacey, & Cooper, 2011](#)). Much of what is currently known about the influence of parenting on childhood anxiety disorders focuses on maternal overinvolved and overcontrolling parenting styles, and maternal anxiety ([McLeod, Wood, & Weisz, 2007](#); [Murray, Creswell, & Cooper, 2009](#); [Rapee, Schniering, & Hudson, 2009](#)). Maternal overinvolvement and control has been consistently linked with the development of childhood anxiety disorders ([Hirshfeld, Biederman, Brody, Faraone, & Rosenbaum, 1997](#); [Hudson & Rapee, 2001](#); [Siqueland, Kendall, & Steinberg, 1996](#)). Similarly, paternal overinvolvement and overcontrol have been associated with child anxiety (e.g. [Greco & Morris, 2002](#); [Hudson & Rapee, 2002](#)), although existing studies show disparate and at times conflicting results. Such discrepancies remain difficult to resolve due to the overwhelming focus on the relationship between maternal parenting behaviours and childhood anxiety disorders and the

limited number of studies examining fathers ([Bögels & Phares, 2008](#); [Phares & Compas, 1992](#)).

Of the extant research conducted with fathers, most has focused on the father's role with respect to normal child development - ignoring the potential relationship between paternal behaviour and child psychopathology ([Brennan, Hammen, Katz, & Le Brocque, 2002](#)). An example for the direct role of the father, specifically for child social anxiety, comes from research by [Bögels, Stevens, and Majdandžić \(2011\)](#), which found that children with *high* social anxiety were more influenced by fathers' anxious reactions to ambiguous vignettes than mothers' reactions. That is, anxious children may put higher weight on fathers' responses than mothers' responses when faced with possible threat and deciding if a situation is dangerous and should be avoided ([see Bögels et al., 2011](#)). Considering that extant studies indicate poor psychological outcomes for children of anxious fathers, there is a clear and pressing need for further research in this area ([Phares & Compas, 1992](#)).

[Bögels and Phares \(2008\)](#) proposed a model that suggests fathers may have a particularly important influence over children's self competence and anxiety prevention via challenging parenting behaviour. This concept of 'challenging parenting behaviour' has been coined to describe a style of parenting that can be both socio-emotional and physical ([Majdandžić, Möller, de Vente, Bögels, & van den Boom, 2014](#)). It can encompass play (particularly rough-and-tumble-play), and risk taking, and may also include teasing, giving the child a fright, encouraging assertiveness, and letting the child lose a game ([Majdandžić, de Vente, & Bögels, 2010](#)). Even though mothers may encourage behaviours such as risk taking, especially with their sons ([Morrongiello & Dawber, 2000](#)), studies have shown that fathers are less likely than mothers to intervene and stop children during risky activities ([Fagot, Kronsberg, & MacGregor, 1985](#)) and less likely to be overprotective ([Grossmann, Grossmann, Fremmer - Bombik, Kindler, & Scheuerer - Englisch, 2002](#); [Lindsey & Mize,](#)

[2001](#); [Paquette & Bigras, 2010](#)). According to [Paquette \(2004\)](#), a central component to father-child interactions is vigorous, physical play, termed 'Rough-and-Tumble' play. [Paquette \(2004\)](#) argues that exposure to safe risk environments such as rough-and-tumble play, enables the child to be braver in unfamiliar situations as well as stand up for themselves, which in turn fosters the child's confidence. If exposure to safe risks such as rough-and-tumble play are beneficial for the child, [Bögels and Phares \(2008\)](#) hypothesise that if fathers do not encourage these interactions, the child is at risk of developing anxiety. Accumulating research in this area suggests that challenging parenting behaviour may buffer early separation, stranger, novelty and social anxiety ([Bögels & Phares, 2008](#); [Majdandžić et al., 2014](#)).

One potential factor that may impact on the degree to which parents use challenging parenting behaviour is the parent's own psychopathology, in particular parental anxiety. Studies observing the parenting behaviour of anxious mothers in clinical ([Whaley, Pinto, & Sigman, 1999](#)) and community samples ([Woodruff-Borden, Morrow, Bourland, & Cambron, 2002](#)) have found that during interactions with their children, anxious mothers have been noted to grant their children less autonomy. Further, research by Turner and colleagues, ([Turner, Beidel, Roberson-Nay, & Tervo, 2003](#)) found that anxiety disordered parents were less likely to engage in physical play with their child than non-anxious parents. [Bögels, Bamelis, and van der Bruggen \(2008\)](#) suggest that if the father's role is to engage in challenging parenting behaviour such as rough-and-tumble play, paternal anxiety might interfere with such behaviour. Moreover, studies have shown that a past history of anxiety disorders can continue to have an effect on cognitions and parenting behaviours, even in the absence of a current disorder ([Hollon, Kendall, & Lumry, 1986](#)).

Although it has been suggested that fathers may be more likely than mothers to engage in challenging parenting behaviour, child gender may moderate this relationship. For

example, some research has suggested that parents encourage more risk-taking behaviours in their sons compared to their daughters ([Morrongiello & Dawber, 2000](#)) and that fathers engage in more physical types of play with their sons compared with their daughters ([Lindsey & Mize, 2001](#)). Given these findings, an investigation of the association between challenging parenting behaviour and anxiety should consider not only the gender of the parent but also the gender of the child.

There is currently only one parent-report measure for assessing challenging parenting behavior, the Challenging Parenting Behavior Questionnaire ([CPBQ: Majdandžić et al., 2010](#)). A recent study by Majdandžić and colleagues ([2014](#)) is, to our knowledge, the first to empirically investigate this broader concept of challenging parenting behaviour. In this study, maternal and paternal challenging parenting behaviour was measured via observation and their children's (aged 2 and 4 years respectively) *social* anxiety was observed at two time-points, 6 months apart. The results indicated that for the older preschool-aged children, paternal challenging parenting behaviour was associated with decreases in social anxiety, whereas maternal challenging behaviour was associated with an increase in child social anxiety. As this was the first study conducted in this area, it will be important to replicate these results as well as expand this concept to cover other forms of childhood anxiety.

The current study extends these findings from Majdandžić and colleagues ([2014](#)), utilising a clinical measure of child anxiety and also a measure of parental anxiety to examine the association between mothers' and fathers' challenging parenting behaviour and child anxiety in preschool-aged children. The preschool years represent an optimum period to examine these associations as father-child interaction peaks at this age ([Grossmann et al., 2002](#)), and it is the time when early signs of anxiety may emerge ([Egger & Angold, 2006](#)). The purpose of the present study was therefore threefold: 1) to examine the association between challenging parenting behaviour and childhood anxiety disorders in both fathers and

mothers; 2) to examine the association between parental anxiety and challenging parenting behaviour; and 3) to consider the potential effects of child gender on these relationships. In line with these aims it was hypothesised that: (1) fathers will report more challenging parenting behaviour than mothers (2) parents who report higher levels of their own anxiety will report lower levels of challenging parenting behaviour; (3) parents will report higher levels of challenging parenting behaviour towards their male children compared to their female children; (4) children whose fathers report more challenging parenting behaviour will exhibit lower levels of anxiety (at both symptom and disorder levels) compared to those whose fathers report less challenging parenting behaviour; (5) Also of interest was to examine the relationship between mothers' challenging parenting behaviour and child anxiety (at both symptom and disorder levels). In addition, an exploratory analysis on the impact of child gender on the relationship between challenging parenting and child anxiety was conducted.

Method

Participants

Participants were 164 preschool children (92 girls and 72 boys) ranging in age from 3.4 to 4.8 years ($M = 3.97$ years, $SD = 3.9$), and their mothers ($n = 164$) and fathers ($n = 144$). Children were recruited via advertisements in a local parenting magazine and flyers distributed to local preschools as part of a randomised control trial (RCT) of an intervention for behaviourally inhibited children. Two different advertisements were used, the first requested for 'shy' children, the second for 'confident' children. Mothers completed the Approach subscale of the Short Temperament Scale for Children via telephone as a screening questionnaire ([STSC; Sanson, Smart, Prior, Oberklaid, & Pedlow, 1994](#)). The STSC is an abbreviated version of the Childhood Temperament Questionnaire ([Sanson et al., 1994](#)) and has been shown to have adequate validity, good reliability and internal consistency ([Sanson,](#)

[Prior, Garino, Oberklaid, & Sewell, 1987](#)). Children who score low on the Approach subscale after approximately 3 years of age have a greater than twofold chance of showing anxiety problems in adolescence ([Prior, Smart, Sanson, & Oberklaid, 2000](#)). High test-retest reliability for the Approach scale has been demonstrated in previous studies ($r = .90$) ([Sanson et al., 1987](#)). In the current sample, internal consistency was excellent ($\alpha = .92$). Only children with scores one standard deviation above or below the normative mean on the Approach scale were invited to participate in the study and were classified as behaviourally inhibited (BI, $n = 85$) or behaviourally uninhibited (BUI, $n = 79$). Of the BI children, 69 met criteria for an anxiety disorder (AD), using the ADIS-P-IV (see below) and five BUI children also met criteria for an anxiety disorder. These 74 children (45.1%; 41 girls and 33 boys) were included in the AD group. The remaining 90 children (54.9%; 51 girls and 39 boys) who did not meet criteria for an anxiety disorder were included in the Non-AD group.

Participants predominantly identified as being of Oceanic ethnicity (69.5%), 14.6% as Asian, 6.1% European, and 2.4% American, 69.5% were from middle to high income families (annual income of \$80,000 or greater) and 90.2% of children were from two-parent homes. Mothers were aged between 24 and 47 years ($M = 36.59$ years, $SD = 4.63$) and fathers between 24 and 61 years ($M = 39.01$ years, $SD = 5.18$).

Measures

Child Anxiety Disorders. The Anxiety Disorders Interview Schedule for *DSM-IV* Parent Version ([ADIS-P-IV; Silverman & Albano, 1996](#)) was used with mothers ($n = 164$) to assess child anxiety. Items referring to school were changed to 'preschool'. Interviews were conducted and diagnoses assigned by postgraduate students in psychology trained by the last author. The ADIS-P-IV has excellent interrater agreement of kappa = 1.00 for an overall anxiety diagnosis and between kappa = .80 and kappa = .93 for specific anxiety diagnoses ([Lyneham, Abbott, & Rapee, 2007](#)). Reliability for the presence of a clinical anxiety disorder

in the current sample was excellent ($\kappa = .95$). Diagnoses were only considered 'clinical' if the severity rating was four or greater, consistent with ADIS guidelines ([Silverman & Albano, 1996](#)).

Child Anxiety Symptoms. Mothers ($n = 157$) completed the Preschool Anxiety Scale ([PAS; Spence, Rapee, McDonald, & Ingram, 2001](#)) to gain a general overall measure of child anxiety in the present sample. The PAS contains 28 items reflecting areas broadly consistent with DSM-IV diagnostic categories; social phobia, separation anxiety, generalized anxiety, obsessive-compulsive disorder, and fears of physical injury. The PAS has been found to have good construct validity, satisfactory internal consistency, and good test-retest reliability ([Spence et al., 2001](#)). In the present study, internal consistency for the PAS total score was excellent ($\alpha = .94$).

Parent Anxiety Symptoms. The Depression Anxiety and Stress Scale ([DASS-21; Lovibond & Lovibond, 1995](#)) was administered to both mothers ($n = 155$) and fathers ($n = 144$) in order to gain a measure of parental anxiety. The DASS-21 is a quantitative measure of depression, anxiety, and stress and is a widely used measure of adult anxiety ([Osman et al., 2012](#)). It has good factor structure, concurrent validity and internal consistency, with Cronbach's alpha's for the subscales found at .94 for Depression, .87 for Anxiety, and .91 for Stress ([Antony, Bieling, Cox, Enns, & Swinson, 1998](#)). In the present study the Cronbach's alpha for the anxiety scale was acceptable ($\alpha = .69$) for both mothers and fathers.

Challenging Parenting Behaviour. Mothers ($n = 148$) and fathers ($n = 139$) completed the Challenging Parenting Behavior Questionnaire ([CPBQ; Majdandžić et al., 2010](#)), 4-6 year-old version. The CPBQ is a 43-item parent-report scale that assesses challenging behaviour through parents' encouragement of: risk taking, rough-and-tumble play, assertiveness, competition, social daringness, and teasing the child. A total score is constructed for an overall measure of challenging parenting behaviour. Parents were asked to

rate statements about interactions with their child (e.g., ‘If my child thinks that he/she can't do something, I encourage him/her to try again’) on a 5-point Likert scale (1= *Not Applicable*, 5= *Completely Applicable*). Six items were reverse scored. This is a newly developed measure and as yet no psychometric papers have been published on its reliability and validity, however, the psychometric properties of the younger age versions of this questionnaire (i.e., 4 months, 1 year and 2.5 years), have been found to be good ([Majdandžić, de Vente, & Bögels, 2015](#)). The Cronbach’s alpha for the total Challenging Parenting Behaviour score was good ($\alpha = .86$).

Procedure

Macquarie University Ethics Committee approved all procedures prior to commencement. Mothers provided written consent for themselves and their child to participate in the ongoing study and were sent links to online questionnaires for themselves and the child’s father. For mothers, questionnaires included demographic information, the DASS-21, the CPBQ and the PAS. For fathers, questionnaires included demographic information, the DASS-21, and the CPBQ. ADIS-IV-P interviews were conducted with mothers during a 2-hour research session at Macquarie University. Families of BI children were reimbursed \$100 for their time¹ and were offered an intervention-parenting program at the Centre for Emotional Health, Macquarie University. Families of BUI children were reimbursed \$50 for attending one research session. Participants also completed additional questionnaires as well as observational tasks that are not presented here.

Data Preparation and Statistical Analysis

All variables were checked for conformity to the assumption of normal distribution. Distributions for mother-report PAS total scores and mother and father report DASS- anxiety scores were positively skewed and contained multiple outliers so correction was attempted

¹ These families were required to participate in three research sessions at Macquarie University and were offered five 1-hour sessions of a parenting intervention as part of a RCT.

using square-root transformation. The transformed variables continued to violate the Kolmogorov-Smirnov and Shapiro-Wilk statistics. However, inspection of the respective histograms indicated improvements in skewness and kurtosis, with kurtosis values ranging between -1.10 and -.94, and skewness values ranging between -.12 and .30. Further, the square-root transformation removed any outliers. Consequently, transformed variables were used for all analyses. The analyses were also conducted using bootstrapping of the untransformed variables and results were consistent.

Due to missed responses or the unavailability of mothers and fathers to complete online questionnaires, there was a small amount of missing data. The bootstrapping method utilises listwise deletion, consequently, bootstrapped analyses were conducted with $n = 133$ participants. Otherwise analyses were conducted with all available data, the number in brackets shows the number of cases with complete data for each variable: Mother-report PAS total scores (156), child diagnostic group (164), mother DASS anxiety total score (154), mother CPBQ total score (147), father DASS anxiety total score (143) and father CPBQ total score (138). A significance level of 0.05 was set for all analyses.

Results

Means, standard deviations, and number of participants for demographic and predictor variables split by anxiety group (AD/Non-AD) are shown in Table 1. Chi-square analyses were conducted to examine differences between anxiety groups (AD/Non-AD) on demographic variables. There were no significant differences between anxiety groups on child age, maternal and paternal age, marital status, family income or ethnicity. A series of one-way between groups analyses of variance (ANOVAs) were conducted, examining the relationship between demographic variables and all continuous measures relating to child anxiety (PAS total score), challenging behaviour (father and mother CPBQ total scores), and

parent anxiety (father and mother total DASS anxiety scores), none were significant (all p 's $>.05$).

<Insert Table 1>

Table 2 shows the bivariate correlations amongst all continuous measures. A positive, medium sized correlation was found between mothers' and fathers' challenging parenting behaviour. The magnitude of the remaining correlations is small, but several significant associations were found and are reported below.

<Insert Table 2>

Maternal and Paternal Challenging Parenting Behaviour

A paired-samples t -test was conducted to compare mothers' and fathers' challenging parenting behaviour scores. As expected, fathers reported significantly more challenging parenting behaviour ($M = 3.32$, $SD = .51$), than mothers ($M = 3.20$, $SD = .49$), $t(132) = -2.58$ $p = .01$, with a small effect, $d = .24$.

Parental Anxiety and Challenging Parenting Behaviour

In contrast with expectations, bivariate correlations (see Table 2) indicated that an association between paternal anxiety and challenging parenting behaviour was not apparent ($p > .05$). Similarly, mothers' anxiety and challenging parenting behaviour were not associated ($p > .05$).

Challenging Parenting Behaviour and Child Gender

Independent samples t -tests were used to compare mothers' and fathers' challenging parenting behaviour towards their male and female children. There was no significant difference between mothers' challenging parenting behaviour towards male ($M = 3.14$, $SD = .52$) and female ($M = 3.10$, $SD = .47$) children, $t(145) = .44$ $p = .66$. Likewise, fathers' challenging parenting behaviour did not differ significantly between male ($M = 3.26$, $SD = .53$) and female ($M = 3.18$, $SD = .50$) children, $t(135) = .83$ $p = .41$.

Maternal and Paternal Challenging Parenting Behaviour and Child Anxiety

Mothers' report of child anxiety symptoms on the PAS had significant weak negative associations with both maternal and paternal challenging parenting behaviour (see Table 2); higher scores on the respective CPBQ scores were associated with lower maternal report of child anxiety symptoms on the PAS.

To examine the association between challenging parenting behaviour and child anxiety, and whether child gender moderates this association, two dependent variables were examined across a series of regression analyses. Both dependent variables were measures of child anxiety: mother report of child anxiety symptoms on the PAS (a continuous measure); presence of an anxiety diagnosis based on the ADIS-IV-P (a dichotomous variable - anxiety group). For child anxiety symptoms, hierarchical multiple regression (MRA) was used. For anxiety group, logistic regression was used.

Of primary interest were the main effects of challenging parenting behaviour and child gender on child anxiety, as well as the interaction between child gender and challenging parenting behaviour. As the correlation (see Table 2) between maternal and paternal challenging parenting behaviour was significant with a moderate effect, separate regression models were created for mothers and fathers. For each analysis variables were entered in the following order: 1) Challenging Parenting Behaviour, 2) Child Gender and 3) the interaction between Challenging Parenting Behaviour and Child Gender. Interaction terms were calculated by multiplying mean-centered independent variables.

Child Anxiety Symptoms. Prior to conducting a hierarchical MRA, relevant assumptions were tested. As mentioned, distributions for mother-report PAS were not normally distributed, analyses conducted with transformed variables and bootstrapping of untransformed variables were consistent; consequently only transformed variables are reported. All remaining assumptions for the MRA were met.

For Model 1, fathers' challenging parenting behaviour was entered at Step 1 and contributed significantly to the regression model, $F(1,134) = 5.53, p = .02$, accounting for 4% of the variance in child anxiety symptoms. On Step 2 child gender was added accounting for no additional variance in child anxiety symptoms and was non-significant ($\Delta R^2 = .00, \Delta F(1,133) = .01, p = .72$). A similar result was found when adding Step 3, the interaction between fathers' challenging parenting behaviour and child gender ($\Delta R^2 = .00, \Delta F(1,132) = .01, p = .90$).

For Model 2, examining maternal challenging parenting behaviour, on Step 1 of the hierarchical MRA, mothers' challenging parenting behaviour contributed significantly to the regression model, $F(1,145) = 9.21, p = .003$, accounting for a significant 6% of the variance in child anxiety symptoms. Similar to the hierarchical MRA for fathers, both Steps 2 and 3 contained non-significant predictors and contributed no additional variance in child anxiety symptoms (child gender; $\Delta R^2 = .00, \Delta F(1,144) = .15, p = .70$, mother challenging parenting behaviour and child gender interaction; $\Delta R^2 = .00, \Delta F(1,143) = .16, p = .69$).

Unstandardised (B) and standardised (β) regression coefficients, and squared semi-partial correlations (sr^2) for each predictor in these regression models are reported in Table 3.
<Insert Table 3>

Presence of Child Clinical Anxiety Diagnosis. Despite attempts at model reduction, the logistic regression model assessing fathers' challenging parenting behaviour on child anxiety diagnosis failed to reach statistical significance ($p > .05$), indicating that the model was unable to distinguish between children with and without an anxiety diagnosis. Full data for this logistic regression model is reported in Table 4.

<Insert Table 4>

For mothers, Step 1 of the model was statistically significant, $\chi^2(1, N = 147) = 5.93, p = .015$ (see Table 5). Thus the initial model, containing mothers' challenging parenting

behaviour as a predictor variable, was able to distinguish between children with and without an anxiety diagnosis. Once child gender and the interaction between child gender and mothers' challenging parenting behaviour were introduced in Steps 2 and 3, the overall model became non-significant and neither predictor contributed significantly to the model ($p > .05$).

<Insert Table 5>

Discussion

The purpose of the present study was threefold: to examine the association between challenging parenting behaviour and childhood anxiety in both fathers *and* mothers; to examine the relationship between parent anxiety and challenging parenting behavior; and additionally, to consider the potential effects of child gender on these relationships. Overall, the findings showed that fathers reported more challenging parenting behaviour than mothers. For fathers, challenging parenting behaviour was associated with lower report of child anxiety, although only at the symptom level. For mothers, significant relationships were found between challenging parenting behaviour and child anxiety at both symptom *and* diagnostic levels; more challenging parenting behavior was associated with less child anxiety. Contrary to expectations, no significant association was found between parents anxiety and challenging parenting behaviour. Additionally, child gender did not moderate the association between challenging parenting behaviour and children's anxiety.

The finding that fathers reported significantly greater challenging parenting behaviour than mothers is consistent with the theoretical literature reviewed earlier, which proposes that one of the important parenting roles for fathers is to engage in challenging parenting behaviour ([Bögels & Perotti, 2011](#); [Bögels & Phares, 2008](#); [Möller, Majdandžić, de Vente, & Bögels, 2013](#); [Paquette, 2004](#)). Our results suggest that, *at the preschool age*, fathers engage in more challenging parenting behaviour than mothers. This finding is consistent with

previous studies which demonstrated that fathers' interactions with their preschool-aged children are often more physical, boisterous, and unpredictable than mothers' interactions ([MacDonald & Parke, 1986](#); [Paquette, 2004](#)).

A key finding of the current study was that higher paternal challenging behaviour was associated with lower report of child anxiety symptoms. This is consistent with the theoretical model proposed by [Bögels and Phares \(2008\)](#), as well as Majdandžić and colleagues' recent empirical study ([Majdandžić et al., 2014](#)). However, the logistic regression analysis demonstrated that fathers' challenging parenting behaviour did not predict child anxiety at the diagnostic level (Table 4). Although this result may appear inconsistent with the hypothesis and the theoretical model proposed by [Bögels and Phares \(2008\)](#), perhaps fathers' challenging parenting behaviour is more influential at the symptomatic level of child anxiety and is not a strong enough characteristic alone to discriminate between children with an anxiety diagnosis and those without. Further, as this is the first study to use a diagnostic tool for the assessment of child anxiety, as opposed to observational and parent report ([see Majdandžić et al., 2014](#)), the relationship between this parenting behaviour and child anxiety diagnosis needs to be replicated in future studies, and across measurement methods. Additionally, for the purposes of this study, challenging parenting behaviour was measured by the total score on the CPBQ ([Majdandžić et al., 2010](#)) and thus as a broad construct. It may be that sub-domains of this measure, for example rough-and-tumble play or risk-taking, may be a better indication of fathers' challenging behaviour, and more specifically affect child anxiety ([Bögels & Phares, 2008](#)).

Whilst the theoretical literature has provided a strong argument for a relationship between fathers and challenging parenting behaviour, the present study explores the important question of whether mothers' challenging parenting behaviour may also play a role towards child anxiety. The results provide support for this relationship, as mothers'

challenging parenting behaviour was found to have a small yet significant negative association with child anxiety at both symptom and disorder level. This finding was not anticipated, as it seems to contrast that reported by [Majdandžić et al. \(2014\)](#) who found that observed maternal challenging parenting behaviour longitudinally increased observed social anxiety in their sample of 4 year-old children, over a period of six months. A potential explanation for these disparate findings may be that the studies used different measures to assess challenging parenting behaviour. While the present study used a newly developed questionnaire, yet to be psychometrically evaluated, the reliability of the measure was excellent. In contrast, the observations used in the study of [Majdandžić et al. \(2014\)](#) assessed challenging parenting behaviour in a small set of structured tasks, such as making a puzzle, which may have been less optimal to assess all aspects (including physical ones) of this broad construct. Alternatively, parental perception of challenging behaviour may be subject to social desirability or other biases, which may be gender specific. Certainly, the comparison of observational and self-report measures of challenging parenting behaviour is warranted in future research. Another explanation for the different findings between our study and that of [Majdandžić et al. \(2014\)](#) with respect to maternal challenging behaviour, is that their study investigated the effect of parental challenging behaviour on the increase of child anxiety, thus looking at consequential effects, whereas we studied the cross-sectional association. Perhaps mothers' challenging behavior is more influenced by the anxiety of the child than fathers, and fathers' challenging behaviour may have a different effect on the child than mothers' challenging behaviour. Due to the strong theoretical argument for the role of fathers in this domain, this finding for mothers presents an exciting area for future research. Perhaps it is not surprising that mothers challenging parenting behaviour was found to relate to child anxiety; mothers typically spend more time with their children than fathers, especially at this younger age ([for a review, see Möller et al., 2013](#)). Consequently, this may provide ample

time for this parenting behaviour to affect child anxiety. Nevertheless, findings of this association for both caregivers lends support to the argument that parental engagement in challenging parenting behavior, including rough-and-tumble play, encouraging children to step out of their comfort zone and take risks, presents an important parenting domain warranting further investigation.

It has been suggested that if a parent is anxious they may be less likely to engage in behaviour they find challenging or scary or may prevent their children from engaging in situations with an element of risk, interfering with their ability to engage in challenging parenting behaviour with their children ([Bögels et al., 2008](#)). The findings of this study gave no indication that parental anxiety impacted challenging parenting behaviour. As, to the authors' knowledge, this is the first study to empirically test this relationship; further research is required before conclusions can be drawn. However, given that the presence of parental anxiety has been hypothesised to exacerbate other parenting behaviours, such as overprotection ([Hudson & Rapee, 2001](#)), it is encouraging that challenging parenting behaviour may be relatively stable in the presence of parental psychopathology. Alternatively, it may be that challenging parenting behaviour may differ only for parents with clinical levels of anxiety. In the current study the representation of parents reporting elevated anxiety may not have been high enough to detect this relationship. In fact, only 14.1% of parents in the present sample had a total DASS anxiety score above the population mean of 4.7 ([as per the DASS manual; Lovibond & Lovibond, 1995](#)). Consequently, it remains possible that parental anxiety may impact the relationship towards challenging parenting behaviour however this may not have been captured using the community sample recruited for the present study.

In addition to these primary hypotheses, the impact of child gender on challenging parenting behaviour was also explored. It was anticipated that mothers, and especially

fathers, would be more likely to engage in challenging parenting behaviour with their sons, such as encouraging risk-taking and rough-and-tumble play, than with their daughters.

Although both mothers and fathers reported challenging their male children more than their female children, this difference was not significant. Further, when child gender was added into father and mother regression models there were no significant effects of child gender or significant interactions. Despite some literature indicating that child gender influences parenting interactions ([Lindsey & Mize, 2001](#); [Morrongiello & Dawber, 2000](#)), the pattern of findings reported in the current study is in keeping with the results of a meta-analysis showing non-significant or small effect sizes for parents' differential socialization of boy and girls ([Lytton & Romney, 1991](#)). Based on these findings it may be interpreted that Australian parents are moderately egalitarian in their engagement with challenging parenting behaviour for male and female children. To confirm this, it may be required to compare challenging parenting behaviour of both caregivers in families with male and female children.

The results of the present study provide important evidence regarding the relationship between fathers' challenging parenting behaviour and childhood anxiety and additionally provide novel insight into this relationship for mothers. However, the limitations of the study should be considered. First, the cross-sectional design of this study means that it is not possible to delineate cause and effect. For example, it could be that parenting a child expressing symptoms of anxiety leads a parent to inhibit the amount of challenging behaviour they engage in with their child. Second, although the main focus of this present study was on the father-child relationship, a limitation in interpreting the current findings is the shared method variance from mothers. As mentioned, this study was part of a larger RCT, where additional maternal characteristics were of interest. Consequently, diagnostic interviews and surveys regarding child anxiety were conducted solely with the child's mother. As this is the first study to display these findings for mothers, these results need to be replicated, and with

different modes of measurement so as to explore the mechanisms that might drive this association for mothers. For example, both mothers and fathers could report on their child's anxiety. Further, mothers could report on their own, as well as fathers' challenging parenting behaviour and vice versa ([Bögels & van Melick, 2004](#)). Finally, as previously mentioned, a comparison between observational as opposed to self-report measurement for challenging parenting behaviour is required and future research may wish to explore the specific sub-types of challenging parenting behaviour (e.g. rough-and-tumble play, risk-taking) which may be of greater relevance for fathers. Although these various limitations could not be addressed in the present study, they present varied and exciting avenues for future research.

The findings provide promising evidence that both paternal and maternal challenging behaviour may hold a protective relationship towards child anxiety. More broadly, this research also addresses a call in recent years for greater attention to the role of the father in the aetiology, maintenance, and prevention of child anxiety disorders ([Bögels & Phares, 2008](#)). The findings of the current study have implications not only for research but also for the development of interventions for anxious children and their parents. In a recent study, parents of anxious children identified concerns regarding whether they should challenge their children's behaviour and to what extent ([Hiebert-Murphy et al., 2012](#)). Continuing research in this area may provide valuable feedback for parents about optimal parenting strategies in the face of child anxiety. Additionally, these findings may have implications for cognitive behavioural treatments with anxious children. For example, a parent may be more willing to encourage and model brave behaviour to their child, especially during exposure sessions, if there is sound empirical rationale for this behaviour.

REFERENCES

- Antony, M. M., Bieling, P. J., Cox, B. J., Enns, M. W., & Swinson, R. P. (1998). Psychometric properties of the 42-item and 21-item versions of the Depression Anxiety Stress Scales in clinical groups and a community sample. *Psychological Assessment, 10*(2), 176-181. doi: 10.1037/1040-3590.10.2.176
- Bayer, J. K., Ukoumunne, O. C., Lucas, N., Wake, M., Scalzo, K., & Nicholson, J. M. (2011). Risk factors for childhood mental health symptoms: National longitudinal study of Australian children. *Pediatrics, 128*, e865-e879. doi: 10.1542/peds.2011-0491d
- Bodden, D. H. M., Dirksen, C. D., & Bögels, S. M. (2008). Societal burden of clinically anxious youth referred for treatment: A cost-of-illness study. *Journal of Abnormal Child Psychology, 36*(4), 487-497. doi: 10.1007/s10802-007-9194-4
- Bögels, S. M., Bamelis, L., & van der Bruggen, C. (2008). Parental rearing as a function of parent's own, partner's, and child's anxiety status: Fathers make the difference. *Cognition and Emotion, 22*(3), 522-538. doi: 10.1080/02699930801886706
- Bögels, S. M., & Perotti, E. C. (2011). Does father know best? A formal model of the paternal influence on childhood social anxiety. *Journal of Child and Family Studies, 20*(2), 171-181. doi: 10.1007/s10826-010-9441-0
- Bögels, S. M., & Phares, V. (2008). Fathers' role in the etiology, prevention and treatment of child anxiety: A review and new model. *Clinical psychology review, 28*(4), 539-558. doi: 10.1016/j.cpr.2007.07.011
- Bögels, S. M., Stevens, J., & Majdandžić, M. (2011). Parenting and social anxiety: Fathers' versus mothers' influence on their children's anxiety in ambiguous social situations. *Journal of Child Psychology and Psychiatry, 52*(5), 599-606. doi: 10.1111/j.1469-7610.2010.02345.x

- Bögels, S. M., & van Melick, M. (2004). The relationship between child-report, parent self-report, and partner report of perceived parental rearing behaviors and anxiety in children and parents. *Personality and Individual Differences, 37*(8), 1583-1596. doi: 10.1016/j.paid.2004.02.014
- Brennan, P. A., Hammen, C., Katz, A. R., & Le Brocque, R. M. (2002). Maternal depression, paternal psychopathology, and adolescent diagnostic outcomes. *Journal of consulting and clinical psychology, 70*(5), 1075. doi: 10.1037/0022-006x.70.5.1075
- Creswell, C., Murray, L., Stacey, J., & Cooper, P. J. (2011). Parenting and Child Anxiety. In W. K. Silverman & A. P. Field (Eds.), *Anxiety Disorders in Children and Adolescents* (2nd ed., pp. 299-322): Cambridge University Press.
- Egger, H. L., & Angold, A. (2006). Common emotional and behavioral disorders in preschool children: presentation, nosology, and epidemiology. *Journal of Child Psychology and Psychiatry, 47*(3 - 4), 313-337. doi: 10.1111/j.1469-7610.2006.01618.x
- Fagot, B. I., Kronsberg, S., & MacGregor, D. (1985). Adult responses to young children in risky situations. *Merrill-Palmer Quarterly (1982-), 32*, 385-395.
- Greco, L. A., & Morris, T. L. (2002). Paternal child-rearing style and child social anxiety: Investigation of child perceptions and actual father behavior. *Journal of Psychopathology and Behavioral Assessment, 24*(4), 259-267. doi: 10.1023/A:1020779000183
- Grossmann, K., Grossmann, K. E., Fremmer - Bombik, E., Kindler, H., & Scheuerer - Englisch, H. (2002). The uniqueness of the child-father attachment relationship: Fathers' sensitive and challenging play as a pivotal variable in a 16 - year longitudinal study. *Social development, 11*(3), 301-337. doi: 10.1111/1467-9507.00202

Hiebert-Murphy, D., Williams, E. A., Mills, R. S. L., Walker, J. R., Feldgaier, S., Warren,

M., . . . Cox, B. J. (2012). Listening to parents: The challenges of parenting kindergarten-aged children who are anxious. *Clinical child psychology and psychiatry*, 17(3), 384-399. doi: 10.1177/1359104511415495

Hirshfeld, D. R., Biederman, J., Brody, L., Faraone, S. V., & Rosenbaum, J. F. (1997).

Associations between expressed emotion and child behavioral inhibition and psychopathology: A pilot study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 36(2), 205-213. doi: 10.1097/00004583-199702000-00011

Hollon, S. D., Kendall, P. C., & Lumry, A. (1986). Specificity of depressotypic cognitions in

clinical depression. *Journal of Abnormal Psychology*, 95(1), 52. doi: 10.1037/0021-843x.95.1.52

Hudson, J. L., & Rapee, R. M. (2001). Parent-child interactions and anxiety disorders: An

observational study. *Behaviour Research and Therapy*, 39(12), 1411-1427. doi: 10.1016/s0005-7967(00)00107-8

Hudson, J. L., & Rapee, R. M. (2002). Parent-child interactions in clinically anxious children

and their siblings. *Journal of Clinical Child and Adolescent Psychology*, 31(4), 548-555. doi: 10.1207/S15374424JCCP3104_13

Lindsey, E. W., & Mize, J. (2001). Contextual differences in parent-child play: Implications

for children's gender role development. *Sex Roles*, 44(3-4), 155-176. doi: 10.1023/A:1010950919451

Lovibond, S. H., & Lovibond, P. F. . (1995). *Manual for the Depression and Anxiety Stress*

Scales (2nd ed.). Sydney: Psychology Foundation.

Lyneham, H. J., Abbott, M. J., & Rapee, R. M. (2007). Interrater Reliability of the Anxiety

Disorders Interview Schedule for DSM-IV: Child and Parent Version. *Journal of the*

American Academy of Child & Adolescent Psychiatry, 46(6), 731-736. doi:

10.1097/chi.0b013e3180465a09

Lytton, H., & Romney, D. M. (1991). Parents' differential socialization of boys and girls: A meta-analysis. *Psychological bulletin*, 109(2), 267-296. doi: 10.1037/0033-2909.109.2.267

MacDonald, K., & Parke, R. D. (1986). Parent-child physical play: The effects of sex and age of children and parents. *Sex Roles*, 15(7-8), 367-378. doi: 10.1007/bf00287978

Majdandžić, M., de Vente, W., & Bögels, S. M. (2010). *Challenging Parenting Behavior Questionnaire: 4-6 Year Version (CPBQ4-6)*. Research Institute of Child Development and Education. University of Amsterdam.

Majdandžić, M., de Vente, W., & Bögels, S. M. (2015). Challenging Parenting Behavior from Infancy to Toddlerhood: Etiology, Measurement and Differences between Fathers and Mothers. . Manuscript submitted for publication.

Majdandžić, M., Möller, E. L., de Vente, W., Bögels, S. M., & van den Boom, D. C. (2014). Fathers' challenging parenting behavior prevents social anxiety development in their 4-year-old children: A longitudinal observational study. *Journal of Abnormal Child Psychology*, 42(2), 301-310. doi: 10.1007/s10802-013-9774-4

McLeod, B. D., Wood, J. J., & Weisz, J. R. (2007). Examining the association between parenting and childhood anxiety: A meta-analysis. *Clinical psychology review*, 27(2), 155-172. doi: 10.1016/j.cpr.2006.09.002

Merikangas, K. R., He, J., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., . . . Swendsen, J. (2010). Lifetime prevalence of mental disorders in US adolescents: results from the National Comorbidity Survey Replication–Adolescent Supplement (NCS-A). *Journal of the American Academy of Child & Adolescent Psychiatry*, 49(10), 980-989. doi: 10.1016/j.jaac.2010.05.017

- Möller, E. L., Majdandžić, M., de Vente, W., & Bögels, S. M. (2013). The evolutionary basis of sex differences in parenting and its relationship with child anxiety in Western societies. *Journal of Experimental Psychopathology*, 4(2), 88-117. doi: 10.5127/jep.026912
- Morrongiello, B. A., & Dawber, T. (2000). Mothers' responses to sons and daughters engaging in injury-risk behaviors on a playground: Implications for sex differences in injury rates. *Journal of experimental child psychology*, 76(2), 89-103. doi: 10.1006/jecp.2000.2572
- Murray, L., Creswell, C., & Cooper, P. J. (2009). The development of anxiety disorders in childhood: an integrative review. *Psychological Medicine*, 39(09), 1413-1423. doi: 10.1017/s0033291709005157
- Osman, A., Wong, J. L., Bagge, C. L., Freedenthal, S., Gutierrez, P. M., & Lozano, G. (2012). The Depression Anxiety Stress Scales–21 (DASS - 21): Further Examination of Dimensions, Scale Reliability, and Correlates. *Journal of clinical psychology*, 68(12), 1322-1338. doi: 10.1002/jclp.21908
- Pahl, K. M., Barrett, P. M., & Gullo, M. J. (2012). Examining potential risk factors for anxiety in early childhood. *Journal of anxiety disorders*, 26(2), 311-320. doi: 10.1016/j.janxdis.2011.12.013
- Paquette, D. (2004). Theorizing the father-child relationship: Mechanisms and developmental outcomes. *Human development*, 47(4), 193-219. doi: 10.1159/000078723
- Paquette, D., & Bigras, M. (2010). The risky situation: A procedure for assessing the father-child activation relationship. *Early Child Development and Care*, 180(1-2), 33-50. doi: 10.1080/03004430903414687

- Phares, V., & Compas, B. E. (1992). The role of fathers in child and adolescent psychopathology: Make room for daddy. *Psychological bulletin*, *111*(3), 387-412. doi: 10.1037/0033-2909.111.3.387
- Prior, M., Smart, D., Sanson, A., & Oberklaid, F. (2000). Does shy-inhibited temperament in childhood lead to anxiety problems in adolescence? *Journal of the American Academy of Child & Adolescent Psychiatry*, *39*(4), 461-468. doi: 10.1097/00004583-200004000-00015
- Rapee, R. M. (2012). Anxiety disorders in children and adolescents: Nature, development, treatment and prevention. In J. M. Rey (Ed.), *IACAPAP e-Textbook of Child and Adolescent Mental Health*. Geneva: International Association for Child and Adolescent Psychiatry and Allied Professions.
- Rapee, R. M., Schniering, C. A., & Hudson, J. L. (2009). Anxiety disorders during childhood and adolescence: origins and treatment. *Annual Review of Clinical Psychology*, *5*, 311-341. doi: 10.1146/annurev.clinpsy.032408.153628
- Sanson, A., Prior, M., Garino, E., Oberklaid, F., & Sewell, J. (1987). The structure of infant temperament: Factor analysis of the Revised Infant Temperament Questionnaire. *Infant Behavior and Development*, *10*(1), 97-104. doi: 10.1016/0163-6383(87)90009-9
- Sanson, A., Smart, D., Prior, M., Oberklaid, F., & Pedlow, R. (1994). The structure of temperament from age 3 to 7 years: Age, sex, and sociodemographic influences. *Merrill-Palmer Quarterly (1982-)*, *233-252*.
- Silverman, W. K., & Albano, A. M. (1996). *The Anxiety Disorders Interview Schedule for Children for DSM-IV: Child and Parent Versions*. San Antonio, TX: Psychological Corporation.

- Siqueland, L., Kendall, P. C., & Steinberg, L. (1996). Anxiety in children: Perceived family environments and observed family interaction. *Journal of Clinical Child Psychology*, 25(2), 225-237. doi: 10.1207/s15374424jccp2502_12
- Spence, S. H., Rapee, R. M., McDonald, C., & Ingram, M. (2001). The structure of anxiety symptoms among preschoolers. *Behaviour Research and Therapy*, 39(11), 1293-1316. doi: 10.1016/s0005-7967(00)00098-x
- Turner, S. M., Beidel, D. C., Roberson-Nay, R., & Tervo, K. (2003). Parenting behaviors in parents with anxiety disorders. *Behaviour Research and Therapy*, 41(5), 541-554. doi: 10.1016/s0005-7967(02)00028-1
- Whaley, S. E., Pinto, A., & Sigman, M. (1999). Characterizing interactions between anxious mothers and their children. *Journal of consulting and clinical psychology*, 67, 826-836. doi: 10.1037/0022-006x.67.6.826
- Woodruff-Borden, J., Morrow, C., Bourland, S., & Cambron, S. (2002). The behavior of anxious parents: Examining mechanisms of transmission of anxiety from parent to child. . *Journal of Clinical Child and Adolescent Psychiatry*, 31, 364-374. doi: 10.1207/s15374424jccp3103_08
- Zubrick, S. R., Silburn, S. R., Burton, P., & Blair, E. (2000). Mental health disorders in children and young people: scope, cause and prevention. *Australian and New Zealand Journal of Psychiatry*, 34(4), 570-578. doi: 10.1046/j.1440-1614.2000.00703.x

Table 1
Descriptive Statistics for Demographic and Predictor Variables Split by Anxiety Group

	AD (<i>n</i> = 74)	Non-AD (<i>n</i> = 90)
Demographics		
Child Age in Months	<i>M</i> = 48.15 (<i>SD</i> = 4.09)	<i>M</i> = 47.32 (<i>SD</i> = 3.76)
Child Gender (percentage female)	55%	57%
Mother Age in Years	<i>M</i> = 35.71 (<i>SD</i> = 4.54)	<i>M</i> = 37.34 (<i>SD</i> = 4.61)
Father Age in Years	<i>M</i> = 38.15 (<i>SD</i> = 4.69)	<i>M</i> = 39.73 (<i>SD</i> = 5.48)
Gross Family Income (percentage of group)		
\$1 - \$19,000	4.1%	0%
\$20,000 - \$39,000	4.1%	5.7%
\$40,000 - \$79,000	21.6%	19.5%
\$80,000 +	68.9%	72.4%
Missing	1.3%	2.4%
Ethnicity		
Oceanic	60.8%	76.7%
European	6.7%	5.5%
Asian	24.3%	6.7%
American	2.7%	2.2%
Missing	5.5%	8.9%
Predictor Variables		
PAS Total Score	<i>M</i> = 42.53 (<i>SD</i> = 15.29)	<i>M</i> = 12.16 (<i>SD</i> = 12.16)
Mother CPBQ Total Score	<i>M</i> = 3.10 (<i>SD</i> = 0.50)	<i>M</i> = 3.30 (<i>SD</i> = 0.46)
Father CPBQ Total Score	<i>M</i> = 3.24 (<i>SD</i> = 0.50)	<i>M</i> = 3.38 (<i>SD</i> = 0.51)
Mother DASS Anxiety Score	<i>M</i> = 2.92 (<i>SD</i> = 2.49)	<i>M</i> = 1.64 (<i>SD</i> = 2.02)
Father DASS Anxiety Score	<i>M</i> = 1.76 (<i>SD</i> = 2.01)	<i>M</i> = 1.58 (<i>SD</i> = 2.25)

Note. DASS = Depression Anxiety Stress Scales, PAS = Preschool Anxiety Scale, CPBQ = Challenging Parenting Behavior Questionnaire.

Table 2

Bivariate Correlations between Continuous Measures

Variable	Mother Anxiety (DASS)	Father Anxiety (DASS)	Child Anxiety (PAS)	Mother CPBQ
Mother Anxiety (DASS)	-	-	-	-
Father Anxiety (DASS)	.07	-	-	-
Child Anxiety (PAS)	.29**	.15	-	-
Mother CPBQ	-.08	.07	-.23**	-
Father CPBQ	.06	-.12	-.18*	.44**

Note. Statistical significance: ** $p < .01$. * $p < .05$. DASS = Depression Anxiety Stress Scales, PAS = Preschool Anxiety Scale, CPBQ = Challenging Parenting Behavior Questionnaire.

Table 3

Hierarchical Multiple Regression Models Predicting Child Anxiety Symptoms.

Variable	<i>B</i> (95% CI)	β	<i>sr</i> ²
Model 1			
Step 1			
Father CPBQ	-.84 (-1.55, -.13)*	-.20	.04
Step 2			
Father CPBQ	-.84 (-1.55, -.13)*	-.20	.04
Child Gender	-.04 (-.76, .68)	-.01	<.001
Step 3			
Father CPBQ	-1.25 (-3.57, 1.07)	-.30	.01
Child Gender	-.05 (-.77, .68)	-.01	<.001
Father CPBQ x Child Gender	.26 (-1.17, 1.70)	.10	<.001
Model 2			
Step 1			
Mother CPBQ	-1.09 (-1.81, -.38)**	-.24	.06
Step 2			
Mother CPBQ	-1.10 (-1.82, -.38)*	-.25	.06
Child Gender	-.14 (-.83, .56)	-.03	<.001
Step 3			
Mother CPBQ	-1.54 (-3.81, .73)	-.34	.01
Child Gender	-.14 (-.84, .56)	-.03	<.001
Mother CPBQ x Child Gender	.29 (-1.14, 1.73)	.10	<.001

Note. CPBQ = Challenging Parenting Behavior Questionnaire. *N* = 147. Statistical significance: ***p* < .01. **p* < .05.

Table 4
Logistic Regression with Paternal Variables Predicting Child Clinical Anxiety Diagnosis.

Variable	<i>B</i>	<i>S.E.</i>	<i>Wald</i>	<i>df</i>	<i>p</i>	<i>Odds Ratio</i>	<i>95% C.I. for Odds Ratio</i>	
							<i>Lower</i>	<i>Upper</i>
Step 1								
Father CPBQ	-.59	.35	2.91	1	.088	.55	.28	1.093
Constant	-.21	.17	1.44	1	.230	.81		
Step 2								
Father CPBQ	-1.67	.35	3.01	1	.083	.54	.27	1.08
Child Gender	-.14	.35	.18	1	.670	.86	.44	1.71
Constant	.02	.56	.00	1	.973	1.02		
Step 3								
Father CPBQ	-1.67	1.18	2.02	1	.155	.19	.02	1.89
Child Gender	-.14	.35	.17	1	.678	.86	.44	1.72
Father CPBQ x Child Gender	.68	.71	.92	1	.338	1.98	.49	8.05
Constant	.03	.56	.00	1	.959	1.03		

Note. CPBQ = Challenging Parenting Behavior Questionnaire. *N* = 138.

Table 5
Logistic Regression with Maternal Variables Predicting Child Clinical Anxiety Diagnosis.

Variable	<i>B</i>	<i>S.E.</i>	<i>Wald</i>	<i>df</i>	<i>p</i>	<i>Odds Ratio</i>	<i>95% C.I. for Odds Ratio</i>	
							<i>Lower</i>	<i>Upper</i>
Step 1								
Mother CPBQ	-.84	.36	5.66	1	.017*	.43	.21	.86
Constant	-.18	.17	1.20	1	.274	.83		
Step 2								
Mother CPBQ	-.86	.36	5.76	1	.016*	.43	.21	.85
Child Gender	-.16	.34	.21	1	.647	.86	.44	1.66
Constant	.05	.55	.02	1	.921	1.06		
Step 3								
Mother CPBQ	-.76	1.12	.46	1	.500	.47	.05	4.25
Child Gender	-.16	.34	.21	1	.645	.85	.44	1.66
Mother CPBQ x Child Gender	-.06	.71	.01	1	.928	.94	.23	3.79
Constant	.05	.55	.01	1	.920	1.06		

Note. CPBQ = Challenging Parenting Behavior Questionnaire. *N* = 147. Statistical significance: **p* < .05.