

Replacement of dietary saturated fat with unsaturated fats increases numbers of circulating endothelial progenitor cells and decreases number of microparticles: findings from the randomized, controlled DIVAS study

Article

Accepted Version

Weech, M. ORCID: <https://orcid.org/0000-0003-1738-877X>, Altowaijri, H., Mayneris-Perxachs, J., Vafeiadou, K., Madden, J., Todd, S. ORCID: <https://orcid.org/0000-0002-9981-923X>, Jackson, K. G. ORCID: <https://orcid.org/0000-0002-0070-3203>, Lovegrove, J. A. ORCID: <https://orcid.org/0000-0001-7633-9455> and Yaqoob, P. ORCID: <https://orcid.org/0000-0002-6716-7599> (2018) Replacement of dietary saturated fat with unsaturated fats increases numbers of circulating endothelial progenitor cells and decreases number of microparticles: findings from the randomized, controlled DIVAS study. *American Journal of Clinical Nutrition*, 107 (6). pp. 876-882. ISSN 0002-9165 doi: 10.1093/ajcn/nqy018 Available at <https://centaur.reading.ac.uk/75013/>

work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1093/ajcn/nqy018>

Publisher: American Society for Nutrition


All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online



Supplemental Figure 1. Flow of recruitment through the DIVAS study. Adapted from Vafeiadou et al. (15). EPC: endothelial progenitor cells, FMD: flow-mediated dilatation, MP: microparticles.