

# *Modelling Roman concepts of copper-alloy recycling and mutability: the chemical characterisation hypothesis and Roman Britain*

Book or Report Section

Accepted Version

Bray, P. (2020) Modelling Roman concepts of copper-alloy recycling and mutability: the chemical characterisation hypothesis and Roman Britain. In: Duckworth, C. and Wilson, A. (eds.) Recycling and reuse in the Roman Economy. Oxford Studies on the Roman Economy. Oxford University Press, Oxford, UK. ISBN 9780198860846 Available at <https://centaur.reading.ac.uk/84733/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

Publisher: Oxford University Press

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)

**CentAUR**

Central Archive at the University of Reading

Reading's research outputs online

# **Modelling Roman concepts of copper-alloy recycling and mutability: the chemical characterisation hypothesis and Roman Britain**

**Peter Bray**

Figure captions

Fig. 7.1. Defining the chemical space for major copper alloys

Fig. 7.2. Defining the chemical space for minor elements in copper

TABLE 7.1. Defining the chemical impurity space for copper. The present and absent elements in the sixteen regions of chemical space

Fig. 7.3. Some permutations and sub-categories of ‘recycling’ for copper-alloys. Defined by object form and the use of solid or liquid processes.

Fig. 7.4. British copper alloys: Early Iron Age to Anglo-Saxon.

TABLE 7.2 The chemical character of British copper alloys, defined by their minor elements, from the Iron Age to Late Saxon periods (Data from Peter Northover pers. comm., and Blades 1995)

Fig. 7.5. The chemical composition of Copper-Alloys containing small amount of antimony and no other minor impurity (CS 3) (Data from Nigel Blades 1995).

Fig. 7.6. The alloy composition pattern for tin in bronze and zinc in brass artefacts. Actual Roman Britain Data, first century AD, Dungworth 1997

Fig. 7.7 The alloy composition pattern for tin and zinc in gunmetal artefacts. Actual Roman Britain gunmetal, first century AD, Dungworth 1997

Fig. 7.8. A schematic model of mixing alloys together. A: A bronze assemblage (with some possible rules for selecting artefacts to recycle). B: A brass assemblage (with possible rules for selecting artefacts to recycle). Centre boxes: Possible rules for mixing these selections together to make gunmetal

Fig. 7.9. Comparing the results of a modelled recycling practice (Test 7, Roman “Gunmetal”), with the actual Roman Britain gunmetal alloy chemical distribution, first century AD, Dungworth 1997

Fig. 7.10. Coins, Nerva to Lucius Verus, data from analysts listed in n. 41.

Fig. 7.11. Nero, Brass Coinage, Distribution of Zinc. (data from Caley 1964, Carter 1988, Carter and King 1980, Riederer 1974).