

Portfolio formation with preselection using deep learning from long-term financial data

Article

Accepted Version

Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Wang, W., Li, W. ORCID: <https://orcid.org/0000-0003-2878-3185>, Zhang, N. and Liu, K. (2019) Portfolio formation with preselection using deep learning from long-term financial data. *Expert Systems with Applications*, 143. 113042. ISSN 0957-4174 doi: 10.1016/j.eswa.2019.113042 Available at <https://centaur.reading.ac.uk/86775/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.eswa.2019.113042>

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

Title: Portfolio formation with preselection using deep learning from long-term financial data

Author names and affiliations:

Wuyu Wang¹, Weizi Li², Ning Zhang¹, Kecheng Liu²

¹School of Information, Central University of Finance and Economics, 39 South College Road, Haidian District, Beijing, P.R. China 100081

²Informatics Research Centre, Henley Business School, University of Reading, Reading, Berkshire RG6 6UD, UK

Email addresses: cufe_wwy@163.com (Wuyu Wang), weizi.li@henley.ac.uk (Weizi Li), 717212398@qq.com (Ning Zhang), k.liu@reading.ac.uk (Kecheng Liu)

Portfolio formation with preselection using deep learning from long-term financial data

Abstract: Portfolio theory is an important foundation for portfolio management which is a well-studied subject yet not fully conquered territory. This paper proposes a mixed method consisting of long short-term memory networks and mean-variance model for optimal portfolio formation in conjunction to the asset preselection, in which long-term dependences of financial time-series data can be captured. The experiment uses a large volume of sample data from UK Stock Exchange 100 Index between March 1994 and March 2019. In the first stage, long short-term memory networks are used to forecast the return of assets and select assets with higher potential returns. After comparing the outcomes of the long short-term memory networks against support vector machine, random forest, deep neural networks and autoregressive integrated moving average model, we discover that long short-term memory networks are appropriate for financial time-series forecasting, to beat the other benchmark models by a very clear margin. In the second stage, based on selected assets with higher returns, the mean-variance model is applied for portfolio optimisation. The validation of this methodology is carried out by comparing the proposed model with other five baseline strategies, to which the proposed model clearly outperforms others in terms of the cumulative return per year, Sharpe ratio per triennium as well as average return to the risk per month of each triennium. i.e. potential returns and risks.

Key words: asset preselection, long-term financial data, financial forecasting, portfolio optimisation

Portfolio formation with preselection using deep learning from long-term financial data

1. Introduction

Portfolio management is a decision-making process in which an amount of fund is allocated to multiple financial assets, and the allocation weight is constantly changed in order to maximize the return and restrain the risk (Markowitz, 1952). Portfolio theory proposed by Markowitz in 1952, is an important foundation for portfolio management which is a well-studied subject yet not fully conquered territory. There are two issues with portfolio formation. The first one is to select assets with higher revenue, and another one is to determine the value composition of assets in the portfolio to achieve the goal of maximal potential returns with minimal risk. Quantitative approach to the portfolio formation has often been adopted in investment decisions. Based on Markowitz's mean-variance (MV) model, numerous researches have discovered many model extensions and supplemented plentiful reasonable insights about the portfolio formation (Tobin, 1958; Sharpe, 1963; Merton, 1969; Grauer and Hakansson, 1993; Liu and Loewenstein, 2002; Tu and Zhou, 2010; Brown and Smith, 2011; Li et al., 2013; Li et al., 2015; Bodnar et al., 2017).

In the portfolio optimisation process, the expected return on an asset is a crucial factor, which means that a preliminary selection of assets is critical for portfolio management (Guerard Jr et al., 2015). But few researches pay attention to the preselection of assets before forming a portfolio. Asset selection has been a meaningful, but difficult issue in financial investment area. This line of research depends on a long-term volatility of financial time-series data in the past as well as a reliable performance forecasting of assets in the future (Huang, 2012). Traditional statistical methods are not effective in dealing with complex, multi-dimensional and noisy time-series data

(Långkvist et al., 2014; Baek and Kim, 2018), while early machine learning methods, such as support vector machine (SVM), principal component analysis (PCA), and artificial neural network (ANN), are not most suited for learning and storing financial time-series data over a long period (LeCun et al., 2015; Bao et al., 2017). This situation leads to the difficulties of financial assets preselection. In fact, during the investment decision-making process, it would be unsustainable to only apply complex portfolio optimisation methods without high-quality asset input (Deng and Min, 2013).

In the financial market, individual investors usually would like to know the changes in the returns of their investment assets today, the possible trends in the returns tomorrow and which measures should be adopted to help them possess the best portfolio (Zhang et al., 2018). Therefore, incorporating forecasting theory into the portfolio formation will be promising in financial investment (Kolm et al., 2014). Forecasting financial time-series is always regarded as one of the most challenging tasks because of the dynamic, nonlinear, unstable and complex nature with long-term fluctuations of the financial market (Chen and Hao, 2018; Paiva et al, 2019). But a reliable investment decision should rely on long-term observations and patterns of behaviour of asset data rather than short-term (Chourmouziadis and Chatzoglou 2016; Chong et al., 2017). In this case, it is necessary to observe the change and volatility of financial data over a long time in the past so as to make a good preparation for future trends forecasting and investment decisions. And numerous widely accepted empirical researches suggest that financial time-series have a memory of a period in the past, thus to some extent, financial markets are predictable. The behaviour of the asset over a long period will significantly influence the risks and returns of a portfolio, and then further affect the investment decisions (Liu and Loewenstein, 2002). However, this important

point is always ignored by current researches. For instance, some apply early machine learning methods, GA (Huang, 2012), SVM (Huang, 2012; Paiva et al., 2019), to predict and select good assets, but fail to capture long-term dependencies of financial time-series data. To overcome this limitation, we present a novel method for portfolio formation in conjunction to the asset preselection, in which long-term dependences of financial time-series data are duly considered.

The primary purpose of this paper is to construct an investment decision-making model for individual investors that combines the deep learning LSTM method which concentrates on capturing the long-term dependencies of the returns on assets and the Markowitz's MV method to form optimal portfolios. In this respect, our study has two primary contributions which fill the gaps in existing literature. Firstly, this paper develops a novel method consisting of long short-term memory networks and mean-variance model (LSTM+MV) for optimal portfolio formation. This method considers the long-term dependences on the fluctuations of financial market and captures long-time change patterns of company stocks from the time-series data. To show the benefit of the proposed method in terms of the prediction, early machine learning and statistical models are used in our experiments as baselines to compare with the LSTM networks. Secondly, our proposed model explores in-depth the preselection process of assets before optimal portfolio formation, which guarantees high-quality inputs to the optimal portfolio. Unlike the majority of the methods which aim to improve the existing portfolio management models, this paper focuses on the preliminary phase of portfolio construction, i.e. the preselection of assets. Meanwhile our work provides practical guidance for investors in making better investment decisions. Specifically, the systematic approach present in current paper is able to help decide which assets should be part of the portfolio and the value composition of assets in the portfolio.

The remainder of this paper is organised as follows. In Section 2, we review the development of modern portfolio theory and summarise empirical work that has used deep learning to solve issues corresponding to financial time-series data. In Section 3, we describe our methodology in detail, i.e. data source, input variable selection, the proposed model architecture. In Section 4, we present the results of the experiments and explain the results appropriately. In Section 5, we discuss our key findings, implications for theory and practice, also future work.

2. Theoretical background

2.1 Modern Portfolio Theory

Markowitz (1952) proposes mean-variance (MV) methodology to solve portfolio selection issue, which initiates the foundation of Modern Portfolio Theory (MPT). He quantifies investment return and risk by expected return and variance, respectively. The main idea of MV methodology is to maximize expected return keeping unchanged variance, or minimize variance keeping unchanged expected return. MPT has been widely accepted and studied by researchers. Tobin (1958) indicates that liquidity preference could determine how much wealth is to be invested in monetary assets, and constructs an effective portfolio combined with risk-free assets as well as a special type of risky assets. Sharpe (1963) puts forward the diagonal model assuming that there is no interrelationship among securities so as to simplify the calculation, which significantly facilitates the development of portfolio theory. Some researchers notice that multi-period portfolio selection should be considered to deal with the complex financial markets. For instance, Merton (1969) extends modern portfolio theory by introducing a continuous-time model in order to achieve the goal of maximal expected utility within a constant planning region. Grauer and Hakansson (1993) apply a discrete-time dynamic investment model to compare the MV and the quadratic

approximations computing the optimal portfolios. Some researches put several realistic constraints into the Markowitz's MV model. For instance, Liu and Loewenstein (2002) incorporate transaction cost into stock trading strategy to help maximize the investors' wealth utility. Brown and Smith (2011) consider risk aversion, transaction cost, portfolio constraints into MV model and find that it would be difficult to solve portfolio optimisation issues when three more assets are involved. Moreover, some studies use robust optimisation techniques in portfolio management. Tu and Zhou (2010) involve the financial objectives into Bayesian priors to estimate uncertain parameters and they prove that Bayesian method under the objective-based priors performs better than those under alternative priors in portfolio selection. Under a Bayesian estimation framework, Bodnar et al. (2017) analyse the global minimum variance portfolio and consider investors' prior beliefs into the portfolio decisions. On the basis of random matrix theory, Bodnar et al. (2018) evaluate the global minimum variance portfolio with high-dimensional data to minimize the out-of-sample variance.

Furthermore, numerous scholars start to analyse portfolio issue using fuzzy set theory. Li and Xu (2013) indicate that there are often fuzzy uncertainty and random uncertainty existing in financial market, hence, they incorporate investors' sentiments and experts' insights into the process of portfolio construction. Assuming that expected rate of returns obeys normal distribution, Li et al. (2013) integrate two constraints, value at risk (VaR) and risk-free assets, into a fuzzy portfolio selection model so as to find a more suitable portfolio. Li et al. (2015) put forward another fuzzy portfolio selection model with background risk to obtain the effective frontier of portfolio. Recently, with the development of big data and artificial intelligence technology, it is possible to use computers and a large number of calculations to achieve optimal portfolio management. Huang (2012) focuses on high-return stock selection using support using genetic algorithms (GAs) as well

as vector regression (SVR), but he ignores risk factor. Based on support vector machine (SVM), Paiva et al. (2019) classify the assets to achieve a certain return and determine the components of the investment portfolio. Almahdi and Yang (2017) set three optimisation objectives, annualised Sharpe ratio, Sterling ratio and Calmar ratio, respectively, then choose the best performance algorithm to select optimal portfolio. Yunusoglu and Selim (2013) develop expert system (ES) to support portfolio managers for investment decisions. The expert system contains three stages, the first stage is elimination of unacceptable stock. The second stage is to evaluate stock through a comprehensive literature survey and interviews with a domain expert. The last stage is to construct portfolio based on a mixed-integer linear programming model. Their results demonstrate that under the different risk preference, ES performance is not particularly big difference, moreover, ES is more suitable for 6 months, 9 months and 12 months of investment period.

It is obvious that various extensions of Markowitz's MV model help enrich the modern portfolio theory and provide researchers with more research perspectives. And these extensions further confirm that MV model plays an extremely significant role in portfolio management. However, most of the related researches ignores the selection of high-quality assets, the stage before the optimal portfolio formation. Instead, they focus more on how to improve the MV model. Actually, high-quality asset input is a reliable guarantee for optimal portfolio formation during the investment process. In this regard, this paper will continue to adopt the classical MV model, moreover, we will study deeply the preliminary selection of assets in order to provide MV model with better asset inputs. At the same time, different transaction costs will be considered for simulation to visualize the performance of different models.

2.2 Return prediction with deep learning

In recent years, with the development of big data and artificial intelligence (AI) technology, more and more scholars start to use AI as support for their research solutions and prove that AI methods deal with problem of nonlinear, nonstationary characteristics better than traditional statistical models. For example, a number of researches based on SVM (Paiva et al., 2019), PCA (Chen and Hao, 2018; Zbikowski, 2015), GA or random forest (Li and Xu, 2013; Mousavi, 2014), ANN (Patel et al., 2015; Chong et al., 2017) to classify, predict and optimise complex financial assets. Among these technologies, the deep learning is thought to be an appropriate method for the financial time-series forecasting solution, since it is good at processing complex, high-dimensional data as well as extracting abstract characteristics from mass data without depending on any assumptions.

The deep learning method proposed by Hinton and Salakhutdinov (2006), has become a leading application in the financial area, especially in predicting financial market movement and processing text information. Deep learning architectures mainly include deep neural networks (DNNs), deep belief networks (DBNs), recurrent neural networks (RNNs) and convolutional neural networks (CNNs) (LeCun et al., 2015). Amongst them, DNNs are feedforward networks in which data flows from the input layer to the output layer by their single directional forward links without going backwards (Arévalo et al., 2016). Chong et al. (2017) testify that with regard to future returns prediction, DNN is obviously superior to a linear autoregressive model based on data from Korean stock market. Identifying the correlation between different stocks, Lachiheba and Gouider (2018) come up with a DNN model with special structure to predict the trend of stock returns over the next five minutes and the results manifest that the accuracy is improved to 71% considerably.

DBNs are composed of multiple layers of latent variables, with connections between the layers but not between units within each layer (Hinton, 2009). Shen et al. (2015) construct a DBN using continuous restricted Boltzmann machines to predict exchange rate and their results show that their method performs better than traditional methods. Unlike feedforward neural networks, RNNs can use their internal states (memory) to process sequences of inputs. For instance, Rather et al. (2015) construct a novel hybrid model constituting autoregressive moving average model, exponential smoothing model and RNN to obtain more accurate returns prediction. Similarly, Long et al. (2019) integrate CNN and RNN into their proposed model entitled “multi-filters neural network” aiming to see the trend of the stock price over time, finally, they verify the prediction accuracy of the model through simulation. Long short-term memory (LSTM) networks are one of classes of recurrent neural networks (RNNs), but it has the advantage to retaining information over a long time-span compared with RNNs (LeCun et al., 2015; Fischer and Krauss, 2018). Kraus and Feuerriegel (2017) analyse the text data using the long short-term memory (LSTM) networks, finally they prove that their method increases the accuracy of the stock price prediction. Fischer and Krauss (2018) take advantage of the LSTM networks to forecast stocks directional movement and their results show that LSTM outperforms some classical machine learning models in this prediction task. Besides, Ding et al. (2015) apply CNNs to predict the short-term and long-term influences of events on stock price movements and they prove that the accuracy of the model outperforms other baseline methods.

It is clear that the deep learning method is able to find complex structures in high-dimensional financial data and acquire features through simple and non-linear modules, and then transform features from lower level to higher level and more abstract features (LeCun et al., 2015). Based

on above literature review, it is easy to discover that the majority of the existing studies on predicting assets returns based on deep learning pay more attention to improve the prediction accuracy, however, few of them apply their prediction results to actual financial markets, such as portfolio management, assets selection, or trading strategy, to give investors more practical guidance. Actually, the high accuracy of prediction does not represent the optimal investment strategy. The advantages of deep learning methods in predicting can be very helpful for decision making in financial investments (Saurabh Aggarwal and Somya Aggarwal, 2017). Therefore, how to combine the prediction of deep learning to help choose the optimal investment strategy is a meaningful and promising research direction (Zhang et al., 2018).

3. Methodology

3.1 Data

The biggest challenge of prediction is to recognise a relation in financial time-series data between the past and the future (Paiva et al., 2019). Since the continuity of financial stock data, the longer the sample data is involved, the more likely it is to capture history information memory (Fischer and Krauss, 2018; Long et al., 2019). Hence, a large amount of long-term data is required in the empirical experiment (Chourmouziadis and Chatzoglou, 2016). In this research, we collect daily stock data from the UK Stock Exchange 100 Index (FTSE 100) from March 1994 until March 2019, covering 25 years. Since the majority of related studies have been conducted over a period of 10 years or less (Kara et al, 2011; Patel et al., 2015; Chen and Hao, 2018), 15 years (Paiva et al., 2019; Almahdi and Yang; 2017), or 25 years (Fischer and Krauss, 2018), our samples spanning 25 years can be considered to provide a sufficiently large volume data to generate statistically significant results. Our sample data involves the historical series of adjusted open prices, close prices, the

highest prices, the lowest prices, and the trading volume of assets. Numerous scholars agree on that holding tens of thousands of different stocks as a portfolio is not realistic for individual investors (Tanaka et al., 2000; Rangelova, 2001; Kocuk and Cornuéjols, 2018; Almahdi and Yang, 2017). For instance, Tanaka et al. (2000) select 9 securities as the sample to form the optimal portfolio. Almahdi and Yang (2017) construct a five-asset portfolio. Hence, this paper randomly chooses twenty-one stocks from FTSE 100 as sample data, which is sufficiently large for the asset preselection before forming portfolio for individual investors. The names of these sample stocks are “BP” (BP), “Barclays” (BAR), “Tesco” (TES), “Vodafone Group” (VG), “Halma” (HAL), “Johnson Matthey” (JM), “HSBC Holdings” (HH), “Sainsbury J” (SJ), “Marks & Spencer Group” (MSG), “Astrazeneca” (AST), “British American Tobacco” (BAT), “PEARSON” (PEA), “Relx” (RELX), “SSE” (SSE), “Legal & General” (LG), “Royal Bank” (RB), “Royal Dutch Shell B” (RDSB), “Sage Group” (SG), “Schroders” (SCH), “Seven Trent” (ST) and “Smiths Group” (SG). Their abbreviations are used for convenience, respectively. Table 1 shows the descriptive statistics of close prices for the 21stocks selected from FTSE 100. As can be seen, stock AST has the highest daily mean prices: 2923.12, stock LG has the lowest standard deviation: 65.36, stock VG follows, with 65.81.

Table 1 Descriptive statistics for sample data

Stock	Mean	Std.	Maximum	Minimum
TES	255.66	104.65	492.0	67.33
AST	2923.12	1142.28	6317.0	658.41
BAR	318.90	141.05	710.69	47.0
BP	468.58	109.99	712.0	174.5
BAT	1808.8	1468.73	5643.0	217.59
HAL	357.44	349.40	1648.0	81.5
HH	611.21	165.72	951.6	171.09
JM	1572.69	967.46	3823.0	263.85
LG	141.78	65.36	23.0	294.4
MSG	396.84	111.54	749.0	170.75

PEA	887.68	316.77	2301.79	429.5
RELX	714.0	352.18	1782.0	348.82
RB	2076.30	1877.32	6026.35	103.0
RDSB	1753.62	451.63	761.02	2841.0
SG	978.12	283.06	424.34	1801
SJ	343.75	77.27	594.0	214.6
SCH	1416.98	875.33	3773.0	346.01
ST	1257.59	536.65	2553.0	487.17
SG	978.12	283.06	1801.0	424.34
SSE	984.88	433.62	1696.0	272.5
VG	158.88	65.81	408.57	32.29

3.2 LSTM networks

LSTM networks were introduced by Hochreiter and Schmidhuber (1997) as an alternative method to learn sequential patterns. LSTM networks are one of classes of recurrent neural networks (RNNs), but it has the advantage to retaining information over a long time-span compared with RNNs (LeCun et al., 2015; Fischer and Krauss, 2018). Graves and Schmidhuber (2005) demonstrate that LSTM networks are able to overcome the previously inherent problems and memorize temporal patterns over a long period of time.

LSTM networks are comprised of an input layer, several hidden layers, and an output layer. The most important characteristics of LSTMs is memory cells which contained in the hidden layers. Fig. 1 illustrates the structure of an LSTM memory cell. As we can see, for each memory cell, x_t and h_t correspond to the input and hidden state respectively, at time t , and i_t , o_t and f_t , are the gates which are called input, output and forget gates, respectively, s_t is adjusting its cell state. It is worth noting that the input gate decides which data can be added into the memory cell, the output gate decides which data from the memory cell can be used as output, and the forget gate decides which data should be deleted from the memory cell. The calculations for each state and gate are performed as the following formulas.




Fig.1. Structure of LSTM memory cell following Fischer and Krauss (2018)

$$f_t = \text{sigmoid}(W_{f,x}x_t + W_{f,h}h_{t-1} + b_f) \quad (1)$$

$$\tilde{s}_t = \text{sigmoid}(W_{\tilde{s},x}x_t + W_{\tilde{s},h}h_{t-1} + b_{\tilde{s}}) \quad (2)$$

$$i_t = \text{sigmoid}(W_{i,x}x_t + W_{i,h}h_{t-1} + b_i) \quad (3)$$

$$s_t = f_t * s_{t-1} + i_t * \tilde{s}_t \quad (4)$$

$$o_t = \text{sigmoid}(W_{o,x}x_t + W_{o,h}h_{t-1} + b_o) \quad (5)$$

$$h_t = o_t * \tanh(s_t) \quad (6)$$

Where $W_{f,x}$, $W_{f,h}$, $W_{\tilde{s},x}$, $W_{\tilde{s},h}$, $W_{i,x}$, $W_{i,h}$, $W_{o,x}$ and $W_{o,h}$ are weight matrices, b_f , $b_{\tilde{s}}$, b_i , and b_o are bias vectors of the respective gates. Those bias vectors are added to increase the flexibility of the model to fit the data. Bias vectors $b_{\tilde{s}}$, b_i , and b_o are initialized to zero, but the bias b_f for the forget gate in LSTM is initialized to 1.0 (Jozefowicz et al., 2015). The symbol of $*$ indicates element-wise multiplication. Because of this selective process of information, LSTM is able to deal with longer temporal patterns.

3.3 Mean-variance model

Mean-variance (MV) model proposed by Markowitz (1952) in order to solve optimal portfolio selection issue, which initiates the foundation of Modern Portfolio Theory (MPT). In this model, investment return and risk are quantified by expected return and variance, respectively. Santos and

Tessari (2012) hold the view that the core of the portfolio selection for investors is to decide which portfolio is the best on the basis of risk and expected returns. Hereby, rational investors always prefer the lower risk portfolios with constant expected returns or the higher expected return portfolios with constant risk level. To solve this issue, a set of optimal solutions is generated, named an efficient investment frontier. The model can be described by the following formulas:

$$\underset{w_i, \dots, w_n}{Min} \sum_{i=1}^n \sum_{j=1}^n w_i w_j \delta_{ij} \quad (7)$$

$$\underset{w_i, \dots, w_n}{Max} \sum_{i=1}^n w_i \mu_i \quad (8)$$

$$\text{Subject to: } \begin{cases} \sum_{i=1}^n w_i = 1 \\ 0 \leq w_i \leq 1, \forall i = 1, \dots, n \end{cases} \quad (9)$$

Where w_i and w_j represent the initial value invested in the portfolio or asset i and asset j . δ_{ij} specifies covariance between assets i and asset j . μ_i is expected return on asset i . Following Paiva et al. (2019), a variable λ called risk aversion coefficient is integrated into the model to depict investors' behavior corresponding to the risk investment choices. A mono-objective formulation is as following:

$$\underset{w_i, \dots, w_n}{Min} \lambda \left[\sum_{i=1}^n \sum_{j=1}^n w_i w_j \delta_{ij} \right] - (1 - \lambda) \left[\sum_{i=1}^n w_i \mu_i \right] \quad (10)$$

$$\text{Subject to: } \begin{cases} \sum_{i=1}^n w_i = 1 \\ 0 \leq w_i \leq 1, \forall i = 1, \dots, n \end{cases} \quad (11)$$

As a result, a group of optimal portfolios constitute an effective frontier can be derived and introduced to the investor. So, the investor could select the point among these possible solutions according to his or her risk preference.

3.4 Proposed model: LSTM+MV

Many researches always ignore the fact that the purpose of forecasting financial market is not to show off the accuracy of a model but to apply these good results into the real market so as to give investors more practical and meaningful guidance. During the investment decision-making

process, high-quality asset input would be very helpful for the optimal portfolio formation. Given the important role that MV method plays in portfolio management area, we will continue to adopt this classical model, moreover, we will study deeply the preliminary selection of assets in order to provide MV model with better asset inputs. In this regard, this study puts forward a mixed method named LSTM+MV combining the advantages of deep learning LSTM method in time-series forecasting with the effectiveness of MV model in portfolio optimisation, aiming to improve the investment decision-making process.

There are two stages in our proposed model. In the first stage, LSTM method is applied to predict the return of the sample stocks in the next period. All the predicted results will be sorted in descending order and the top stocks will enter into the next phase. In the second stage, the Markowitz's MV model will be used to obtain the capital allocation proportion for each stock that has been entered.

3.4.1 Input variable selection

The selection of input variables is extremely necessary for time-series prediction tasks. In the light of previous literatures, technical indicators are effective features to describe and reflect the real market situation. For instance, Chen and Hao (2018) suggest that Exponential Moving Average (EMA), Relative Strength Index (RSI) and Momentum Index (MoM) are correlated with changes in stock market. Kara et al (2011) select ten technical indicators as input feature subsets. Also, financial time-series forecasting is always explained by the lagged observations. For example, Fischer and Krauss (2018) use a return time sequence length of 240 for training. Paiva et al. (2019) use several lagged variables of return as inputs to predict the future return of stocks. Hereby, after referring to the views of domain papers, we make feature selection by recursive feature elimination

314 (RFE). To be specific, RFE works by recursively removing features and building a model on those
 315 features that remain. It uses the model accuracy to identify which features contribute the most to
 316 predicting the target feature (return in $t + 1$ period). We use RFE with the logistic regression
 317 algorithm to select the features with a ratio greater than 0.3. Fig. 2 shows the results of feature
 318 selection using RFE. We finally choose twenty important indicators as input variables, including
 319 five technical indicators and fifteen lagged observations about return. The values of all technical
 320 indicators are standardized in the range of $(-1, +1)$, in order to avoid the errors caused by different
 321 indicators of different numerical ranges. Table 2 summarises the selected input variables. Among
 322 the variables are return measures based on open, close, high, low prices, and volume. A brief
 323 explanation of each indicator is as following.




Fig. 2. Feature selection results

Table 2 Input features summary

Attribute	Details	Attribute	Details
1	$r_1 = \ln\left(\frac{\text{close price}_t}{\text{close price}_{t-1}}\right)$	11	$r_{11} = \ln\left(\frac{\text{high price}_{t-3}}{\text{open price}_{t-3}}\right)$
2	$r_2 = \ln\left(\frac{\text{close price}_{t-1}}{\text{close price}_{t-2}}\right)$	12	$r_{12} = \ln\left(\frac{\text{low price}_t}{\text{open price}_t}\right)$
3	$r_3 = \ln\left(\frac{\text{close price}_{t-2}}{\text{close price}_{t-3}}\right)$	13	$r_{13} = \ln\left(\frac{\text{low price}_{t-1}}{\text{open price}_{t-1}}\right)$
4	$r_4 = \ln\left(\frac{\text{close price}_{t-3}}{\text{close price}_{t-4}}\right)$	14	$r_{14} = \ln\left(\frac{\text{low price}_{t-2}}{\text{open price}_{t-2}}\right)$
5	$r_5 = \ln\left(\frac{\text{high price}_t}{\text{open price}_t}\right)$	15	$r_{15} = \ln\left(\frac{\text{low price}_{t-3}}{\text{open price}_{t-3}}\right)$
6	$r_6 = \ln\left(\frac{\text{high price}_t}{\text{open price}_{t-1}}\right)$	16	Relative Strength Index (close price, period =14)
7	$r_7 = \ln\left(\frac{\text{high price}_t}{\text{open price}_{t-2}}\right)$	17	Momentum Index (close price, period =10)
8	$r_8 = \ln\left(\frac{\text{high price}_t}{\text{open price}_{t-3}}\right)$	18	True range (high, low, and

9	$r_9 = \ln\left(\frac{\text{high price}_{t-1}}{\text{open price}_{t-1}}\right)$	19	close price) Average true range (high, low and close price, period = 14))
10	$r_{10} = \ln\left(\frac{\text{high price}_{t-2}}{\text{open price}_{t-2}}\right)$	20	Parabolic SAR (high and low price, acceleration = 0.02, maximum = 0)

328

329 1) Simple return

330 Set P_t^i as the price process of stock i at time t , with $i \in \{1, 2, \dots, n\}$ and $R_t^{m,i}$ as the simple
331 return for a stock i over t periods, i.e., $R_t^{m,i} = \frac{P_t^i}{P_{t-m}^i}$.

332 2) Relative Strength Index (RSI)

333 RSI, a momentum indicator, is able to measure the magnitude of the rise and fall in prices
334 recently. It is very effective in assessing the overbought/oversold condition of an asset. According
335 to the parameters of this indicator in existing researches (Paiva et al., 2019; Chen and Hao, 2018;
336 Patel et al., 2015), this paper set the period as 14.

337 3) Momentum Index (MoM)

338 MoM is an extremely popular indicator measuring a security's rate-of-change, which refers to
339 the force or speed of movement. Following existing researches (Paiva et al., 2019; Chen and Hao,
340 2018; Patel et al., 2015), in this paper, the period is set to 10.

341 4) True range (TR)

342 TR is the maximum change in the price of the day compared to the previous day.

343 5) Average true range (ATR)

344 ATR is a technical analysis indicator that reflects market volatility through decomposing the
345 entire range of an asset price for a period.

346 6) Parabolic SAR

The parabolic SAR is used to determine the direction in which asset prices rise or fall, besides, it will remind us when the direction of the price changes, in another words, it will adjust as prices change so as to attract investors' attention.

3.4.2 Generation of training and testing sets

Since the continuity of time-series data, we consider each training-testing set as a “study period”, involving a training period of 750 days and a testing period of 250 days (Fischer and Krauss, 2018). We divide our sample data from March 1994 until March 2019 into twenty-two study periods with overlapping training-testing sets. In each study period, the data in the first 750 days is used for training with rolling windows, the rest data fully out-of-sample in the last 250 days is performed for testing based on the trained parameters. Then, the entire network will roll forward 250 days, leading to twenty-two non-overlapping testing sets. Details can be seen in Fig. 3. The blue area represents the whole span of our sample, from March 1994 until March 2019. The yellow area indicates the training set, 750 days. The red area is the testing set, 250 days. The red and yellow areas together form our “study period”, 1000 days.




Fig. 3. overlapping training-testing sets

3.4.3 *Process of optimal portfolio formation*

The proposed model LSTM+MV in this paper is on the basis of technical analysis as well as the historical asset prices identification. On this account, we follow the assumption of Fama (1965) who holds the view that history behaviour trend of the price change in individual assets are inclined to repeat in the future. The primary objective of the LSTM method here is to forecast the relative return rate of each stock in $t + 1$ trading day on the basis of information before time t . In LSTM networks of our proposed model, some sequences of input features are required for training, that is, the values of input features at points in consecutive time. With regards to the training of the LSTM networks, three advanced methods are applied through Keras. First, Adam (Kingma and Ba, 2014) is used as the optimiser to improve the neural network. This selection is inspired from some existing researches (Kingma and Ba, 2014; Reimers and Gurevych, 2017; Kraus and Feuerriegel, 2017), as they testify that Adam is appropriate for deep LSTM networks and has a better performance in optimising the neural network. Second, referring to Srivastava et al. (2014), we make use of dropout regularization technique on the hidden layer. In this case, randomly selected neurons are dropped during training times, along with corresponding input and output connections, which is able to reduce overfitting efficiently (Srivastava et al., 2014; Fischer and Krauss, 2018). In the case of Adam optimiser, we also carry an initial experiment using a part of the sample, the result shows that the model performance decreases as the dropout rate increases, hence, we set the dropout rate relatively low as 0.1. Third, we perform random search method to dynamically find a good combination of hyperparameters based on the above settings. Many empirical evidences have shown the effectiveness of random search in optimising the parameters (Bergstra and Bengio, 2012; Greff et al., 2017). The random search samples the following hyperparameters: (1) the sequence

length, ranging from 30 to 250; (2) the number of epochs, ranging from 10 to 100, (3) neuron activation function; (4) the number of neurons per hidden layer, ranging from 2 to 200. Finally, the specified topology of the LSTM network is confirmed. We set 20 features and 72 timesteps in input layer. And in LSTM layer, we set 60 hidden neurons and 0.1 for dropout rate. In dense layer, we apply 16 neurons and relu activation function. Also, we set one neuron and sigmoid activation function in output layer, which is a standard configuration (Fischer and Krauss, 2018). Since the optimal sequence length is 72, approximately covering the data of three testing months. Thus, overlapping sequences of 72 consecutives are generated. In total, 22 study period contain about 429,000 of those sequences, in which approximately 321,750 are utilized for in-sample training, and 107,250 are utilized for out-of-sample predictions. For each study period, there are about 19,500 of those sequences. Suppose that we would like to find whether an asset has the potential to reach higher return in $t + 1$. Then, we will collect all data of that asset before the trading session at t_0 in order to achieve this goal. According to LSTM principles, the data series from previous days would be put into the model to implement experiment.

Once all the assets are predicted, one by one, we will rank all stocks for each period $t + 1$ in descending order of this predicted return. Only the top k of the ranking with the higher return assets that are considered to qualify to enter into the next phase. The purpose of the second stage is to obtain the capital allocation proportion for each asset. And the Markowitz's MV model will be used to carry on this stage. It is worth clarifying that the proposed model does not take into account investors' risk preference and risk-free assets, thus, the portfolios exclusively compose of risky assets. According to the way of Malkiel (2007) letting a blindfolded monkey throw darts at a newspaper's financial pages, we also create a function in python to randomly generate 50,000

portfolios. From a statistical perspective, 50,000 random portfolios basically cover most possible portfolios with different weights and can be regarded representative enough (Fischer and Krauss, 2018). Furthermore, all these 50,000 portfolios will be screened in accordance with MV optimisation rules so that better portfolio can be find. In the end, the available resources will be allocated to the portfolio with the lowest variance. As such, when the assets and the respective investment proportions are confirmed, the next step is to allocate capital at the opening of the next trading day. We will go long the top k assets during the investment day. The detailed process of the proposed method is shown in Fig. 4.




Fig. 4. The scheme of proposed model

3.4.4 Benchmark models for prediction: SVM, RAF, DNN and ARIMA

In order to benchmark the LSTM, three representative machine learning models, support vector machine, random forest, deep neural network, as well as a traditional statistical model named Autoregressive Integrated Moving Average that is often applied for time-series prediction. We will introduce the principles of each model in the following paragraphs.

Support Vector Machine: This technique aims to solve issues related to classification, regression estimation, pattern recognition and time series (Paiva et al., 2019). Support vector

regression (SVR), proposed by Drucker et al. (1997), is a version of support vector machine (SVM) for regression. SVR is able to deal with continuous values and find the best regression hyperplanes in order to estimate the dependent variable value (Loureiro et al., 2018).

Random Forest: The algorithm derives from the decision trees and is developed to improve the accuracy of decision trees and overcome the high sensitivity to small changes in data. It is generally accepted that it is an advanced machine learning model that usually gets good results and seldom needs tuning (Fischer and Krauss, 2018).

Deep neural network: DNN is consisted of multiple hidden layers, one input and one output layer (Loureiro et al., 2018). To be specific, this paper applies a feedforward neural network with 20 input neurons and the activation with relu (Li and Yuan, 2017), 30 neurons in the first hidden layer, 3 neurons in the second hidden layer (Fischer and Krauss, 2018), and one neuron in the output layer. Dropout is set to 0.2.

Autoregressive Integrated Moving Average model: ARIMA is a classical econometrics model, fitted to predict time-series data in future, and ARIMAX extends ARIMA model by including exogenous variables (Pektas and Cigizoglu, 2013). This paper uses ARIMAX model as one of baseline models.

3.4.5 Baseline strategies for portfolio formation

In reality, except for MV model, equal-weighted portfolio and Black-Litterman (BL) model are also popular. It is worth noting that we originally used the BL model as one of the baselines, but in the end, we found that we could not get a prominent and consistent result to explain. Maybe the parameters of different models need to be adjusted or due to some other reasons we have not figured out. Therefore, we decide not to discuss BL model in this paper. These following baseline

strategies are based on the LSTM+MV model proposed in the prior section and used to compare with this model's changes and performance.

(1) **Alternative model: Machine learning + MV**

This kind of model's design is similar with the logical structure of the LSTM+MV model. The main objective is to find out whether different prediction results of asset return will have an impact on the formation of the final optimal portfolio. To be specific, assets returns in $t + 1$ will be predicted by one machine learning method with better forecasting performance in the in the first stage, and assets with higher return in the future will be chosen into the second stage. Notice that the number of assets selected must be as same as the number defined in the LSTM+MV model. The second stage, portfolio optimisation, applying the Markowitz's MV method is maintained.

(2) **Alternative model: Machine learning + 1/N**

The objective of this baseline strategy is to examine the portfolio optimisation effect between MV and 1/N (equal-weighted), in the case of the same initial selection of assets. Specifically, one machine learning method with better forecasting performance in the first stage will be used to predict assets returns in $t + 1$, and then rank these assets according to the predicted results. Finally, the top k assets will enter into the second stage and receive the same proportion of investment. Notice that k should be consistent with the number defined in the LSTM+MV model.

(3) **Alternative model: Random+ MV or 1/N**

This kind of baseline strategy differs from the previous baselines in terms of the asset preselection phase. The asset preselection is randomly undertaken without relying on any predictions, but the number of assets should be same as the number defined by the other models. To be specific, we will randomly select a certain number of assets from all our samples and then

apply Markowitz's MV method or 1/N optimisation separately to optimise the portfolio. The objective of this kind of baseline strategy is to examine the necessity of asset preselection using machine learning.

4. Experiments and Results

4.1 Results analysis in the first stage: prediction

In this section, we use five criteria to evaluate predictive accuracy, mean square error (MSE), root-mean-square error (RMSE), mean absolute percentage error (MAPE), mean absolute error (MAE) and coefficient of determination (R^2). Tables 3 to 5 summarise the best results achieved for each model applied according to the different evaluation metrics employed. As can be seen from three tables, the majority of indicators corresponding to LSTM model perform better than the index value of other models, but several exceptions also exist. For example, the MAE and MAPE indicator of stock SSE where the prediction result of LSTM is larger than that of SVM and DNN respectively. Another example is that the R^2 of 3 stocks (BP, JM, SG) predicting by SVM are higher than that of LSTM, and the R^2 of 2 stocks (BAT, PEA) using RAF are higher than that of LSTM too.

Table 3 Comparison of prediction performance

	LSTM					SVM				
Stock	MSE	RMSE	MAPE	MAE	R^2	MSE	RMSE	MAPE	MAE	R^2
TES	0.0031	0.0557	67.99	0.0364	0.4209	0.0042	0.0651	167.92	0.0427	0.3108
AST	0.0032	0.0568	165.53	0.0324	0.2806	0.0089	0.0942	190.68	0.0512	0.1856
BAR	0.0007	0.0265	6.63	0.0159	0.2631	0.0050	0.0608	22.47	0.0335	0.1200
BP	0.0053	0.0727	123.00	0.0413	0.1121	0.0054	0.0732	114.88	0.0450	0.1379
BAT	0.0019	0.0439	7.76	0.0296	0.1259	0.0064	0.0731	25.50	0.0404	0.0862
HAL	0.0050	0.0709	266.49	0.0378	0.2288	0.0054	0.0735	221.27	0.0397	0.1359
HH	0.0015	0.0390	25.10	0.0214	0.2395	0.0024	0.0484	55.71	0.0290	0.1349
JM	0.0063	0.0797	221.26	0.0495	0.1327	0.0099	0.0997	226.03	0.0431	0.1718
LG	0.0009	0.0293	17.42	0.0155	0.1585	0.0010	0.0317	18.71	0.0176	0.1210
MSG	0.0029	0.0540	17.06	0.0301	0.2630	0.0040	0.0629	19.62	0.0390	0.2141
PEA	0.0018	0.0426	9.06	0.0227	0.1100	0.0026	0.0513	10.95	0.0323	0.1816
REL	0.0028	0.0532	35.08	0.0267	0.1557	0.0029	0.0539	37.78	0.0297	0.1145

RB	0.0002	0.0146	1.98	0.0094	0.4578	0.0003	0.0162	2.22	0.0104	0.3768
RDSB	0.0068	0.0825	158.40	0.0417	0.2960	0.0062	0.0785	154.90	0.0417	0.1093
SG	0.0039	0.0622	74.90	0.0302	0.2545	0.0047	0.0684	71.50	0.0367	0.3592
SJ	0.0028	0.0525	16.29	0.0258	0.6139	0.0031	0.0552	17.00	0.0279	0.1218
SCH	0.0011	0.0329	265.81	0.0189	0.1638	0.0014	0.0368	232.70	0.0224	0.1553
ST	0.0046	0.0680	43.34	0.0388	0.1441	0.0070	0.0837	77.83	0.0450	0.1454
SG	0.0052	0.0726	61.96	0.0394	0.2809	0.0077	0.0876	94.77	0.0510	0.2001
SSE	0.0041	0.0642	196.59	0.0346	0.4572	0.0042	0.0645	245.40	0.0335	0.2977
VG	0.0045	0.0672	138.70	0.0385	0.3448	0.0071	0.0844	237.70	0.0469	0.2810

Table 4 Comparison of prediction performance

Stock	DNN					RAF					
	MSE	RMSE	MAPE	MAE	R ²	MSE	RMSE	MAPE	MAE	MSE	R ²
TES	0.0130	0.1160	317.26	0.0590	0.1300	0.0058	0.0758	189.56	0.0526	0.0058	0.3593
AST	0.0100	0.1010	194.48	0.0480	0.1410	0.0046	0.0676	162.97	0.0409	0.0046	0.2119
BAR	0.0020	0.0450	10.04	0.0220	0.0800	0.0056	0.0643	23.25	0.0370	0.0056	0.1563
BP	0.0150	0.1210	484.08	0.0590	0.1020	0.0213	0.1402	653.1	0.0817	0.0213	0.1261
BAT	0.0040	0.0630	10.44	0.0340	0.1770	0.0025	0.0495	8.87	0.0285	0.0025	0.2855
HAL	0.0080	0.0900	273.28	0.0460	0.1120	0.0062	0.0787	234.59	0.0413	0.0062	0.2100
HH	0.0060	0.0750	89.25	0.0380	0.1340	0.0069	0.0832	49.11	0.0472	0.0069	0.2047
JM	0.0150	0.1220	495.23	0.0660	0.1210	0.0256	0.1503	296.76	0.0847	0.0256	0.1026
LG	0.0030	0.0540	34.60	0.0230	0.6890	0.0023	0.0475	24.14	0.0282	0.0023	0.3095
MSG	0.0060	0.0760	35.77	0.0390	0.1630	0.0045	0.0674	31.37	0.0362	0.0045	0.2057
PEA	0.0060	0.0780	17.88	0.0340	0.0360	0.0020	0.0442	9.69	0.0265	0.0020	0.2403
REL	0.0047	0.0684	53.22	0.0407	0.1130	0.0046	0.0678	43.69	0.0404	0.0046	0.1153
RB	0.0010	0.0300	3.71	0.0150	0.1530	0.0002	0.0140	1.91	0.0085	0.0002	0.3735
RDSB	0.0170	0.1310	221.60	0.0670	0.1030	0.0095	0.0972	155.13	0.0666	0.0095	0.1051
SG	0.0060	0.0790	95.74	0.0380	0.1293	0.0045	0.0672	81.20	0.0470	0.0045	0.1064
SJ	0.0090	0.0950	38.24	0.0450	0.1407	0.0037	0.0607	19.67	0.0363	0.0037	0.2391
SCH	0.0030	0.0550	270.87	0.0260	0.0840	0.0014	0.0368	291.32	0.0244	0.0014	0.1528
ST	0.0090	0.0930	122.99	0.0500	0.0826	0.0064	0.0797	48.82	0.0474	0.0064	0.1515
SG	0.0120	0.1080	196.68	0.0600	0.1973	0.0062	0.0784	64.88	0.0460	0.0062	0.1032
SSE	0.0090	0.0940	191.07	0.0460	0.2891	0.0050	0.0703	312.05	0.0407	0.0050	0.1439
VG	0.0090	0.0950	236.85	0.0490	0.0100	0.0060	0.0771	186.13	0.0450	0.0060	0.2093

Table 5 Comparison of prediction performance

Stock	ARIMA				
	MSE	RMSE	MAPE	MAE	R ²
TES	32.22	5.68	8618.9	5.89	0.2427
AST	171.13	13.08	1222.3	10.37	0.1717
BAR	7.90	2.81	389.45	2.56	0.1399
BP	14.83	3.85	7780.1	3.94	0.1038
BAT	1.67	1.29	200.90	0.80	0.0444
HAL	50.50	7.11	19703	5.79	0.0805

HH	3.89	1.97	888.75	1.36	0.0772
JM	2.63	1.62	2701.7	1.05	0.0176
LG	3.08	1.75	518.96	1.53	0.1103
MSG	8.75	2.96	639.18	1.72	0.1648
PEA	7.25	2.69	416.42	2.43	0.1239
REL	67.52	2.60	1065.3	2.14	0.1534
RB	2.25	1.50	214.61	1.56	0.2945
RDSB	11.52	3.39	2297.2	1.99	0.0678
SG	3.50	1.87	884.67	1.66	0.0570
SJ	11.70	3.42	795.99	3.54	0.1286
SCH	39.27	6.27	34652	5.74	0.1363
ST	40.70	6.38	3414.5	6.49	0.3774
SG	51.26	7.16	5028.2	4.07	0.2443
SSE	2.66	1.63	6030.1	1.53	0.0299
VG	1.26	1.12	3880.9	0.86	0.0137

488 Mean square error (MSE): It is an indicator measuring the average squared difference between
489 the observed values and predicted values. From Table 3, Table 4 and Table 5, we find the following
490 average MSE result: 0.0033 for LSTM model, 0.0047 for SVM model, 0.008 for DNN model, 0.64
491 for RAF model and 25.49 for ARIMA model.

492 Root-mean-square error (RMSE): It is another effective indicator measuring differences
493 between the observed values and predicted values. As can be seen from Tables 3 to 5, LSTM
494 exhibits favourable mean RMSE 0.0543, followed by SVM (0.0649), then the indicator for DNN
495 and RAF equals to 0.0852 and 0.0723, but 3.817 for ARIMA model.

496 Mean absolute percentage error (MAPE): It measures the prediction deviation proportion in
497 terms of the true value. After comparing different models in terms of MAPE, we can get the average
498 results: 91.44 for LSTM model, 106.93 for SVM model, 161.58 for DNN model, 137.53 for RAF
499 model and 2560 for ARIMA model.

500 Mean absolute error (MAE): It is a measure of accuracy of a forecasting method. We see that
501 the LSTM has the lowest mean MAE of 0.0303, followed by SVM (0.0361), 0.0431 for DNN
502 model, 0.0432 for RAF model and 3.1913 for ARIMA model.

Coefficient of determination (R^2): This is a measure of how well the model can be explained.

The R^2 of RAF, SVM and DNN is a little higher than that of LSTM in terms of several stocks, but on average, the LSTM model has the highest R^2 of 0.2621, followed by RAF (0.1958) and SVM (0.1886), 0.1518 for DNN model and 0.0699 for ARIMA model. We can see that R^2 of LSTM ranges from 0.1100 to 0.6139, similar to several existing financial researches (Gatev et al., 2006; Fischer and Krauss, 2018). To be specific, the main purpose of the preselection phase is to forecast the return of assets and select assets with higher potential returns. Unlike researches on explanatory modelling aiming to explain causal relationships and the importance of each indicator, predictive modelling is primarily concerned with accuracy and error in order to predict future observations (Shmueli, 2010; Gandhmal and Kumar, 2019). In this case, the effectiveness of this kind of model is primarily determined by accuracy measures, such as RMSE and MSE, rather than the value of R^2 (Alexander et al., 2015; Gandhmal and Kumar, 2019).

With regard to stock market prediction, MSE, RMSE, MAPE, and MAE are generally regarded as popular performance metrics since they can clearly present the average model prediction error (Kao et al., 2013; Weng et al., 2018; Gandhmal and Kumar, 2019). For several other works, it is difficult to evaluate these metrics through direct comparison due to the difference of datasets. But we can compare the results with widely used methods in related researches. From Tables 3 to 5, the average values of MSE, RMSE, MAE for LSTM model are 0.0033, 0.0543 and 0.0303 respectively, which have showed superior performance in forecasting stock returns against existing works (Ticknor, 2013; Sadaei et al., 2016; Weng et al., 2018; Gandhmal and Kumar, 2019).

In conclusion, the LSTM model predictions are superior to other baseline methods in both accuracy and direction. And the predicted performance of SVM and RAF is second only to LSTM,

but far better than DNN and ARIMA model. Besides, traditional statistics model ARIMA performs worst. For example, for stock TES, the MSE in ARIMA equals to 32.21, which is 5000 times bigger than MSE (0.0031) in LSTM.

4.2 Results analysis in the second stage: optimal portfolio formation

4.2.1 Determination of the portfolio size

Firstly, we analyse the characteristics of portfolios consisting of k assets. Most of researches corresponding to portfolio formation for individual investors focus on only fewer than 10 assets (Kocuk and Cornuéjols, 2018; Tanaka et al., 2000; Almahdi and Yang, 2017), because holding too many different stocks is hard for an individual investor to manage. Rangelova (2001) indicate that individual investors usually hold three or four stocks in their account on average. Paiva et al., (2019) discover that the portfolio with seven assets performs better than others with different numbers of assets. Hereby, assuming an individual investor holding less than or equal to 10 assets is realistic. Based on the above discussion, we choose $k \in \{4, 5, 6, 7, 8, 9, 10\}$, and then compare the performance of the model LSTM+MV with the other baseline strategies according to the dimensions annualised standard deviation, annualised mean return, annualised Sharpe ratio, and Sortino ratio before transaction costs.

As can be seen from Fig. 5, there are four subgraphs. Specifically, the Y-axis of four subgraphs represents mean return, standard deviation, Sharpe ratio and Sortino ratio, the X-axis of four subgraphs represents the same meaning, that is, different models with different portfolio sizes. From Fig. 5, it is clear that irrespective of the portfolio size k , the LSTM+MV shows greater performance than the other strategies in three dimensions of annualised mean return, Sharpe ratio and Sortino ratio. To be specific, annualised returns prior to transaction costs are at 0.16, compared

to 0.09 for the LSTM+1/N, 0.11 for the SVM+MV, 0.07 for the SVM+1/N, 0.09 for the RAF+MV and 0.06 for RAF+1/N for $k = 8$. For other portfolio sizes, like $k = 10$, the LSTM+MV also achieves the highest mean returns per year. In regard to annualised standard deviation, a risk metric, differences among models are not obvious, the LSTM +MV is on a similar level as the other models, with slightly higher values for $k = 6, 7, 8$, thus we could not distinguish which models are good or bad on this metric easily. In this study, we set risk-free ratio as 0.0125, according to the British treasuring bill rate in recent 10 years. With respect to Sharpe ratio, return per unit of risk, is highest for the LSTM+MV. For example, when $k = 9$, Sharpe ratio before transaction cost is 0.58, compared to 0.40 for the LSTM+1/N, 0.46 for the SVM+MV, 0.36 for the SVM+1/N, 0.38 for the RAF+MV, 0.28 for RAF+1/N. Sortino ratio, measuring the risk-adjusted return of an investment portfolio. A clear advantage of the LSTM+MV can be seen for portfolios of each size. From the perspective of different portfolio sizes, it is easy to find that the four indicators perform better overall in each model when $k = 10$ than other sizes. Specifically, in model LSTM+MV, the portfolio with $k = 10$ not only has a high mean return 0.136, Sharpe ratio 0.58 and Sortino ratio 13.7, but also has a lower standard deviation 0.21. And the same is true for the analysis of other models. From the above analysis, we focus the portfolio with $k = 10$ in our subsequent analyses, which is also consistent with the research of Fischer and Krauss (2018).




Fig. 5. Annualised performance characteristics for portfolios of different sizes

4.2.2 Details on financial performance

It is worth clarifying that this paper only considers brokerage cost as transaction cost because the investor is able to control brokerage cost directly (Paiva et al., 2019). According to Brooks et al. (2001), brokerage costs for purchasing and selling the stocks of FTSE 100 index is from 0.00bps to 0.30 bps. Referring to the parameters of several empirical research (Almahdi and Yang, 2016; Guerard Jr et al., 2015; Paiva et al., 2019), we decide to simulate transaction costs as 0.10 bps, 0.05 bps to present the results finally. Tables 6 to 8 provide insights of the financial performance of the LSTM+MV, compared to the baselines, without transaction cost, including transaction cost (0.1bps, 0.05bps) separately. Hence, Panel A, B and C depict daily return characteristics, daily risk characteristics and annualised risk-return metrics respectively.

Table 6 Performance characteristics for portfolios without transaction cost

	LSTM+MV	LSTM+1/N	SVM+MV	SVM+1/N	RAF+MV	RAF+1/N
A Mean return	0.0005	0.0004	0.0004	0.0003	0.0004	0.0003
Standard deviation	0.0134	0.0121	0.0124	0.0116	0.0137	0.0118
Maximum	0.1003	0.1100	0.0953	0.0965	0.1241	0.1052
Minimum	-0.0748	-0.0953	-0.0744	-0.1014	-0.0749	-0.1005
B 1-percent VaR	0.0330	0.0337	0.0336	0.0327	0.0385	0.0328
1-percent CVaR	0.0439	0.0446	0.0451	0.0427	0.0514	0.0443

	5-percent VaR	0.0207	0.0189	0.0188	0.0178	0.0207	0.0188
	5-percent CVaR	0.0306	0.0282	0.0285	0.0271	0.0318	0.0277
	Maximum drawdown	2.5277	2.4182	2.9685	2.2441	2.5612	2.1990
C	Mean return	0.1367	0.0913	0.1022	0.0743	0.0963	0.0676
	Standard deviation	0.2125	0.1919	0.1963	0.1844	0.2176	0.1878
	Sharpe ratio	0.5845	0.4105	0.4569	0.3354	0.3852	0.2932
	Sortino ratio	13.7078	9.3844	10.4918	7.6352	8.8549	6.6693

579

580

Table 7 Performance characteristics for portfolios including transaction cost (0.05bps)

		LSTM+MV	LSTM+1/N	SVM+MV	SVM+1/N	RAF+MV	RAF+1/N
A	Mean return	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
	Standard deviation	0.0125	0.0139	0.0155	0.0125	0.0139	0.0134
	Maximum	0.1152	0.1397	0.1535	0.1031	0.1186	0.1302
	Minimum	-0.1027	-0.1746	-0.2575	-0.1322	-0.1387	-0.1698
B	1-percent VaR	0.0341	0.0368	0.0408	0.0337	0.0384	0.0365
	1-percent CVaR	0.0472	0.2119	0.0598	0.1897	0.0529	0.2047
	5-percent VaR	0.0196	0.0210	0.0232	0.0196	0.0209	0.0202
	5-percent CVaR	0.0293	0.0424	0.0352	0.0379	0.0321	0.0409
	Maximum drawdown	2.3442	2.5068	2.7753	2.9920	3.6550	2.3043
C	Mean return	0.0765	0.0789	0.0792	0.0780	0.0691	0.0630
	Standard deviation	0.1988	0.2203	0.2462	0.1988	0.2207	0.2129
	Sharpe ratio	0.3218	0.2978	0.2710	0.3294	0.2567	0.2374
	Sortino ratio	0.0906	0.0834	0.0753	0.0926	0.0720	0.0667

581

582

Table 8 Performance characteristics for portfolios including transaction cost (0.1bps)

		LSTM+MV	LSTM+1/N	SVM+MV	SVM+1/N	RAF+MV	RAF+1/N
A	Mean return	0.0003	0.0003	0.0003	0.0003	0.0002	0.0003
	Standard deviation	0.0149	0.0140	0.0153	0.0126	0.0155	0.0135
	Maximum	0.1524	0.1411	0.1445	0.1041	0.1658	0.1314
	Minimum	-0.2124	-0.1762	-0.2340	-0.1334	-0.2541	-0.1714
B	1-percent VaR	0.0388	0.0372	0.0405	0.0340	0.0408	0.0368
	1-percent CVaR	0.0582	0.0212	0.0600	0.1915	0.0612	0.2066
	5-percent VaR	0.0222	0.2140	0.0228	0.0198	0.0229	0.0204
	5-percent CVaR	0.0344	0.0428	0.0352	0.0383	0.0356	0.0413
	Maximum drawdown	2.7861	2.5068	3.0653	2.9920	2.5326	2.3043
C	Mean return	0.0763	0.0787	0.0705	0.0787	0.0616	0.0636
	Standard deviation	0.2366	0.2224	0.2434	0.2007	0.2468	0.2149
	Sharpe ratio	0.2697	0.2975	0.2384	0.3300	0.1990	0.2379
	Sortino ratio	0.0752	0.0833	0.0662	0.0924	0.0553	0.0665

583

Return characteristics: In panel A of Table 6, we can see that the LSTM+MV exhibits

favourable daily mean return 0.0005, and the SVM+MV has the lowest standard deviation as 0.0116. After including transaction cost 0.05 bps, in panel A of Table 6, we can find that all the models have almost same daily return 0.0003, the LSTM+MV model and SVM+1/N model have the lowest standard deviation. After including transaction cost 0.1 bps, in panel A of Table 7, SVM+1/N model has a better risk level, daily standard deviation equals to 0.0126.

Risk characteristics: In panel B of Table 6, Table 7 and Table 8, we can see a mixed picture corresponding to risk characteristics. Before transaction cost, SVM+1/N achieved the best place with a 1-percent VaR of 0.0327, 5-percent VaR of 0.0178, 1-percent CVaR of 0.0427 and 5-percent CVaR of 0.0271. After including transaction cost 0.05 bps, the LSTM+MV performs better, with 1-percent CVaR of 0.0472, 5-percent VaR of 0.0196 and 5-percent CVaR of 0.0293. After including transaction cost 0.1 bps, in terms of 1-percent VaR, SVM+1/N model has the lowest value. LSTM+1/N achieves the lowest 1-percent VaR, SVM+1/N performs best for 5-percent VaR.

Annualised risk-return metrics: In panel C of Table 6, Table 7 and Table 8, we discuss risk-return metrics on an annualised basis. It is clear that the LSTM+MV achieves the highest annualised returns of 0.1367 without transaction costs, followed by the SVM+MV (0.1022). SVM+MV and SVM+1/N perform best in terms of annualised mean returns with transaction cost 0.05 bps and 0.1 bps. The Sharpe ratio measures excess return using standard deviation and can be explained as the return per unit of risk. We find that the LSTM+MV achieves the highest level of 0.5845, with the SVM+MV coming in second with 0.4569. After transaction cost 0.1 bps and 0.05 bps, SVM+1/N gets the highest Sharpe ratio at 0.3294 and 0.3300 respectively. In addition, SVM+1/N achieves the first place in terms of standard deviation and Sortino ratio, followed by LSTM+MV (0.05 bps) and LSTM+1/N (0.1 bps) respectively.

From a financial perspective, we can find that the LSTM+MV, SVM+MV, LSTM+1/N and SVM+1/N outperform the RAF+MV and RAF+1/N in terms of the return, risk or risk-return metrics. In order to compare these models further, we are thus able to choose these four more competitive strategies to visualize performance over time, i.e., from March 1994 to March 2019.

4.2.3 Visualization on financial performance

In this section, we select 4 models, LSTM+MV, SVM+MV, LSTM+1/N and SVM+1/N, that perform better in the previous section to display their performance for further comparisons. Besides, we also consider Random+MV and Random+1/N as comparison models to examine the necessity of using machine learning for asset pre-selection and further verify whether our proposed method is effective comparing with other portfolio data sets. Fig. 6 presents the cumulative return for each model without transaction cost. The LSTM+MV model has an obviously higher result and achieves cumulative return of 15.9 approximately. The profitability of the LSTM+1/N model follows, with 5.7, and then the SVM+MV, with 5.5. And the Random+MV and the SVM+1/N keep similar at about 3.3, the Random+1/N is the lowest, with 2.5. Furthermore, we should also figure out how the LSTM+MV and other models behave at different levels of transaction costs.




Fig. 6. cumulative return without transaction cost

Figures 7 and 8 depicts the simulations of the cumulative returns considering transaction costs

of 0.05bps and 0.10 bps, respectively, and the accumulated returns are strongly decreased. But in general, the LSTM+MV model still maintains a better accumulated return. The cumulative return with a transaction cost of 0.05 bps is about 4.6, while for a transaction cost of 0.10 bps it is 4.5.




Fig. 7. cumulative return including transaction cost (0.05 bps)




Fig. 8. cumulative return including transaction cost (0.1 bps)

From the comparison of the cumulative returns between the LSTM+MV model and the other baseline strategies, we can discover that LSTM+MV performs much better than other baselines in terms of return metrics. Another idea which is inspired from this is that we would like to see the results when integrating risks and whether the good performance only occurs during a certain period of time. As shown in Fig. 9, we use the Sharpe ratio performance of each model every three

years. We can observe that, of the eight surveyed triennia, six of them show that the Sharpe ratio of the LSTM+MV model has a better result than other models during the corresponding periods. Figures 10 and 11 present the Sharpe ratio per triennium with transaction costs. The LSTM+MV model, with transaction costs of 0.05 bps, behaves better. Specifically, among the eight surveyed triennia, five of them have a higher Sharpe ratio in LSTM+MV model than other models. After including transaction cost 0.1 bps, only half of the surveyed period shows a greater result of the LSTM+MV model.




Fig. 9. Sharpe ratio of each triennium without transaction costs




Fig. 10. Sharpe ratio of each triennium including transaction costs (0.05 bps)




Fig. 11. Sharpe ratio of each triennium including transaction costs (0.1 bps)

Fig. 12 depicts the result of average return to the risk per month of each triennium per model without transaction costs. Apparently, the LSTM+MV model obtains a remarkable performance for the return-risk ratio during most study period. We also discover the average results as followings: 0.2670 for the LSTM+MV model, 0.1966 for the LSTM+1/N model, 0.1808 for the SVM+MV, 0.1581 for the SVM+1/N model, 0.1593 for the Random+MV, and 0.1458 for the Random+1/N model. The LSTM+MV model stops having the highest value during period 2006-2008, and this result coincides with the financial crisis and troubled political.




Fig. 12. Average return to the risk per month of each triennium without transaction costs

5. Discussion and Conclusions

5.1 Discussion for key findings

This paper puts forward an investment decision model entitled LSTM+MV. Based on the

LSTM method, predict and select assets with a higher daily return of gain, then integrate this prediction with the MV diversification method to compose the optimal portfolio. Our study results in several important findings.

First of all, LSTM networks are applied to achieve the financial time-series prediction empirical application on big data volume. Specifically, we create an appropriate prediction task, divide whole sample data set into 22 overlapping training-testing sets, normalize the input features in order to facilitate model training, find an appropriate LSTM architecture for forecasting. After comparing the outcomes of the LSTM against SVM, RAF, DNN as well as ARIMA, we discover the LSTM networks are appropriate for financial time-series forecasting, to beat the other early machine learning models and the statistics model by a very clear margin.

Secondly, for individual investors, holding 10 assets is realistic and helps them maintain better returns with the same level of risk. In this case, the LSTM+MV, SVM+MV, LSTM+1/N and SVM+1/N outperform the Random+MV and Random+1/N in terms of the return, risk or risk-return metrics. Among these results, we further display their performance in accordance cumulative return per year, Sharpe ratio per triennium as well as average return to the risk per month of each triennium.

Finally, for cumulative return performance without transaction costs, the LSTM+MV model is significantly better than the other baseline models. A three-year Sharpe ratio experiment also confirms the better performance of the LSTM+MV model. After including transaction costs, the LSTM+MV model still outperforms the other models with a better outcome. In that case, the applicability of the model's implementation may depend on the amount of money invested by investors.

5.2 Theoretical implications

This research enriches the theoretical literature on the stock return prediction and portfolio management. First of all, the portfolio formation method proposed in this paper is able to capture the long-term dependences of financial time-series data fluctuation, which fills the gap in corresponding portfolio optimisation researches paying insufficient attention to the continuity and memory characteristics of financial time-series data. To be specific, this paper compares the forecasting outcomes of the LSTM with SVM, RAF, DNN as well as ARIMA to demonstrate the accuracy and feasibility of LSTM networks in predicting financial time-series more convincingly.

Second, the preselection process of assets is incorporated into the optimal portfolio formation. Instead changing and improving the Markowitz' MV model, this paper puts effort into the preliminary phase of portfolio construction to ensure that the portfolio is composed of assets with high-return in the beginning. Specifically, our study demonstrates that the proposed model LSTM+MV is able to help individual investors obtain remarkable outcomes for the cumulative returns as well as risk-adjusted return for majority of periods. The merger of the return forecasting and portfolio optimisation processes may provide a new perspective for research in fintech area.

5.3 Practical implications

The study also provides several practical implications. For portfolio managers, this paper puts forwards a practical method for optimal portfolio selection that can help improve day investments. Following this model, managers can pick assets with higher return based on the predicting results in real market, and then apply MV model to reduce risk level so that keep investments safe and beneficial. For individual investors, this method is able to systematically help them to make decisions for investing. In another words, tell them which assets they should hold and how much to invest in each asset to achieve the goal of maximal potential return with minimal risk.

5.4 Limitations and future work

Although this research provides useful insights, there are some limitations in this study, which provide opportunities for further research. First, five technical indicators and fifteen lagged variables are used as input features to predict the return in the future, however, there are some other external environment factors, such as government policies, interest rates, public events and so forth that have an impact on financial market can also be considered as the input indicators to the models (Christou et al., 2017). In addition, the study uses the asset data in only one country of UK. Due to the different political environment and economic backgrounds, we cannot ensure whether the proposed method is suitable for the stock markets from other countries. Thus, in future research, asset data from more countries should be used for experiments and comparisons to further testify the applicability and establish the boundaries of the proposed model.

Acknowledgements

Wuyu Wang, Weizi Li and Kecheng Liu conceptualised the idea; Wuyu Wang and Weizi Li completed the experiments; Wuyu Wang analysed the results and wrote the paper, Kecheng Liu, Ning Zhang and Weizi Li provided language help and proof reading the paper.

References

- Aggarwal, S., & Aggarwal, S. (2017). Deep Investment in Financial Markets using Deep Learning Models. *International Journal of Computer Applications*, 162(2), 0975-8887.
- Alexander, D. L. J., Tropsha, A., & Winkler, D. A. (2015). Beware of R^2 : Simple, Unambiguous Assessment of the Prediction Accuracy of QSAR and QSPR Models. *Journal of Chemical Information and Modeling*, 55, 1316-1322.
- Almahdi, S., & Yang, S. Y. (2017). An adaptive portfolio trading system: A risk-return portfolio optimisation using recurrent reinforcement learning with expected maximum drawdown.

730 *Expert Systems With Applications*, 87, 267-279.

731 Arévalo, A., Niño, J., Hernández, G., & Sandoval, J. (2016). High-frequency trading strategy
732 based on deep neural networks. *International conference on intelligent computing*, 424-
733 436.

734 Baek, Y., & Kim, H. Y. (2018). ModAugNet: A new forecasting framework for stock market
735 index value with an overfitting prevention LSTM module and a prediction LSTM module.
736 *Expert Systems With Applications*, 113, 457- 480.

737 Bao, W., Yue, J., & Rao, Y. (2017). A deep learning framework for financial time series using
738 stacked autoencoders and long-short term memory. *PLoS ONE*, 12(7), 1-24.

739 Bergstra, J., & Bengio, Y. (2012). Random Search for Hyper-Parameter Optimization. *Journal*
740 *of Machine Learning Research*, (3), 281-305.

741 Bodnar, T., Mazur, S., & Okhrin, Y. (2017). Bayesian estimation of the global minimum
742 variance portfolio. *European Journal of Operational Research*, 256, 292-307.

743 Bodnar, T., Parolya, T., & Schmid, W. (2018). Estimation of the global minimum variance
744 portfolio in high dimensions. *European Journal of Operational Research*, 266, 371-390.

745 Brooks, C., Rew, A. G., Ritson, S. (2001). A trading strategy based on the lead-lag relationship
746 between the spot index and futures contract for the FTSE 100. *International Journal of*
747 *Forecasting*, 17, 31-44.

748 Brown. D. B., & Smith, J. E. (2011). Dynamic Portfolio Optimisation with Transaction Costs:
749 Heuristics and Dual Bounds. *Management Science*, 57(10), 1752-1770.

750 Chen, Y. J., & Hao, Y. J. (2018). Integrating principle component analysis and weighted support
751 vector machine for stock trading signals prediction. *Neurocomputing*, (321), pp. 381- 402.

752 Chong, E., Han, C., & Park, F. C. (2017). Deep learning networks for stock market analysis
753 and prediction: Methodology, data representations, and case studies. *Expert Systems With*
754 *Applications*, (83), 187-205.

755 Chourmouziadis, K., & Chatzoglou, P. D. (2016). An intelligent short term stock trading fuzzy
756 system for assisting investors in portfolio management. *Expert Systems with Applications*,
757 (43), 298-311.

758 Christou, C., Cunado, J., Gupta, R., & Hassapis, C. (2017). Economic policy uncertainty and
759 stock market returns in PacificRim countries: Evidence based on a Bayesian panel VAR
760 model. *Journal of Multinational Financial Management*, (40), 92-102.

761 Chuluun, T. (2017). Global portfolio investment network and stock market comovement.
762 *Global Finance Journal*, (33), 51- 68.

763 Deng, S. J., & Min, X. (2013). Applied Optimization in Global Efficient Portfolio Construction
764 Using Earning Forecasts, *Journal of Investing*, 22(4), 104-114.

765 Ding, X., Zhang, Y., Liu. T., & Duan. J. (2015). Deep learning for event-driven stock prediction.
766 *Proceedings of the Twenty-Fourth International Joint Conference on Artificial*
767 *Intelligence*.

768 Drucker, H., Burges, C. J., Kaufman, L., Smola, A., & Vapnik, V. (1997). Support Vector
769 Regression Machines. *Advances in Neural Information Processing Systems*, 9, 155-161.

770 Fischer, T., & Krauss, C. (2018). Deep learning with long short-term memory networks for
771 financial market predictions. *European Journal of Operational Research*, 270, 654-669.

772 Gatev, E., Goetzmann, W. N., & Rouwenhorst, K. G. (2006). Pairs trading: Performance of a
773 relative-value arbitrage rule. *Review of Financial Studies*, 19(3), 797-827.

774 Gandhmal, D. P., & Kumar, K. (2019). Systematic analysis and review of stock market
775 prediction techniques. *Computer Science Review*, 34, 100190

776 Grauer, R. R., & Hakansson, N. H. (1993). On the Use of Mean-Variance and Quadratic
777 Approximations in Implementing Dynamic Investment Strategies: A Comparison of
778 Returns and Investment Policies. *Management Science*, 39(7), 856-871.

779 Graves, A., & Schmidhuber, J. (2005). Framewise phoneme classification with bidirectional
780 LSTM and other neural network architectures. *Neural Networks*, 18(5), 602-610.

781 Greff, K., Srivastava, R. K., Koutník, J., Steunebrink, B. R., & Schmidhuber, J. (2017). LSTM:
782 A Search Space Odyssey, *IEEE Transactions on Neural Networks and Learning Systems*,
783 28(10), 2222-22232.

784 Guerard Jr, J., B. Markowitz, H., & Xu, G. L. (2015). Earnings forecasting in a global stock
785 selection model and efficient portfolio construction and management. *International*
786 *Journal of Forecasting*, 31, 550-560.

787 Hinton, G. (2009). Deep belief networks. *Scholarpedia*, 4(5), 5947.

788 Hinton, G.E., & Salakhutdinov, R. R. (2006). Reducing the Dimensionality of Data with Neural
789 Networks. *Science*, 313(5786), 504-507.

790 Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural computation*, 9(8),
791 1735-1780.

792 Huang, C. F. (2012). A hybrid stock selection model using genetic algorithms and support
793 vector regression. *Applied Soft Computing*, 12, 807-818.

794 Jozefowicz, R., Zaremba, W., Sutskever, I. (2015). An empirical exploration of recurrent
795 network architectures. *In Proceedings of the 32nd International Conference on Machine*

796 *Learning*, 2342-2350.

797 Lachiheba, O., & Gouiderb, M. S. (2018). A hierarchical Deep neural network design for stock
798 returns prediction. *Procedia Computer Science*, (126), 264-272.

799 Längkvist, M., Karlsson, L. & Loutfi, A. (2014). A Review of Unsupervised Feature Learning
800 and Deep Learning for Time - series Modeling. *Pattern Recognition Letters*, (42), 11-24.

801 LeCun, Y., Bengio, Y., & Hinton, G. 2015. Deep Learning, *Nature*, 521(7553), 436- 444.

802 Li, J., & Xu, J. (2013). Multi-objective portfolio selection model with fuzzy random returns
803 and a compromise approach-based genetic algorithm. *Information Sciences*, 220, 507- 521.

804 Li, T., Zhang, W., & Xu, W. (2013). Fuzzy possibilistic portfolio selection model with VaR
805 constraint and risk-free investment. *Economic Modelling*, 31, 12-17.

806 Li, T., Zhang, W., & Xu, W. (2015). A fuzzy portfolio selection model with background risk.
807 *Applied Mathematics and Computation*, 256, 505-513.

808 Li, Y., Yuan, Y. (2017). Convergence Analysis of Two-layer Neural Networks with ReLU
809 Activation. *Neural Information Processing Systems Conference*.

810 Liu, H., & Loewenstein, M. (2002). Optimal Portfolio Selection with Transaction Costs and
811 Finite Horizons. *The Review of Financial Studies Summer*, 15(3), 805-835.

812 Long, W., Lu, Z., & Cui, L. (2019). Deep learning-based feature engineering for stock price
813 movement prediction. *Knowledge-Based Systems*, (164), 163-173.

814 Loureiro, A.L.D., Miguéis, V.L., & Silva, L. F. M. (2018). Exploring the use of deep neural
815 networks for sales forecasting in fashion retail. *Decision Support Systems*, 114, 81-93.

816 Kara, Y., Boyacioglu, M. A., & Baykan, O. K. (2011). Predicting direction of stock price index
817 movement using artificial neural networks and support vector machines: The sample of

818 the Istanbul Stock Exchange. *Expert Systems with Applications*, (38), 5311-5319.

819 Kao, L. J., Chiu, C. C., Lu, C. J., & Yang, J. L. (2013). Integration of nonlinear independent
820 component analysis and support vector regression for stock price forecasting.
821 *Neurocomputing*, 99, 534- 542.

822 Kingma, D. P., & Ba, J. (2014). Adam: A Method for Stochastic Optimization. CoRR, arXiv
823 preprint arXiv:1412.6980.

824 Kocuk, B., & Cornuéjols, G. (2018). Incorporating Black-Litterman views in portfolio
825 construction when stock returns are a mixture of normals, *Omega*, In press.

826 Kolm, P. N., Tütüncü, R., & Fabozzi, F. J. (2014). 60 Years of portfolio optimisation: Practical
827 challenges and current trends. *European Journal of Operational Research*, (234), 356-
828 371.

829 Kraus, M., & Feuerriegel, S. (2017). Decision support from financial disclosures with deep
830 neural networks and transfer learning. *Decision Support Systems*, (104), 38-48.

831 Malkiel, B. G. (2007). *A random walk down Wall Street: The time-tested strategy for successful*
832 *investing*. WW Norton & Company.

833 Markowitz, H. (1952). Portfolio selection. *Journal of Finance*, 7(1), 77- 91.

834 Merton, R. C. (1969). Lifetime Portfolio Selection under Uncertainty: The Continuous-Time
835 Case. *The review of Economics and Statistics*, 51(3), 247-257.

836 Paiva, F. D. A, Cardoso, R. T. N., Hanaoka, G. P., & Duarte, W. M. (2019). Decision-making
837 for financial trading: A fusion approach of machine learning and portfolio selection.
838 *Expert Systems with Applications*, (115), 635-655.

839 Patel, J., Shah, S., Thakkar, P., & Kotecha, K. (2015). Predicting stock and stock price index

840 movement using Trend Deterministic Data Preparation and machine learning techniques.

841 *Expert Systems with Applications*, (42), 259-268.

842 Pektas, A. O., & Cigizoglu, H. K. (2013). ANN hybrid model versus ARIMA and ARIMAX

843 models of runoff coefficient. *Journal of Hydrology*, 500, 21-36.

844 Rather, A. M. Agarwal, A., & Sastry, V. N. (2015). Recurrent neural network and a hybrid

845 model for prediction of stock returns. *Expert Systems with Applications*, 42, 3234-3241.

846 Ranguelova, E. (2001). Disposition Effect and Firm Size: New Evidence on Individual Investor

847 Trading Activity. SSRN eLibrary.

848 Reimers, N., & Gurevych, I. (2017). Optimal Hyperparameters for Deep LSTM-Networks for

849 Sequence Labeling Tasks. CoRR, arXiv preprint arXiv:1707.06799.

850 Sadaei, H. J., Enayatifar, R., Lee, M. H., & Mahmud, M. (2016). A hybrid model based on

851 differential fuzzy logic relationships and imperialist competitive algorithm for stock

852 market forecasting, *Applied Soft Computing*, 40, 132-149.

853 Santos, A. A. P., & Tessari, C. (2012). Quantitative portfolio optimisation techniques applied

854 to the Brazilian stock market. *Revista Brasileira de Finanças*, 10, 369-394.

855 Sharpe, W. F. (1963). A Simplified Model for Portfolio Analysis. *Management Science*, 9(2),

856 277-293.

857 Shmueli, G. (2010). To Explain or to Predict? *Statistical Science*, 25(3), 289-310.

858 Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout:

859 A Simple Way to Prevent Neural Networks from Overfitting. *Journal of Machine*

860 *Learning Research*, 15, 1929-1958.

861 Tanaka, H., Guoa, P., Turksen, B. (2000). Portfolio selection based on fuzzy probabilities and

862 possibility distributions. *Fuzzy Sets and Systems*, 111, 387-397.

863 Ticknor, J. L. (2013). A Bayesian regularized artificial neural network for stock market
864 forecasting. *Expert Systems with Applications*, 40 (14), 5501-5506.

865 Tobin, J. (1958). Liquidity Preference as Behavior Towards Risk. *The Review of Economic*
866 *Studies*, 25(2), 65-86.

867 Tu, J., Zhou, G. (2010). Incorporating Economic Objectives into Bayesian Priors: Portfolio
868 Choice under Parameter Uncertain. *Journal of Financial and Quantitative Analysis*, 45(4),
869 959-986.

870 Weng, B., Lu, L., Wang, X., Megahed, F. M., & Martinez, W. (2018). Predicting short-term
871 stock prices using ensemble methods and online data sources. *Expert Systems With*
872 *Applications*, 112, 258- 273.

873 Yunusoglu, M. G., & Selim, H. (2013). A fuzzy rule based expert system for stock evaluation
874 and portfolio construction: An application to Istanbul Stock Exchange. *Expert Systems*
875 *with Applications*, (40), 908-920.

876 Zbikowski, K. (2015). Using Volume Weighted Support Vector Machines with walk forward
877 testing and feature selection for the purpose of creating stock trading strategy. *Expert*
878 *Systems with Applications*, 42, 1797-1805.

879 Zhang, Y., Li, X., & Guo, S. (2018). Portfolio selection problems with Markowitz's mean-
880 variance framework: a review of literature. *Fuzzy Optimal Decision Making*, 17, 125-158.