

*In vitro rumen fermentation of diets with different types of condensed tannins derived from sainfoin (*Onobrychis viciifolia* Scop.) pellets and hazelnut (*Corylus avellana* L.) pericarps*

Article

Other

Table 2

Niderkorn, V., Barbier, E., Macheboeuf, D., Torrent, A., Mueller-Harvey, I. and Hoste, H. (2020) In vitro rumen fermentation of diets with different types of condensed tannins derived from sainfoin (*Onobrychis viciifolia* Scop.) pellets and hazelnut (*Corylus avellana* L.) pericarps. *Animal Feed Science and Technology*, 259. 114357. ISSN 0377-8401 doi: <https://doi.org/10.1016/j.anifeedsci.2019.114357> Available at <http://centaur.reading.ac.uk/87252/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.anifeedsci.2019.114357>

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)

## **CentAUR**

Central Archive at the University of Reading

Reading's research outputs online

**Table 2**

*In vitro* rumen fermentation characteristics of a basal diet alone or with hazelnut pericarps (HP), pellets of sainfoin (PS) and HP + PS after 24 h of incubation.

	Basal diet	Basal diet + HP	Basal diet + PS	Basal diet + HP + PS	SEM	<i>P</i> -value
pH	6.22 <sup>b</sup>	6.26 <sup>ab</sup>	6.35 <sup>a</sup>	6.27 <sup>ab</sup>	0.032	0.036
IVDMD (g/kg)	554 <sup>a</sup>	494 <sup>b</sup>	461 <sup>c</sup>	480 <sup>b</sup>	26.2	<0.001
Volatile fatty acids (VFA, net)						
Acetate (mmol/l)	104.7	107.8	94.4	96.8	11.41	0.788
Propionate (mmol/l)	34.1	34.2	30.3	31.2	3.92	0.612
Butyrate (mmol/l)	15.7	15.7	12.2	13.3	1.33	0.210
Isobutyrate (mmol/l)	1.61	1.56	1.23	1.28	0.165	0.348
Valerate (mmol/l)	2.43 <sup>a</sup>	2.13 <sup>ab</sup>	1.54 <sup>c</sup>	1.76 <sup>bc</sup>	0.101	0.003
Isovalerate (mmol/l)	2.65	2.44	1.90	2.01	0.267	0.256
Caproate (mmol/l)	0.19	0.26	0.14	0.17	0.030	0.070
Total iso-VFA (mmol/l)	4.26	3.99	3.13	3.29	0.431	0.288
Total VFA (mmol/l)	161.3	164.1	141.8	146.5	16.92	0.673
Acetate:propionate ratio (mol/mol)	3.07	3.15	3.10	3.09	0.092	0.931

IVDMD: *in vitro* dry matter degradability; VFA: volatile fatty acids; SEM: standard error of the mean.

<sup>a,b,c</sup> Means within a row with different subscripts differ ( $P < 0.05$ ).