

# *Lower and early middle Palaeolithic of southern Britain: the evidence from the River Test*

Article

Accepted Version

Davis, R., Ashton, N., Hatch, M., Hosfield, R. ORCID: <https://orcid.org/0000-0001-6357-2805> and Lewis, S. G. (2021) Lower and early middle Palaeolithic of southern Britain: the evidence from the River Test. *Journal of Palaeolithic Archaeology*, 4. 23. ISSN 2520-8217 doi: <https://doi.org/10.1007/s41982-021-00096-3> Available at <https://centaur.reading.ac.uk/98800/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1007/s41982-021-00096-3>

Publisher: Springer

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)

**CentAUR**

Central Archive at the University of Reading

Reading's research outputs online

# 1 Lower and early Middle Palaeolithic of Southern Britain: the evidence from the River Test

2 Rob Davis<sup>1\*</sup>, Nick Ashton<sup>1</sup>, Marcus Hatch<sup>2</sup>, Rob Hosfield<sup>3</sup>, Simon G. Lewis<sup>2</sup>

3 <sup>1</sup>Department of Britain, Europe and Prehistory, British Museum, Franks House, 56 Orsman Road, London, N1  
4 5QJ, UK

5 <sup>2</sup>School of Geography, Queen Mary University of London, Mile End Road, London, E1 4NS, UK

6 <sup>3</sup>Department of Archaeology, School of Archaeology, Geography & Environmental Science, University of  
7 Reading, Whiteknights, Reading, RG6 6AB, UK

## 8 Abstract

9 Fluvial terrace sequences of Pleistocene rivers provide a chronological framework for examining broad patterns  
10 of change in the Palaeolithic record. Collections of artefacts recovered from individual terraces represent a time-  
11 averaged sample of the range of lithic technology discarded in a river valley over thousands of years. These can  
12 be compared and contrasted with other terraces to identify the timing of the appearance of key technological  
13 innovations and chronological variation in lithic technology. In Britain, the punctuated nature of human  
14 presence during the Pleistocene means that archaeological variation across a river terrace sequence is likely to  
15 relate in part to successive phases of occupation by human groups derived from populations in mainland Europe.  
16 This paper presents an analysis of the Lower and early Middle Palaeolithic record of the River Test, Hampshire,  
17 which was a tributary river of the former River Solent. The timing of the first appearance of handaxes and  
18 Levallois technology is established and chronological patterning in handaxe typology and technology is  
19 identified. The Test record is placed in its regional context and its implications for understanding the human  
20 occupation history of northwest Europe during the Middle Pleistocene is discussed.

21 Key words: Middle Pleistocene, Palaeolithic, Acheulean, Levallois, handaxes, Solent, River Test

22 \*Corresponding author: Rob Davis ([rdavis@britishmuseum.org](mailto:rdavis@britishmuseum.org))

23 ORCID: <https://orcid.org/0000-0002-5322-7589>

## 24 1. Introduction

25 In recent years, a major focus of research of the Middle Pleistocene human record of northwest Europe has been  
26 identifying the timing of human presence and its relationship to changing climate, environments and  
27 palaeogeography (e.g. White and Schreve 2000; Ashton and Lewis 2002; Parfitt et al. 2005, 2010; Roebroeks  
28 2006; Ashton et al. 2011; Dennell et al. 2011; Antoine et al. 2015; Moncel et al. 2015; White et al. 2018).  
29 Alongside this has been continued interest in temporal patterning in the archaeological record, and whether  
30 spatially and temporally discrete variation in lithic technology can be attributed to cultural differences or  
31 ecological and/or behavioural situational circumstances (e.g. Moncel et al. 2015; White et al. 2018, 2019; Davis  
32 and Ashton 2019; Ravon 2019; Shipton and White 2020). Our understanding of these issues is gained from a  
33 record that provides a range of resolutions, from the brief moments in time that represent single events of past  
34 human behaviour, sites in primary context that represent human occupation of a specific place over a limited  
35 time period, to the time-averaged lithic assemblages found in secondary context in fluvial gravels, which may  
36 represent the aggregate of human technological behaviour in a river valley across tens of thousands of years.

1 Each of these three broad assemblage types have their strengths and weaknesses in terms of understanding  
2 human occupation history. All three provide evidence of human presence, which may be attributable to brackets  
3 of time often defined by correlation with reconstructions of past climatic variation, and can therefore be used to  
4 help map human presence and absence through time and space. Sites in primary context, especially those with  
5 refitting lithic assemblages, can provide fine-grained detail of human behaviour and, where environmental  
6 information is preserved, habitat. However, the problem of demonstrating contemporaneity and the influence of  
7 raw materials, site function and other situationally-determined factors have in the past hindered the recognition  
8 of chronological and cultural patterning, despite the fact that it has long been recognised that sites could be  
9 grouped on the basis of artefact morphology (e.g. Roe 1968a). This situation has now changed with improved  
10 chronological frameworks and dating methods. In Britain, chronological patterning has started to emerge from  
11 both the primary and secondary context records that cannot be fully explained by raw material, resharpening or  
12 site function (Shipton and White 2020). Instead, it has been suggested that it represents successive phases of  
13 colonisation by human groups bearing distinctive lithic technology (Wenban-Smith 2004; Bridgland and White  
14 2014; White et al. 2018, 2019; Davis and Ashton 2019; Shipton and White 2020; Davis et al. 2021). In the case  
15 of the British Marine Isotope Stage (MIS) 11 record, where multiple sites can be correlated with a sufficiently  
16 high degree of resolution, it may be possible to begin to identify cultural groupings and their territories (Ashton  
17 et al. 2016; Davis and Ashton 2019; White et al. 2019; Ashton and Davis in press).

18 The many thousands of artefacts recovered from the sands and gravels of Pleistocene rivers provide a much  
19 coarser view of past human occupation. This material, which forms a significant part of the Lower Palaeolithic  
20 record, is largely in secondary context, derived and mixed. It is time-averaged, potentially representing human  
21 presence over thousands of years, and affected by a series of biases introduced by the unsystematic nature of  
22 recovery (Hosfield 1999). Consequently, this record is often dominated by handaxes, with other artefact  
23 categories underrepresented. The fact that it is divorced from its context of manufacture, use and discard has  
24 meant the secondary context record has sometimes been considered to be behaviourally uninformative (e.g.  
25 Wymer 1968). However, the characteristics of this record mean that it is well placed to support examination of  
26 patterns of change through time, albeit at a coarse scale of resolution and so long as its inherent biases can be  
27 mitigated (Gamble 1996; Wenban-Smith 2001).

28 A Pleistocene river terrace sequence provides a relative chronological framework, which becomes a more useful  
29 tool if it can be dated and correlated with the marine isotopic record (Bridgland et al. 2006). Artefacts within the  
30 sands and gravels that form a terrace are likely to include a sample of the full-range of lithic technology used  
31 and discarded within the river valley during the period of time over which that terrace formed (Wenban-Smith  
32 2001). Variation related to factors such as site function, social setting, resharpening and skill should be  
33 represented within the sample from each terrace. By comparing terrace records, the first appearance of key  
34 technologies, broad patterns of change in the lithic record and the relative intensity of occupation can be  
35 examined (Wenban-Smith 2001; Ashton and Lewis 2002; Bridgland et al. 2006; Ashton and Hosfield 2010;  
36 Ashton et al. 2011). In Britain, where human presence is punctuated by long periods of absence during cold  
37 climatic stages, successive terrace records are likely to relate to successive phases of re-peopling of the southern  
38 British landscape. While a terrace record may include material culture relating to multiple human groups that

1 occupied the river valley during the same climatic cycle, a terrace sequence can still provide a framework of  
2 change against which primary context sites can be considered.

3 This paper examines the Lower and Middle Palaeolithic archaeology of the River Test (Hampshire, UK), which  
4 was a tributary of the River Solent during much of the Pleistocene. The archaeological record of the Solent river  
5 system is a relatively untapped source of information regarding the character of Lower Palaeolithic occupation  
6 of southern Britain. In terms of numbers of sites and artefacts, the Solent is one of three major concentrations of  
7 Lower Palaeolithic material in Britain (Wymer 1999), yet, unlike the Thames and East Anglia, the Solent is little  
8 more than a footnote in recent syntheses of the British Lower Palaeolithic (e.g. Pettitt and White 2012). This  
9 relates to difficulties in producing a robust chronology for the terraces of the region, problems correlating the  
10 terrace sequences of the region's various rivers and uncertainty over the precise context of much of the  
11 archaeological material (Wenban-Smith and Hosfield 2001; Ashton and Hosfield 2010). However, a number of  
12 recent studies have begun to overcome these issues (e.g. Hosfield 1999; Bates et al. 2004, 2007; Briant et al.  
13 2006, 2009b, 2012; Westaway et al. 2006; Ashton and Hosfield 2010; Harding et al. 2012; Davis 2013, 2014;  
14 Hatch 2014; Davis et al. 2016; Egberts 2016; Hatch et al. 2017; Egberts et al. 2020), so that it is now possible to  
15 start to consider aspects of the region's archaeological record in the context of broader debates in Palaeolithic  
16 archaeology.

17 An analysis is presented of the large quantity of Palaeolithic material that has been recovered from the extensive  
18 spreads of fluvial gravels preserved in the Test Valley and its tributaries, most notably the River Itchen, and  
19 along the eastern side of Southampton Water (hereafter referred to collectively as the Test). Recent mapping and  
20 dating work on these deposits (Briant et al. 2012; Harding et al. 2012; Hatch et al. 2017) provide the  
21 chronological framework to assess how the archaeological record changed through time and allows questions to  
22 be addressed regarding the settlement history of southern Britain during the Middle Pleistocene.

## 23 **2. The River Test**

24 The River Test rises near Ashe in Hampshire and flows southwards to Southampton where it meets the River  
25 Itchen (Fig. 1). The lowest reaches of the Test were inundated in the early Holocene, probably by eustatic sea  
26 level rise (Hodson and West 1972), resulting in the formation of Southampton Water. However, prior to this,  
27 and prior to the breaching of the Purbeck-Wight monocline during the late Middle/Late Pleistocene (Preece et  
28 al. 1990; Velegrakis et al. 1999; Westaway et al. 2006), the Test was a left-bank tributary of the River Solent,  
29 which itself was a tributary of the Channel River system during low sea-level stands (Gibbard 1988; Lericolais  
30 et al. 2003; Gupta et al. 2007). Thus, during the early Palaeolithic, the Test was at times connected to other parts  
31 of Britain and northwest Europe via fluvial networks.

### 32 2.1. Geological framework

33 The upper reaches of the Test flow across Chalk bedrock and in this portion of the valley there is limited  
34 preservation of Pleistocene deposits. This changes near Dunbridge, where the transition to Palaeogene marine  
35 sands and clays marks a change in the river rejuvenation regime (Allen and Gibbard 1993; Hosfield 2001).  
36 Periodic lateral downcutting to new base levels has resulted in the preservation of large swathes of fluvial sands  
37 and gravels on both sides of the valley between Dunbridge and Southampton and on the eastern flank of  
38 Southampton Water. British Geological Survey (BGS) mapping of the deposits from Romsey to Portsmouth

1 (Sheets 315 and 316) recognises a sequence of 11 terrestrial terraces and three submerged terraces under  
2 Southampton Water, the lowest of which is infilled with Holocene deposits (Edwards and Freshney 1987). The  
3 BGS mapping of the deposits north of Romsey (Sheet 299) identifies fewer terraces and employs an  
4 independent numbering system (Booth 2002). Consequently, in some cases upstream and downstream correlates  
5 have different terrace numbers. This issue has been addressed in a number of recent studies of the Test's  
6 terrestrial terraces, which have employed different methods to provide a series of unified but competing  
7 mapping schemes for the Test terraces (Table 1).

8 Westaway et al. (2006) produced a revised mapping scheme based on a study of terrace surface heights cross-  
9 referenced with outcrop data from Edwards and Freshney (1987) and introduced a new nomenclature based on  
10 named stratotypes. This scheme was revised by Harding et al. (2012). A separate study of the Test terraces was  
11 undertaken as part of the Palaeolithic Archaeology of the Sussex/Hampshire Coastal Corridor project  
12 (PASHCC; Bates et al. 2004; Briant et al. 2012). The PASHCC scheme is based on correlation of gravel  
13 thicknesses provided by 96 BGS boreholes, 12 PASHCC project test pits and the Dunbridge test pits reported by  
14 Bridgland and Harding (1987). Most recently, Hatch (Hatch 2014; Hatch et al. 2017; Fig. 1b and Fig. 2)  
15 reassessed the Test terrace mapping employing the PASHCC gravel envelope method but drawing on a larger  
16 dataset. This comprised 280 BGS borehole records, 30 synthetic boreholes inferred from ground penetrating  
17 radar (GPR) survey of areas with poor borehole coverage and 41 other records drawn from published  
18 sections/logs. This increased dataset reduces the issue of intra-terrace variation in gravel thickness whilst also  
19 avoiding the pitfalls of correlating terrace fragments using surface heights alone (Briant et al. 2012), and it is the  
20 Hatch scheme that is employed in the current study.

21 Detailed comparisons between these three schemes are provided by Briant et al. (2012) and Hatch et al. (2017),  
22 with the main differences summarised in Table 1. They are largely in agreement regarding the terrace  
23 stratigraphy between Romsey and Southampton, with some minor differences in their mapping of the higher,  
24 more fragmentary deposits. There is more significant disagreement over the mapping of the gravels in the  
25 Warsash area and north of Romsey. The PASHCC scheme endorses the BGS mapping of the Warsash area  
26 gravels, with the lowest aggradation flanking Southampton Water assigned to Terrace 2, the main spread of  
27 gravel underlying Warsash assigned to Terrace 3 and the large gravel spread underlying Locks Heath to the  
28 north and east of Warsash assigned to Terrace 5, 6 and 8. The Westaway/Harding scheme differs only in the  
29 division of the gravel underlying Warsash into their Lower Warsash and Upper Warsash terraces (BGS Terraces  
30 3 and 4). The Hatch scheme also recognises this division, based on the projection of 48 borehole/section logs  
31 onto a NE-SW profile (Hatch et al. 2017: Fig. 7). This shows four altitudinally-distinct aggradations, the highest  
32 assigned to the Mallard Moor terrace (BGS Terrace 5) with a bedrock-gravel contact at c. 26 m OD, then the  
33 Upper Warsash terrace at c. 18 m OD, the Lower Warsash terrace at c. 11m OD and the Hamble terrace (BGS  
34 Terrace 2) at c. 7m OD. This work also identified several areas south of Warsash where gravels previously  
35 mapped as Hamble terrace are in fact altitudinally more consistent with the Lower Warsash terrace. Further  
36 analysis of boreholes in the Locks Heath area indicated that the southern portion of the gravel spread previously  
37 assigned to the Nursling terrace (BGS Terrace 6) is more consistent with the Mallards Moor terrace, and also  
38 identified gravels consistent with the Bitterne terrace (BGS Terrace 7).

1 The PASHCC, Westaway/Harding and Hatch schemes differ significantly in their mapping of the terraces in the  
2 area of Dunbridge, largely due to different gradients being employed to project the terraces of BGS Sheet 315  
3 northwards into BGS Sheet 299. Harding et al. and Hatch also have the benefit of additional data points from  
4 sections recorded during the watching brief at Kimbridge Farm Quarry (Harding et al. 2012). These support  
5 previous observations of the presence of two terraces at Dunbridge and Kimbridge, which Westaway/Harding  
6 and Hatch assign to the Mottisfont and Belbin terraces. In contrast, the PASHCC scheme does not recognise this  
7 division and, employing shallower long profile gradients, assign the whole Dunbridge/Kimbridge gravel spread  
8 to the Ganger Wood terrace (their Terrace 5), although Briant et al. (2012) acknowledge the difficulty of  
9 separating Terrace 4 and 5 of their scheme in this area. North of Dunbridge, the only data points are provided by  
10 test pits excavated by PASHCC at Mottisfont Field, Great Copse, Yewtree Cottage and Spearywell Wood (Bates  
11 et al. 2004; Briant et al. 2012). The fluvial sediments encountered are attributed by PASHCC to the Mallards  
12 Moor, Bitterne (their Terrace 7) and Midanbury (their Terrace 8) terraces, and the Belbin, Nursling, Bitterne and  
13 Midanbury terraces in the Hatch scheme. The additional terrace in this area in the Hatch scheme reflects the  
14 difference in the altitude of the gravels in Yewtree Cottage Test Pit 4 (c. 65 to 68 m OD) and at Spearywell  
15 Wood (c. 73 to 77 m OD), which PASHCC and Harding et al. assign to the same terrace (Midanbury terrace).

16 Given the differences outlined above, the use of one scheme over another has implications for understanding the  
17 archaeological record. The majority of the Test sites, however, are associated with gravels assigned to the same  
18 terrace in each of the schemes, particularly in the Romsey and Southampton areas (Table 1). In the Warsash  
19 area, most of the material is from gravel pits and coastal exposures associated with the Hamble and Lower  
20 Warsash terraces in all three schemes. Importantly, the detailed study of this area by Hatch et al. (2017) has  
21 fine-tuned the mapping of these terraces, with the result that a much larger portion of the Warsash Palaeolithic  
22 record can be assigned to specific terraces (Davis et al. 2016). The different interpretations of the gravels in the  
23 Dunbridge area have more significant implications. Under the Hatch and Westaway/Harding schemes, the large  
24 collection of Palaeolithic material from the Dunbridge Pit and the smaller assemblages from the old Kimbridge  
25 Pit and Kimbridge Farm Pit are assigned to the Belbin and Mottisfont terraces respectively. Under the PASHCC  
26 scheme, these sites are assigned to the higher and therefore older Mallards Moor terrace. Likewise, the three  
27 waste flakes and one handaxe recovered from the test pits at Great Copse (Bates et al. 2004) are assigned to the  
28 Nursling terrace under the Hatch mapping scheme and the older Bitterne terrace under the PASHCC scheme.  
29 The implications of the use of the Hatch scheme in the current study are revisited in section 5.1.

## 30 2.2. Chronological framework

31 The terrace sequence provides a relative chronological framework for examining the archaeological record.  
32 However, if the Test's record is to be drawn fully into broader debates, it is necessary to correlate its terraces  
33 with the marine isotope record. This has been a problem for the Test and the Solent sequence more broadly,  
34 largely due to the dearth of interglacial fossil-bearing sediments prohibiting the use of biostratigraphical  
35 methods to provide dating control. Instead, recent research has turned to optically-stimulated luminescence  
36 (OSL) to provide age estimates for the emplacement of fluvial sands (Table 2 and Fig. 3).

37 PASHCC report a series of OSL age estimates for sediments related to the Broadlands Farm, Hamble, Mallards  
38 Moor, Nursling and Bitterne terraces, with only those from the lowest two terraces deemed reliable (Bates et al.

1 2010; Briant et al. 2012). Replicate samples taken from the cliff exposure at Solent Breezes provide a coherent  
2 set of age estimates for the Hamble terrace, indicating emplacement during a colder phase of MIS 7 (Briant et al.  
3 2012). This is likely to be MIS 7d, a period of significant cooling that has been associated with terrace  
4 formation in other UK rivers such as the Severn-Avon (Bridgland et al. 2004) as well as in the Somme in France  
5 (Antoine et al. 2007, 2015). Bates et al. (2010) suggest the Hamble terrace can be correlated with a period of  
6 downcutting identified in the Sussex raised beach sequence and related to a low sea-level stand during MIS 7d.  
7 Hatch et al. (2017) report an OSL age estimate of MIS 7/6 for the Hamble terrace and MIS 8/7 for the Lower  
8 Warsash terrace. The Hamble terrace estimate is in agreement within errors of all four PASHCC estimates. The  
9 Lower Warsash estimate also has a midpoint that falls within MIS 7 and overlaps within errors of all the Hamble  
10 terrace estimates. Given that this sample is from a demonstrably higher aggradation, it is suggested that the  
11 Lower Warsash terrace was formed during MIS 8, but the ages also suggest that the emplacement of the Hamble  
12 and Lower Warsash terraces occurred relatively closely in time. Again, parallels can be found in the other river  
13 valleys mentioned above, where two terraces span MIS 8/7.

14 Age estimates for the Mottisfont gravel, which is the upstream correlate of the Lower Warsash terrace under the  
15 Harding et al. and Hatch schemes, are provided by Harding et al. (2012). Of 10 samples taken from two adjacent  
16 sections through the Mottisfont terrace sediments, 6 provided age estimates deemed to be reliable. These  
17 provided a wide range of results, some with large error margins, with midpoints falling in MIS 8, 9 and 10, and  
18 errors from MIS 9/7 to MIS 11/8. Three samples taken from the same sand unit at 15 cm intervals (1A, 1B and  
19 1C) provide the widest spread of ages, with a weighted mean age of  $277 \pm 18$  ka. This would suggest  
20 emplacement of the Mottisfont terrace during MIS 8. The weighted mean age of all six samples is  $305 \pm 25$  ka,  
21 which equates to MIS 9/8. Only one sample (1C) overlaps with the age estimate for the Lower Warsash terrace.  
22 The spread of these results neither contradicts nor provides conclusive support for either of the terrace scheme  
23 interpretations of the Mottisfont gravels (Section 2.1).

24 There is no reliable independent dating of any of the terrace sediments above the Mottisfont/Lower Warsash  
25 terrace. It is widely agreed that terrace formation occurs in response to global changes in climate and land  
26 surface uplift, and that the main body of terrace gravels are deposited during periods of cold climate. In some  
27 river systems such as the Thames and the Somme where the terraces have been correlated through  
28 biostratigraphy, amino-stratigraphy, or geochronology to Marine Isotope Stages, most terrace aggradations are  
29 related to a glacial-interglacial cycle (Bridgland 1994, 2006; Antoine et al. 2017, 2019). If this model applies to  
30 the Test, then as many as eight major cold stages might be represented by the gravel aggradations above the  
31 Lower Warsash terrace.

32 An alternative approach to dating the Solent terrace sequences, using uplift modelling in conjunction with  
33 artefact typology, was employed by Westaway et al. (2006; Harding et al. 2012). For the Test, the first  
34 appearance of Levallois technology, which they argue is likely to have occurred around the MIS 9/8 transition,  
35 was used as a chronological tie-point to determine the uplift solution that provided terrace ages that were a best  
36 fit for the archaeological record (Table 2). The use of lithic typology as chronological tie-points has been  
37 criticised, not least the assumption of synchronous first appearance of new technologies in different river valleys  
38 across Britain (Ashton and Hosfield 2010). In order to use the Solent to test whether technological developments



1 were indeed synchronous across different regions of Britain, independent dating of the terrace sediments is  
2 required.

3 In this paper, we use the terrace stratigraphy as a relative chronological framework for examining the  
4 archaeological record, with the OSL age estimates described above as chronological tie-points that enable us to  
5 begin to assess how the Test fluvial succession and related Palaeolithic assemblages correlate with the marine  
6 isotope record.

### 7 2.3. Palaeolithic archaeology

8 The Solent is one of the richest regions for Lower Palaeolithic archaeology in Britain and the Test provides a  
9 major component of this record. In excess of 4500 lithic artefacts have been recovered from more than 150  
10 individual sites (Wessex Archaeology 1993). The majority of artefacts are handaxes. The Test's Middle  
11 Palaeolithic record is comparatively small, numbering no more than 50 diagnostic artefacts, including Levallois  
12 cores, flakes, and at least one *bout coupé* handaxe (Wessex Archaeology 1993; Davis 2013). The sites are  
13 primarily distributed between Dunbridge and Lee-on-Solent (Fig. 1B), with key sites or locales at Dunbridge  
14 (Dale 1912, 1918; White 1912; Bridgland and Harding 1987, 1993; Harding 1998; Hosfield and Chambers  
15 2004; Harding et al. 2012) and Kimbridge (Dale 1912, 1918; White 1912; Harding et al. 2012), Romsey,  
16 including Belbin's Pit, Chiver's Gravel Pit, Luzborough Pits and Test Road Materials Pit (Roe 1981, 2001;  
17 Wessex Archaeology 1993; Bates et al. 2004), Ridge Gravel Pit (MacRae 1991), numerous findspots in and  
18 around Southampton (Evans 1872, 1897; Wessex Archaeology 1993; Wenban-Smith 2001), Warsash (Burkitt et  
19 al. 1939; Shackley 1974, 1978; Roe 2001; Davis et al. 2016; Hatch et al. 2017) and the foreshore beneath the  
20 cliffs that extend from Solent Breezes to Lee-on-Solent on the east side of Southampton Water (Evans 1872,  
21 1897; Wessex Archaeology 1993).

22 The bias towards handaxes (Harding 1998) is likely a consequence of the main mode of recovery of the record,  
23 which was largely collected from gravel pits during the late 19<sup>th</sup> and early 20<sup>th</sup> centuries, although collecting  
24 activities continued at a few sites through the mid to late 20<sup>th</sup> Century (e.g. MacRae 1991). There are few  
25 reported artefacts that are well-contextualised. Most of these were recovered by coarse sieving of gravel  
26 contexts encountered in the PASHCC test pits (Bates et al. 2004). These consist of: one heavily rolled waste  
27 flake from horizontally-bedded gravels of the Belbin terrace at Whitenap Open Space, near Romsey; one waste  
28 flake from Belbin terrace gravels at Mottisfont Field; one rolled and one fresh waste flake from basal gravel of  
29 the Nursling terrace at Ridge Gravel Pit; three waste flakes and one very rolled sub-cordate handaxe from  
30 Nursling terrace gravels at Great Copse; and two possible waste flakes from Midanbury terrace gravels at  
31 Spearywell Wood. At Warsash, excavations by Shackley (1978) recovered a small lithic assemblage, including  
32 slightly and heavily rolled handaxes and one fresh Levallois core, from gravels interpreted as a preserved gravel  
33 bar towards the top of the Lower Warsash terrace sequence at Fleet End Pits.

34 There is less certainty over the precise context of the 198 artefacts recovered during the watching brief at  
35 Kimbridge Farm Quarry, which exploited gravels of both the Belbin and Mottisfont terraces (Harding et al.  
36 2012). It was possible to reconstruct the locations of most of the artefacts and link them back to one terrace or  
37 the other. Most of the artefacts were associated with the Belbin terrace. These included 56 handaxes or handaxe  
38 roughouts, three unipolar cores with parallel removals from a flaking surface with a prepared platform and

1 described as ‘proto-Levallois’, one fully developed Levallois core and one Levallois flake. Most of the artefacts  
2 are rolled and iron-stained but the Levallois core and flake are fresh with a light yellow staining over a white  
3 patina, which Harding et al. argue indicates their derivation from the upper part of the Belbin terrace sequence  
4 due to its similar colour. This mirrors earlier observations of the material from the old Dunbridge Pit, which  
5 suggest two groups of artefacts are present that are stratigraphically distinct (Dale 1912, 1918; Roe 1981). The  
6 largest group is rolled and stained, with a preponderance of pointed handaxes alongside ovates in similar  
7 condition (Hosfield and Chambers 2004), and thought to have been recovered from the basal gravels. A smaller  
8 group of fresher artefacts, often patinated white and including ‘classic’ pointed handaxes, some Levallois  
9 elements and a *bout coupé* (Roe 1981), are suggested to have originated in the upper gravels, which in places are  
10 bleached white (Dale 1912; Bridgland and Harding 1993). The small number of artefacts recovered during the  
11 watching brief at Kimbridge Farm Quarry that could be confidently assigned to the Mottisfont terrace gravels  
12 included a slightly rolled Levallois core and five handaxes (Harding et al. 2012).

13 The artefacts on which the current study is based can all be related to specific sites or findspots. In the case of  
14 recent quarries, where artefacts were typically recovered from reject heaps of gravel extracted after the site had  
15 been stripped of overburden, the artefacts must come from within terrace gravels or their surface. This applies to  
16 the material recovered from Ridge Gravel Pit and Test Road Materials Pit. At Ridge Gravel Pit, the main  
17 collector, John Keeping, drew a sketch section that shows a stratigraphic separation of two assemblages, with  
18 crude pointed handaxes in the middle part of the gravels and ovates in the upper gravels (Terry Hardaker pers.  
19 comm.). However, it is unclear how this interpretation of the stratigraphic context of the archaeology was  
20 reached.

21 At other sites, it is possible that some artefacts may be derived from sediments that overlie the fluvial gravels.  
22 At all of the sites there is also the likelihood that a portion of the archaeological material has been reworked  
23 from older fluvial sediments. In the absence of detailed contextual information, artefact condition can be used as  
24 an indication of the type of context from which it is derived. Artefacts that are rolled can be assumed to have  
25 been recovered from the fluvial sediments of the associated terrace. Heavily rolled material is likely to include  
26 artefacts reworked from higher terrace gravels (vertical reworking) and therefore are likely to either pre-date or  
27 be contemporary with terrace formation. Less rolled material is likely to include material reworked over shorter  
28 distances downstream (horizontal reworking) that are contemporary with terrace formation. Fresh material is  
29 more likely to include artefacts from overlying fine-grained sediments and therefore are likely to either be  
30 contemporary with or post-date terrace formation. Clearly such a broad brush approach does not eliminate  
31 mixing of material of different ages, but it does provide a means of assessing whether there are any broad  
32 patterns of typological or technological variation between artefacts with different taphonomic histories.

### 33 **3. Materials and methods**

34 The basic unit of analysis in this study is the terrace record. The starting point was the SRPP database (Wessex  
35 Archaeology 1993; Mephram 2009), which provides a site list, a typological breakdown of the assemblages and  
36 an indication of their geological context based on the BGS mapping current at the time of the study. The  
37 Southampton, Winchester and Hampshire Historic Environment Records (HER) were consulted and any sites  
38 not listed by the SRPP were added to the database. All available contextual information was consulted to check

1 the locations of the sites. This included journal publications, historic mapping, collector notebooks and  
2 correspondence, and information written on the artefacts themselves. This refinement of the SRPP database is  
3 essential to ensure assemblages are assigned to the correct terrace (e.g. Davis 2014). The sites were then  
4 assigned to terraces by overlaying the updated site locations on current terrace mapping (Hatch et al. 2017) in  
5 ArcGIS. Any assemblages that could not be assigned to a specific terrace were excluded from the study. The  
6 terrace records could then be compared to identify any chronological patterning.

7 Given the biased nature of the record, lithic analysis is limited to the handaxes and Levallois artefacts. Samples  
8 were obtained by recording all relevant collections held at 11 museums and in four private collections (Table 3  
9 and Table S1). It was not possible to track down a representative sample of the small Broadlands Farm or  
10 Ganger Wood/Mallards Moor terrace records. The other terrace records are well represented and form the basis  
11 of analysis (Tables 3 and 4).

12 Taphonomic attributes, including degree of rolling, edge damage, patination and staining, were recorded for all  
13 artefacts by macroscopic observation using a four-point scale (after Ashton 1998). Handaxes were recorded  
14 using a standard set of measurements and attributes. Handaxe type, tip shape and butt type were recorded  
15 following Wymer's (1968) scheme. Edge shape was recorded in plan and profile. Digital callipers were used to  
16 take a series of measurements for morphometric analysis following Roe's (1968a) method. Raw material and  
17 blank type were recorded, as were the presence or absence of tranchet flaking or other edge modification. Flake  
18 scars larger than 5mm were counted and a scar index was calculated by dividing total flake removals by length.  
19 Cortex retention was measured to the nearest 10%. Bifacial edge length was measured and recorded as a  
20 proportion of the total perimeter. The 49 handaxes from Ridge Gravel Pit in the Dowland collection were  
21 recorded by Phil Harding (pers. comm.). These records included handaxe type after Wymer (1968), raw material  
22 and blank type, maximum length, width and thickness measurements, condition and edge shape. Levallois cores  
23 were recorded following Scott (2010), with identification based on Boëda's (1995) volumetric definition of the  
24 Levallois method. Levallois flakes were identified and recorded following Scott (2010), based on the  
25 identification of characteristics indicative of their removal from the flaking surface of a Levallois core. Simple  
26 prepared (proto-Levallois) cores share some of the characteristics of Levallois cores, namely the hierarchical  
27 relationship between a striking platform surface and a flaking surface separated by a plane of intersection, where  
28 flakes have been removed by hard hammer percussion from the flaking surface and are broadly parallel to the  
29 plane of intersection (White and Ashton 2003). However, they generally lack the maintenance of distal and  
30 lateral convexities, and surface preparation is minimal. Although no simple prepared cores were identified in the  
31 Test collections recorded in this study, the definitions above apply to the simple prepared cores and Levallois  
32 cores and flakes from other British assemblages discussed in Section 5.

#### 33 **4. Results**

34 The results of the contextual study are summarised in Table 4. A full catalogue of sites can be found in  
35 supplementary information (Table S2). The main differences between the results presented here and those of  
36 previous studies (e.g. Ashton and Hosfield 2010) are the exclusion of most of the material associated with the  
37 highest five terraces and a significant increase in the number of artefacts assigned to the Lower Warsash terrace.  
38 The latter reflects previous uncertainty over the provenance of much of the Warsash material, a significant

1 portion of which can now be assigned to the Lower Warsash terrace (Davis et al. 2016). The SRPP lists a small  
2 number of artefacts from each of the highest five terraces, all of which bar three have been excluded here. The  
3 survivors are three handaxes from Town Pits, located on the northern edge of Southampton Common. The  
4 provenance of these can be determined from a letter from Mr. W. Read to John Evans that is conserved in the  
5 archives of the Ashmolean Museum, and which describes the recovery of handaxes from gravels between 55  
6 and 58 m OD that are mapped as the Midanbury terrace (Davis 2015). The other higher terrace sites have been  
7 excluded because it has not been possible to determine their precise provenance and, in many cases, it has not  
8 been possible to track down the artefacts in question to assess whether their condition is indicative of their  
9 recovery from a fluvial gravel.

#### 10 4.1. First appearance data

11 The earliest evidence for human presence in the Test valley is associated with the Midanbury terrace. PASHCC  
12 recovered two possible waste flakes from test pits at Spearywell Wood, to which can be added the three  
13 handaxes from Town Pits (Table 4). One of these is a sub-cordate handaxe that is rolled and stained (Fig. 4).  
14 Handaxes appear in significant numbers in the Nursling, Belbin, Mottisfont/Lower Warsash and Hamble  
15 terraces, with the Belbin terrace producing by far the largest record. The relatively small number of handaxes  
16 associated with the Broadlands Farm terrace is to be expected given its likely young age, however the low  
17 number from the Ganger Wood/Mallards Moor terrace is more surprising. Levallois technology first appears in  
18 the Belbin terrace assemblage and is most numerous in the Lower Warsash terrace record.

#### 19 4.2. Handaxes

20 The handaxes are from sites in different parts of the river valley (Fig. 1b; Table 3). The Nursling terrace record  
21 consists of material from just two sites, Ridge Gravel Pit and Pauncefoot Hill gravel pit, which are situated 1.75  
22 km apart on the same spread of Nursling gravels. The Belbin terrace handaxe record consists of material from  
23 16 separate sites. These can be placed in to three groups based on location. The material from Dunbridge forms  
24 one group, Belbin's Pit, Chiver's Gravel Pit, Luzborough Gravel Pits and Test Road Materials Pit are all located  
25 near Romsey and form a second group, while the remaining 11 sites are all located in Southampton and form a  
26 third group. The Mottisfont/Lower Warsash terrace sample is formed of artefacts from 16 sites. These can be  
27 divided into four groups. The first consists of material from Kimbridge Pit and the small assemblage from Lone  
28 Barn Farm, the second is Colden Common in the Itchin Valley, the third consists of six sites in Southampton  
29 and the final group is formed of the material from Warsash. The Hamble terrace record sample is drawn from  
30 eight sites (Table 2). A single handaxe is from High Street, Southampton, otherwise all of the material is from  
31 sites on the eastern side of Southampton Water, from gravel pits south of Warsash and from the foreshore  
32 between Solent Breezes and Lee-on-Solent. The analysis below is based on the terrace records as a whole, but a  
33 summary of the characteristics of the handaxes in each of these groups is provided in the supplementary  
34 information (Tables S3-S7).

##### 35 4.2.1. Handaxe condition

36 The vast majority of the handaxes from the Test are rolled, often iron-stained and have substantial edge damage  
37 (Fig. 5). This is consistent with their recovery from coarse terrace gravels and indicates a degree of fluvial  
38 reworking. The Nursling terrace record has a notably lower degree of rolling, which increases in each

1 successively younger terrace. This is likely to reflect the influence of vertical reworking (Ashton and Hosfield  
2 2010). This suggests that the proportion of a terrace record derived from older terrace deposits, and therefore the  
3 degree of mixing, increases with each successive terrace. Fresher material is more likely to represent human  
4 occupation contemporary with terrace formation. This may be the case for the majority of the Nursling terrace  
5 record. There are 105 (13.3%) handaxes from the Belbin terrace that are either fresh or slightly rolled, most  
6 notably from Dunbridge where 32 of the 65 fresher handaxes are also patinated (Table S5a). These are likely to  
7 be a sample of Dale's (1918) 'white' series. The fresher material from the Mottisfont/Lower Warsash terrace  
8 consists of just 42 (10.5%) handaxes, of which 31 are from Warsash (Table S6). The Hamble terrace handaxes  
9 show the highest degree of rolling, with more than 80% heavily rolled and just five (3.6%) handaxes that are  
10 either slightly rolled or fresh.

#### 11 4.2.2. Handaxe typology and technology

12 The vast majority of the handaxes are made on flint and the remainder (1.6%) are made on chert (Table 5). The  
13 dominance of flint raw material is unsurprising given the flint-rich nature of the gravels and the presence of  
14 Chalk bedrock in the upper reaches of the Test. Clast lithological analysis of the Belbin and Mottisfont terrace  
15 gravels at Dunbridge shows that chert is extremely rare, with all non-flint lithologies accounting for just 0.16%  
16 of clasts (Harding et al. 2012). However, chert is more common in the River Solent terraces, accounting for  
17 between 1.6% and 3.2% of clasts (Allen and Gibbard 1993). It is possible that the chert handaxes represent some  
18 limited transport of raw materials and/or handaxes in to the Test from the main Solent valley, however there is  
19 no available data on the size of the chert clasts to be sure they are large enough for handaxe manufacture. The  
20 condition of remnant flint cortex indicates that both weathered river cobbles and fresher chalk nodules/cobbles  
21 were utilised. This is particularly clear for the Nursling terrace. For the lower terrace records, the high degree of  
22 rolling prevents a reliable assessment of the use of fresher flint as cortex condition may have been altered during  
23 fluvial transport.

24 There are some similarities but also some differences between the mean size and shape of the handaxes and the  
25 proportions of different handaxe types in the terraces records (Table 6). The mean size of the handaxes is fairly  
26 consistent, although the Belbin terrace handaxes are slightly smaller on average than the other three terraces.  
27 There is little variation in the elongation ratio and they also display a similar mean refinement ratio, suggesting  
28 the intensity of thinning was broadly consistent across the four terraces. The Hamble terrace handaxes are  
29 slightly more refined on average, while the Nursling terrace shows greater variation than the other terraces. The  
30 other two shape ratios show greater differentiation between the terraces, with the Belbin and Mottisfont/Lower  
31 Warsash terrace handaxes having on average wider and thicker butts relative to their tips. This difference is  
32 reflected in the typological data, which show ovates to dominate the Nursling and Hamble terraces, whereas  
33 pointed handaxes are more common in the Belbin and Mottisfont/Lower Warsash terraces. The Nursling terrace  
34 has the lowest degree of typological diversity. Ficrons, twisted ovates and flat-butted cordates first appear in the  
35 Belbin terrace. One of the two flat-butted cordates is the classic *bout coupé* from Dunbridge, which is in fresh  
36 condition and patinated. Ficrons and twisted ovates also occur in low numbers in the Mottisfont/Lower Warsash  
37 and Hamble terraces. Cleavers occur in low numbers in all four terraces.

1 Handaxes are predominantly made on flint cobbles or nodules across all four terraces, with the use of large  
2 flakes as blanks a persistent but minor part of handaxe technology (Table 7). The majority of the handaxes have  
3 rounded tips, although this may in part reflect the effect of fluvial reworking damaging and rounding more  
4 finely worked tips. Handaxes with straight, cleaver-like tips occur in similar numbers across the four terraces. In  
5 the Nursling terrace, these are often produced by the removal of a tranchet flake from the tip (Fig. 6). Tranchet-  
6 sharpened tips are much more common in the Nursling terrace, present on almost 25% of the handaxes. This is  
7 specifically a feature of the Ridge Gravel Pit material and is completely absent from the Pauncefoot Hill  
8 assemblage (Table S3). Tranchet flaking is a minor component of the other three terraces. Mean cortex  
9 retention, cortex retention on the butt, cutting edge length and scar index are broadly similar between the  
10 terraces. This suggests that reduction intensity does not vary greatly. However, the differences that do exist also  
11 reflect the typological composition of the records, with the two ovate-dominated records displaying greater  
12 reduction intensity than those with more pointed handaxes, reflecting the greater working and thinning of the  
13 butt of ovates. This is particularly the case for the Hamble terrace record.

14 The fresher artefacts from the Nursling, Belbin and Mottisfont/Lower Warsash terraces that can be compared to  
15 the rolled handaxes from the same terrace to examine the effect of reworking (Tables 8 and 9). In each case, the  
16 fresher group is characterised by a dominant handaxe form (> 50% for Wymer type and >60% for Roe metric  
17 type). In the Nursling terrace, the fresher material is dominated by ovate handaxes with frequent tranchet-  
18 sharpened tips, whereas the rolled group has fewer ovates and a greater proportion of crude, pointed and sub-  
19 cordate handaxes. The rolled handaxe group is also less refined than all the other Test handaxe groups as shown  
20 by its relatively high mean ratio of maximum thickness to maximum width, where a high ratio reflects low  
21 refinement (Table 8). This is largely due to the characteristics of the crude and pointed handaxes (Fig. 7), which  
22 are less refined in the Nursling terrace than the same types in the other terraces (Fig. 8).

23 The fresher material from the Belbin terrace (Fig. 9) is dominated by elongated pointed handaxes, often with  
24 relatively thick butts that have only been partially worked. These appear in all three areas, occurring in  
25 significant numbers at Dunbridge, Romsey and Southampton (Table S5). Pointed handaxes are also the most  
26 common type among the rolled material but crude, sub-cordate and ovate handaxes are also well represented.  
27 There is some geographical variation, however, with the rolled material from Romsey dominated by pointed  
28 handaxes, whereas it is more mixed at Dunbridge and Southampton (Table S5). All but one of the twisted ovates  
29 occur in the rolled material and the other rarer handaxe types appear in both the rolled and fresher groups.

30 The fresher group from the Mottisfont/Lower Warsash terrace is dominated by large, well-made pointed  
31 handaxes, including one large ficron and two pointed forms made on flakes and shaped by flaking to the dorsal  
32 surface only (Fig. 10). The use of flake blanks is most common in this group, resulting in a group of plano-  
33 convex handaxes that has been highlighted previously as a typological feature of the Warsash assemblage  
34 (Burkitt et al. 1939; Davis et al. 2016; Roe 1981, 2001). The rolled material is much more mixed with crude,  
35 pointed, sub-cordate and ovate handaxes all well represented. Cleavers are more common among the rolled  
36 material and ficrons and twisted ovates are also present.

37 4.3. Levallois technology

1 The Levallois artefacts are typically much fresher and more frequently patinated than the handaxes from the  
2 same sites (Fig. 5). They are all made on flint and there are similarities in technology across the terraces (Fig.  
3 11).

4 The Belbin terrace is the highest Test terrace to be associated with Levallois artefacts (Table 4). Seven have  
5 been recorded for this study, six from the Romsey sites and one from Hill Lane, Southampton (Table 3). Five  
6 are only slightly rolled, of which four are patinated, one is moderately rolled and patinated and one, from  
7 Belbin's Pit, is very rolled and stained. All of the Romsey examples have faceted striking platforms and scar  
8 patterns consistent with centripetal flaking surface preparation and recurrent unipolar exploitation. The Hill  
9 Lane example is similar except it has a plain striking platform.

10 Of the 22 Levallois artefacts from the Mottisfont/Lower Warsash terrace recorded for this study, 21 are from  
11 Warsash and have been described previously (Davis et al. 2016). They consist of 17 flakes and 4 cores. The  
12 majority are fresh and have a creamy white patina but 2 cores are more rolled, one moderately, the other heavily  
13 with iron staining. The cores and the majority of the flakes indicate centripetal flaking surface preparation, lineal  
14 removals and faceted striking platforms, however a few of the flakes indicate unipolar and bipolar flaking  
15 surface preparation. Added to these is one rolled and stained Levallois flake from Colden Common. It has a  
16 faceted striking platform and a dorsal scar pattern indicating centripetal flaking surface preparation.

17 Two probable Middle Palaeolithic artefacts associated with the Hamble terrace were recorded for this study.  
18 One is a discoidal core from the foreshore at Brownwich Farm. It is fresh and patinated. The second is a large  
19 Levallois flake from the foreshore at Lee-on-Solent. It is patinated with some rolling to the scar ridges and edge  
20 damage. It has a faceted striking platform and a dorsal scar pattern indicative of centripetal flaking surface  
21 preparation.

#### 22 4.4. Interpretation

23 In the absence of detailed contextual and stratigraphic information, the condition of the artefacts is key to  
24 interpreting the Test record. The presence of artefacts in both fresh and rolled condition indicates a degree of  
25 mixing of material derived over shorter and longer distances. The fresher material from each site is likely to  
26 represent relatively local human occupation contemporary with the formation of that terrace, with the potential  
27 addition of younger material subsequently discarded on the terrace surface and becoming incorporated into the  
28 deposit or collected from the surface. The rolled material is likely to be a mixed collection of artefacts derived  
29 from further upstream and reworked from older terrace deposits. The increase in rolling through time from the  
30 Nursling terrace to the Hamble terrace (Fig. 5) suggests that material reworked from higher terraces makes a  
31 significant contribution to the rolled handaxe groups. The fact that the fresher groups are consistently dominated  
32 by a particular handaxe form while the rolled groups are not, suggests that handaxe manufacture contemporary  
33 with each terrace is characterised by the production of a single modal form. This is particularly clear for the  
34 Belbin terrace, where the fresher handaxes from Dunbridge, Romsey and Southampton are all dominated by  
35 pointed forms, indicating a homogeneity of handaxe form throughout the river valley. The potential for spatial  
36 variation cannot be assessed for the Nursling and Mottisfont/Lower Warsash terraces due to their more  
37 geographically restricted samples of fresher handaxes. However, the presence of a modal handaxe form in the  
38 fresher material from each of these terraces is consistent with the British record more broadly (Roe 1968a;

1 Wenban-Smith 2004; Bridgland and White 2014, 2015; White et al. 2018; Shipton and White 2020; Davis et al.  
2 2021).

3 The analysis above provides evidence of chronological variation in human occupation and technology within the  
4 relative chronological framework of the terrace sequence (Table 4 and Table 10). The evidence for the age of  
5 the assemblages is discussed in Section 5.1, with suggested MIS attributions provided in Table 10 and in  
6 parentheses below. Handaxes first appear in the Midanbury terrace ( $\geq$ MIS 16) before appearing in significant  
7 numbers in the Nursling terrace ( $\geq$ MIS 13). Most of these are likely to be contemporary with terrace formation  
8 and are dominated by ovates. The rolled material has a greater number of crude and pointed handaxes. This  
9 partly mirrors the differences between the Ridge Gravel Pit and Pauncefoot Hill assemblages (Table S3), which  
10 may indicate a degree of contemporary downstream reworking, although some reworking from older terrace  
11 deposits cannot be discounted. The fresher material from the Belbin (MIS 9) and Mottisfont/Lower Warsash  
12 (MIS 8) terraces is dominated by pointed handaxes. Handaxe diversity increases in the Belbin terrace and  
13 Levallois also appears for the first time, becoming more common in the Mottisfont/Lower Warsash terrace. The  
14 majority of the Levallois artefacts are fresh and patinated but a small number from both terraces are in a  
15 condition consistent with deposition within a fluvial environment. This suggests Levallois first appears in the  
16 Test Valley during the formation of the Belbin terrace (Westaway et al. 2006; Harding et al. 2012). The fresher  
17 material may also be contemporary with terrace formation, however it is also possible that these artefacts were  
18 discarded on the terrace surfaces and represent later occupation (Davis et al. 2016). At Dunbridge (Belbin  
19 terrace), the fresher and often patinated material includes pointed handaxes, Levallois cores and flakes, and a  
20 classic *bout coupé*. Given that the latter is likely to date to MIS 3 (White and Jacobi 2002), this indicates that the  
21 fresher assemblage includes artefacts that were discarded on the terrace surface at a much later date.

22 Further research is required to understand the extent to which the terrace records are representative of the  
23 density of artefacts occurring in each terrace (e.g. Ashton and Lewis 2002; Ashton and Hosfield 2010; Ashton et  
24 al. 2011). Clearly the preservation of terrace deposits determines the potential for artefact recovery, but the  
25 location of those deposits in relation to modern aggregate extraction and urban development is also a key factor  
26 by providing exposures for artefact collection to take place (Hosfield 1999). In the case of the Hamble terrace,  
27 the coastal erosion along the eastern side of Southampton Water has created an extensive and long-lasting  
28 exposure that is likely to have resulted in it being overrepresented in the Test archaeological record. Likewise,  
29 the fact that the Broadlands Farm, Mottisfont/Lower Warsash and Belbin/Upper Warsash terraces underlie  
30 Southampton, and the Hamble and Mottisfont/Lower Warsash terraces underlie Warsash, has provided ample  
31 opportunities for material to have been recovered from these terraces. In contrast, the absence of the higher  
32 terraces from these areas is likely to have reduced the number of opportunities for artefact recovery. This may  
33 explain the paucity of archaeological material from the Ganger Wood/Mallards Moor terrace, but also serves to  
34 highlight the potential richness of the Nursling terrace.

## 35 5. Discussion

### 36 5.1. Context, terrace stratigraphy and chronology

37 The Test record provides a coarse view of technological change over the long period of time represented by the  
38 relative chronological framework of its fluvial terraces. It, and the Solent more widely, has the potential to offer



1 a different regional perspective on early human occupation of Britain to the other major concentrations of  
2 Palaeolithic sites in the Thames Valley and East Anglia. There are three problems that have prevented it from  
3 fully doing so: a lack of contextual information for much of the record; uncertainty over correlation of fluvial  
4 deposits both within and between the river valleys of the Solent system; and the absence of a robust chronology  
5 for the formation of the fluvial terraces. While there has been much work over the past two decades to address  
6 this (e.g. Hosfield 1999; Wenban-Smith and Hosfield 2001; Bates et al. 2004; Briant et al. 2006, 2009b, 2012;  
7 Westaway et al. 2006; Ashton and Hosfield 2010; Harding et al. 2012; Davis 2013, 2014; Hatch 2014; Davis et  
8 al. 2016; Egberts 2016; Hatch et al. 2017; Egberts et al. 2020), to lesser or greater extents these problems  
9 remain. However, this synthesis uses the latest geological studies with a more robust framework and provides  
10 the most extensive study to date of the artefacts and the contexts from which they derive.

11 New fieldwork, either through research projects or developer-funded watching briefs and excavations, will be  
12 essential for recovering new information that can help to further contextualise the historical collections. The  
13 limited information from the PASHCC test pits (Bates et al. 2004), the Kimbridge Farm Quarry watching brief  
14 (Harding et al. 2012) and the small excavation at Warsash by Shackley (1978) provides some details that  
15 support the interpretation of the Test record presented above. In all of these cases, flakes were the most common  
16 artefact type recovered, confirming that the historical collections are biased towards handaxes. Together, they  
17 provide evidence of artefacts occurring within the Lower Warsash, Belbin and Nursling terrace deposits, and  
18 possibly the Midanbury terrace too if the two flakes from Spearywell Wood are artefactual and not geofactual.  
19 They also provide evidence of the mixing of artefacts in contrasting conditions in the fluvial deposits of the  
20 Mottisfont/Lower Warsash, Belbin and Nursling terraces. At Fleet End Pits, Warsash, a small lithic assemblage  
21 excavated from a concentration of large cobbles towards the top of the Lower Warsash fluvial sequence  
22 included one very fresh Levallois core, two pointed and one ovate handaxe with slight abrasion, and two  
23 handaxes that were heavily abraded (Shackley 1978). The assemblage from Kimbridge Farm Quarry also  
24 provides evidence of the contrasting condition of handaxes and Levallois artefacts. The Levallois cores  
25 associated with the Belbin terrace are described as being fresh and therefore it cannot be ruled out that they are  
26 derived from the surface of the fluvial deposits and may post-date terrace formation. The Levallois core  
27 associated with the Mottisfont terrace is slightly abraded and is therefore likely to derive from the fluvial  
28 deposits and may be broadly contemporary with the Levallois core recovered from the Lower Warsash gravels  
29 at Fleet End Pits.

30 With regards to the historical collections, while it is possible that additional collector notes, letters or catalogues  
31 may turn up in museum archives (e.g. Davis 2014), in the main the level of contextual detail associated with  
32 these artefacts is unlikely to be improved. The SRPP (Wessex Archaeology 1993) and TERPS (The English  
33 Rivers Palaeolithic Survey; Wessex Archaeology 1996) are indispensable resources for studying the fluvial  
34 archive of southern Britain but they must be engaged with critically to ensure sites and assemblages are assigned  
35 to the correct sediment body. The condition of artefacts is also important for disentangling mixed secondary  
36 context assemblages, particularly where stratigraphic information is absent. The condition of an artefact relates  
37 directly to the post-depositional processes that it has been subjected to, and while it may not be possible to  
38 reconstruct those processes precisely, and while artefacts can arrive at the same final condition via a different  
39 combination of processes, variation in condition between artefacts can at least be taken to indicate the presence

1 of different taphonomic histories. For the Test and the Solent more broadly, as well as the secondary context  
2 records from river valleys in other parts of Britain, the degree of rolling and the degree of patination have been  
3 important attributes for interpreting mixed assemblages. For example, three technologically distinct components  
4 of the Lower Palaeolithic record of the Bytham River in central East Anglia can also be separated on the basis of  
5 degree of rolling and degree of patination, as well as the presence or absence of frost-cracking. This has been  
6 interpreted as the mixing of assemblages reworked from different sedimentary contexts of varying character and  
7 age (Davis et al. 2021). Support for this interpretation comes from High Lodge, where two of the assemblage  
8 types – intensively retouched scrapers and ovate handaxes – are found in stratigraphic order in primary context,  
9 whilst the third assemblage type – crude hard-hammer handaxes – are absent. Similarly, the contrasting  
10 condition of handaxes and Levallois artefacts in historical collections from sites on the Lynch Hill terrace of the  
11 Middle Thames, where the former are typically rolled and iron-stained and the latter fresher and patinated, has  
12 been interpreted as reflecting the different stratigraphic position, and therefore age, of the two technologies  
13 (White et al. 2006). As described in Section 4.4 above, a similar situation is found in the Test, where the  
14 majority of the Levallois artefacts are fresher and more patinated than the handaxes from the same sites.

15 The uncertainty regarding terrace mapping in the Test is mirrored elsewhere in the Solent, with multiple  
16 competing mapping schemes for most of the river valleys, and there is no consensus on a Solent-wide regional  
17 stratigraphic framework. As outlined above (Section 2.1), there is general agreement regarding the terrace  
18 stratigraphy between Romsey and Southampton, but different interpretations of the fluvial deposits around  
19 Warsash and Dunbridge. Hatch's (2014; Hatch et al. 2017) detailed study of the Warsash area produced  
20 additional data points that enabled the local terrace mapping to be fine-tuned. This is important archaeologically  
21 because it showed that all of the gravel pits reported by Burkitt et al. (1939) exploited Lower Warsash terrace  
22 gravels (Davis et al. 2016).

23 The differences in the mapping of the Dunbridge terraces is due to the use of different gradients for long profile  
24 projection. The main implication of this for our understanding of the archaeology is the position of the  
25 Dunbridge gravels in the terrace stratigraphy. Had the analysis presented above been based on the PASHCC  
26 mapping of the Dunbridge area, the large Dunbridge assemblage would be assigned to the Ganger Wood terrace.  
27 The exclusion of Dunbridge from the Belbin terrace record would not have a significant impact on its main  
28 characteristics (Table 10), as these are common to Dunbridge and the Romsey and Southampton sites (Table S4  
29 and S5). However, it would provide evidence of human occupation during the time represented by the Ganger  
30 Wood/Mallards Moor terrace, adding an additional pointed handaxe-dominated record in between the ovate-  
31 dominated record of the Nursling terrace and the point-dominated record of the Belbin terrace. It would also  
32 shift the earliest appearance of Levallois up one terrace.

33 One way in which these mapping uncertainties could be overcome is correlation of fluvial deposits by age  
34 estimates through the wider application of chronometric dating techniques (Briant et al. 2012). At present there  
35 are not enough age estimates to build a robust stratigraphic framework, but they do provide some chronological  
36 tie-points for the archaeological sequence. The extensive exposure of the Hamble terrace between Solent  
37 Breezes and Brownwich Lane has provided the ideal field conditions for sampling for OSL dating, producing a  
38 coherent set of age estimates that suggest terrace formation during MIS 7 (Briant et al. 2012; Hatch et al. 2017).  
39 This is likely to be related to the significant cooling and low sea level stand during MIS 7d (Bates et al. 2010).

1 Almost all of the archaeological material associated with this terrace is heavily rolled and it is likely that it is  
2 derived from older terrace deposits. The next terrace up in the sequence is likely to have formed during the  
3 preceding cold phase of MIS 8. This is supported by an age estimate of MIS 8/7 for the Lower Warsash terrace  
4 (Hatch et al. 2017). The fresher material from Warsash is therefore likely to date to MIS 8 or early MIS 7. This  
5 assemblage includes large pointed handaxes and Levallois cores and flakes. The handaxes and Levallois can be  
6 separated out on the basis of surface condition, with more than 80% of the Levallois artefacts having a creamy  
7 white patina compared to just 17% of the handaxes, which are more typically iron-stained (Table S7). This  
8 suggests that the two artefact types have different taphonomic histories and therefore may relate to two different  
9 phases of occupation. This interpretation is supported by Shackley's (1978) study of the small lithic assemblage  
10 from the Lower Warsash terrace at Fleet End Pits.

11 Attempts to date some of the higher terraces have been less successful, probably due to the unsuitable  
12 characteristics of the sand units encountered in test pits (Briant et al. 2012). If the terraces above the  
13 Mottisfont/Lower Warsash terrace formed at a rate of one per glacial/interglacial cycle, as suggested by  
14 previous work on other fluvial sequences (Bridgland 1994, 2006; Antoine et al. 2007, 2015), then the Belbin,  
15 Nursling and Midanbury terraces would equate to MIS 10/9, MIS 14/13 and MIS 18/17 respectively. If correct,  
16 the Town Pits handaxes would date to at least MIS 17, while the fresher artefact groups from the Belbin and  
17 Nursling terraces would represent human occupation during MIS 9 and MIS 13 respectively. However, if any of  
18 these terraces relate to sub-stage climatic fluctuations (Bridgland 1996), as suggested for the Hamble terrace,  
19 then they may be younger than suggested above.

## 20 5.2. The River Test and its regional context

21 Correlating the Test sequence with other parts of the Solent river system is fraught with difficulties. The most  
22 straight forward correlations can be made with the gravels on the western side of Southampton Water. In  
23 particular, the Hamble and Mottisfont/Lower Warsash terraces are at similar altitudes to the Stanswood Bay and  
24 Tom's Down gravels respectively (Ashton and Hosfield 2010). These correlations are supported by OSL age  
25 estimates for the lower terraces at the eastern end of the Western Solent sequence (Briant et al. 2006). Towards  
26 the western end of the Western Solent, OSL age estimates have also been provided for the Old Milton Gravel  
27 exposed in the cliff at Barton-on-Sea, indicating deposition between MIS 11-9 (Briant et al. 2009c). The only  
28 significant Palaeolithic assemblage from the Western Solent has been recovered from the foreshore beneath  
29 these cliffs, however there is some uncertainty over its provenance as the cliff exposures in this area consist of  
30 sediments from multiple terraces (*ibid.*). The handaxes show a high degree of rolling and a mix of forms  
31 including twisted ovates, which account for approximately 5% of the handaxes (Roe 1968a; Briant et al. 2019b).  
32 Westaway et al. (2006) used the presence of twisted ovates at Barton-on-Sea to suggest an MIS 11 age for the  
33 Old Milton Gravel.

34 At present, there is much disagreement over the mapping of the Western Solent terraces (Allen and Gibbard  
35 1993; Briant et al. 2006; Westaway et al. 2006; Hatch 2014). Consequently, it remains unclear how the  
36 archaeological material from Barton cliff and elsewhere in the Western Solent relates to the Test record. The  
37 Western Solent also provides the critical stratigraphic link between the Test and the artefact-rich Solent and  
38 Stour gravels in the Bournemouth area, so the uncertainty in the Western Solent area prevents correlation

1 between these two significant archaeological records (Hatch 2014). Westaway et al. (2006; Table 11) provide  
2 age estimates for the Bournemouth sequence but at present there is no independent dating to corroborate their  
3 model.

4 Archaeologically, the Bournemouth sequence is remarkably similar to the Test (Davis 2013; Table 11). There  
5 are four handaxes associated with the highest two terraces, indicating a relatively early appearance of handaxe  
6 technology. Handaxes first appear in significant numbers in the Setley Plain terrace, most notably at Corfe  
7 Mullen. This assemblage is thought to be pre-Anglian (Roe 2001; Westaway et al. 2006) and it is dominated by  
8 ovate handaxes, often with a tranchet-sharpened tip, alongside thick, unrefined pointed and crude hard-hammer  
9 struck handaxes (Calkin and Green 1949; Roe 2001; McNabb et al. 2012; Davis 2013). The Setley Plain terrace  
10 record is generally fresher than the material from the lower terraces, which gets progressively more rolled,  
11 presumably indicating the increasing effect of reworking on the terrace records (Ashton and Hosfield 2010).  
12 There are relatively few artefacts associated with the Old Milton terrace, although this may be due to limited  
13 exposures during key periods of artefact collection (Davis 2013). This material is dominated by pointed  
14 handaxes. The most prolific terrace is the Taddiford Farm/Ensbury Park terrace, which has also produced the  
15 largest Levallois assemblage, including some that are rolled (Davis et al. 2016). Pointed handaxes are the most  
16 common form in the Taddiford Farm/Ensbury Park and the Stanswood Bay/West Southbourne terraces,  
17 although both include significant numbers of other handaxe types. The Milford-on-Sea terrace record is  
18 characterised by a very high degree of abrasion and it is likely that most if not all of these have been reworked  
19 from older terrace deposits. In the absence of dating evidence, the similarities between the Bournemouth and  
20 Test records provide an indication of potential correlations between the areas' terrace sequences based on the  
21 assumption that key developments in lithic technology were synchronous across the Solent region. However,  
22 this assumption requires testing through further dating programmes in both areas and by resolving the terrace  
23 mapping uncertainties in the Western Solent.

24 A significant number of handaxes have also been recovered from the gravels of the River Avon, particularly  
25 from Wood Green (Bridgland and Harding 1987; Hosfield 2001), Bemerton and Milford Hill (Harding and  
26 Bridgland 1998). Recent work by Egberts et al. (2020) indicates that the gravels at Bemerton are the oldest (pre-  
27 MIS 10), followed by Wood Green (MIS 10/9). The Wood Green and Bemerton assemblages include  
28 approximately 400 and 80 handaxes respectively (Wessex Archaeology 1993). Both assemblages are described  
29 by Roe (1981) as being mixed but with ovate handaxes occurring most frequently. The gravels at Milford Hill,  
30 which are approximately 4 km east of Bemerton and 5 m lower, have produced at least 379 handaxes (Wessex  
31 Archaeology 1993), characterised by frequent pointed handaxes including ficrons (Roe 1981; Harding and  
32 Bridgland 1998). The primary context site at Harnham is located a few kilometres south of Milford Hill and  
33 associated with terrace gravels of similar height (Bates et al. 2014). Occupation at the site has been dated to late  
34 MIS 8 on the basis of OSL, amino acid racemisation (AAR) and biostratigraphy, providing rare evidence of  
35 human occupation during a period of relatively cool climate. The lithic assemblage is almost entirely related to  
36 the manufacture of handaxes, which are predominantly pointed and include ficrons.

37 An assemblage of more than 300 handaxes has been recovered from Priory Bay, located on the eastern coast of  
38 the Isle of Wight. The assemblage is dominated by ovate handaxes and includes both fresh and rolled material.  
39 These are likely to have eroded from a sequence of Pleistocene sediments that occur between approximately 29

1 m and 34 m OD at the top of the cliff (Poulton 1909; Roe 1968b; Loader 2001; Wenban-Smith et al. 2009). This  
2 was confirmed during recent fieldwork, which recovered eight handaxes including one twisted ovate (Wenban-  
3 Smith et al. 2009). However, there is some debate over whether the sands and gravels at the base of the  
4 sequence are fluvial or associated with a raised beach. If the latter, then the sequence is likely to be younger than  
5 the MIS 13 high sea-level stand represented by the 40 m raised beach at Bembridge and Boxgrove (Wenban-  
6 Smith et al. 2009). If the Priory Bay sediments are fluvial, then correlation with the raised beach sequence is  
7 much more difficult due to their likely deposition during periods of low sea level (Bates 2001; Westaway et al.  
8 2006). Wenban-Smith et al. (2009) report a series of OSL age estimates that indicate deposition of the basal  
9 sands and gravels sometime during MIS 11-9.

10 Finally, there are two primary context sites east of the River Solent that add further detail to the region's  
11 Palaeolithic record. Red Barns is located on the southern side of Portsdown Hill, near Portsmouth, overlooking  
12 the former Solent estuarine floodplain. The archaeology is associated with a solifluction deposit, which  
13 contained large frost-fractured flint nodules that were used to manufacture handaxes (Wenban-Smith et al.  
14 2000). The number of complete or finished handaxes is relatively small and include a number of distinctive  
15 plano-convex sub-cordate forms. The site's chronology is poorly constrained, dated to between MIS 11 and MIS  
16 7, with an MIS 9 age suggested by the uplift modelling of Westaway et al. (2006). Human occupation at  
17 Boxgrove has been dated to late MIS 13 and is associated with intertidal silts deposited on the edge of a semi-  
18 enclosed marine embayment located approximately 20 km east of the estuary of the River Solent (Roberts and  
19 Parfitt 1999; Bates et al. 2010; Roberts and Pope 2018; Pope et al. 2020). Lithic technology was focused on the  
20 production of refined ovate handaxes, frequently with tranchet-sharpened tips, which sometimes produced  
21 straight, cleaver-like tips (Roberts and Parfitt 1999; Garcia-Medrano et al. 2019).

### 22 5.3. The Lower and early Middle Palaeolithic of northwest Europe: the view from the Solent

23 The discussion above clearly highlights the work still required to produce a robust regional stratigraphic and  
24 chronological framework for the Solent river system in order for its Palaeolithic record to be fully integrated  
25 with evidence from elsewhere. However, there are a number of aspects of the Solent record as it stands that have  
26 implications for our understanding of the Lower and early Middle Palaeolithic of northwest Europe.

#### 27 5.3.1. Early human occupation of northwest Europe and the emergence of the Acheulean

28 The discoveries at Happisburgh Site 3, dated to late in either MIS 25 or MIS 21 (Parfitt et al. 2010; Ashton et al.  
29 2014), and Pakefield, dated to late MIS 19 or MIS 17 (Parfitt et al. 2005), have raised important questions  
30 concerning the development of adaptations and strategies required by humans to colonise northwest Europe  
31 (Ashton and Lewis 2012; Cohen et al. 2012; Hosfield 2016, 2020). Both are coastal sites with small lithic  
32 assemblages consisting of cores, flakes and simple flake tools. In order to begin to contextualise these two sites,  
33 it is of utmost importance to examine sediments of similar ages in other parts of Britain to test for  
34 presence/absence of humans in different environmental settings and, if possible, to expand our understanding of  
35 the technology of these pioneer populations. Fluvial terraces provide an ideal opportunity to test  
36 presence/absence of humans in different river valleys through large scale sieving programmes. The long terrace  
37 sequences in the Solent are likely to span this critical time period, making them an obvious target for such work.

1 The higher terraces have been affected far less by quarrying and urban development than the lower terraces and  
2 consequently little to nothing is known of their archaeological content.

3 With regards to the record as it stands, the occurrence of handaxes in the Midanbury terrace in the Test and the  
4 Sway terrace in Bournemouth suggest an early appearance of handaxe technology in the Solent region. The  
5 earliest evidence for bifacial technology in Europe is currently found in the Iberian peninsula, at La Boella in  
6 northeast Spain and dated to 1-0.9 Ma (Vallverdú et al., 2014), and Cueva Negra del Estrecho del Río Quípar in  
7 southeast Spain, dated to the late Early Pleistocene (Walker et al., 2020). Whether the few bifacial tools from  
8 these sites represent one-off innovations or a more sustained establishment of this technology is not clear. Better  
9 evidence for the establishment of handaxe technology comes during MIS 16, from la Noira in central France  
10 (Moncel et al. 2013), Moulin Quignon at Abbeville, northern France (Antoine et al. 2019), and Notarchirico in  
11 southern Italy (Moncel et al. 2019). There is now good evidence from Britain for the introduction of handaxes  
12 from MIS 15 in the Bytham River system (Davis et al. 2021). Together, these sites suggest an expansion of  
13 groups with handaxes into northwest Europe between early MIS 16 and MIS 15. However, the possibility of an  
14 earlier appearance of handaxes in northwest Europe has recently been mooted by Bynoe et al. (2021), based on  
15 the discovery of fresh condition handaxes on the surface of modern beach sands directly overlying Happisburgh  
16 Site 3. The early appearance of handaxes in the Solent record may also challenge the established view of the  
17 emergence of Acheulean technology in northwest Europe. Establishing the age of the Midanbury and Sway  
18 terraces is a priority for future research in the region.

### 19 5.3.2. Chronological patterning in handaxe assemblages

20 The analysis presented above has identified chronological patterning in handaxe form in the Test terrace records  
21 (Tables 6-10). This variation occurs in a relatively stable landscape with a single, enduring raw material  
22 package. It occurs despite the secondary context of the record, which is likely to sample a range of functional  
23 and behavioural settings, and therefore represent the full spectrum of variation introduced by the range of factors  
24 that influenced the form of individual artefacts (e.g. Machin 2009). The most likely explanation for this  
25 variation is that it represents the different technological traditions of human populations occupying the Test  
26 Valley at different times during the Lower Palaeolithic. It is a product of the discontinuity of the British record,  
27 where long periods of abandonment during glacial stages separated phases of occupation of southern Britain by  
28 groups derived from different continental European populations, with their own technological traditions that was  
29 manifested in distinctive material culture. That chronological patterning in handaxe form can be identified from  
30 the mixed, time-averaged record of a fluvial archive suggests that at least some of the variation in lithic  
31 technology from primary context sites is due to cultural factors.

32 The patterning in the Test, also discernible elsewhere in the Solent region, mirrors some of the chronological  
33 variation in handaxe morphology identified in other parts of Britain (Wenban-Smith 2004; Bridgland and White  
34 2014; White et al. 2018; Davis et al. 2021). Assemblages dated to MIS 13 are typically dominated by refined  
35 ovate handaxes. This is represented in the Solent region at Boxgrove. The ovate-dominated assemblages from  
36 Corfe Mullen and Ridge Gravel Pit may also date to MIS 13, as has been suggested previously (Roe 2001;  
37 Westaway et al. 2006), and therefore may provide a broader regional context to the occupation at Boxgrove,  
38 indicating a preference for the manufacture of ovate handaxes regardless of whether occupation was at the foot

1 of a chalk cliff or in a river valley. This would be consistent with recent analysis of the Boxgrove handaxes  
2 (Garcia-Medrano et al. 2019), which demonstrated the imposition of an ovate planform irrespective of blank  
3 form and knapping accidents. The British MIS 11 record is more complex, in part due to the better resolution of  
4 the record enabling a greater number of phases of occupation to be identified (Davis and Ashton 2019; White et  
5 al. 2019), and possibly also reflecting demographic and palaeogeographic factors (Ashton and Lewis 2002;  
6 Ashton et al. 2011). It is unclear which Solent assemblages are likely to date to MIS 11, with Priory Bay and the  
7 handaxes from the Old Milton gravel perhaps the most likely. The handaxe record for MIS 9 is remarkably  
8 consistent, with most assemblages across Britain dominated by pointed handaxes. These are often accompanied  
9 by ficrons and cleavers, which seem to be particularly prevalent at sites associated with the Thames-Medway  
10 system. Despite the uncertainty of the dating, it is clear that the Solent conforms to this pattern, with pointed  
11 handaxes dominating the potential MIS 9 terraces in the Test, Avon and Stour/Solent.

12 Comparisons of variation in handaxe morphology to neighbouring parts of mainland Europe are more  
13 problematic, in part due to the different systems of analysis in those areas, where there has been more emphasis  
14 on the *chaîne opératoire* method (Boeda 1995; Lamotte and Tuffreau 2016), rather than the traditional Bordean  
15 approach (Bordes 1961). In addition, the context of many of the historic collections of handaxes from river  
16 systems such as the Somme is less certain than for example the Thames, due to the considerably thicker  
17 sequences of loess that overlie the fluvial gravels. Despite these problems, progress has been made in recent  
18 years that enables comparisons to be made (Moncel et al. 2015; Voinchet et al. 2015; Antoine et al. 2015, 2019).

19 The Somme is one of the best dated river systems in Europe and has a wealth of archaeological material either  
20 within or overlying the terraces. As noted above, Moulin Quignon in Abbeville has been dated to early MIS 16,  
21 being towards the base of the Renancourt Formation (VII; Antoine et al. 2019). The handaxes tend to be  
22 manufactured by hard-hammer, and thick in form. Comparisons could be drawn to the earliest British sites, such  
23 as Brandon Fields and Madsdross Hill, which are likely to date to MIS 15 (Davis et al. 2021), and possibly to  
24 the more rolled handaxes from Corfe Mullen and Ridge Gravel Pit in the Solent and the Black Park terrace of  
25 the Middle Thames. Within 500 m of Moulin Quignon, recent fieldwork at Carrière Carpentier recovered three  
26 finely-made ovate handaxes in fresh condition from slope sediments above the fluvial deposits of the  
27 Renancourt Formation (Antoine et al. 2016). Importantly, they are from above the 'marne blanche', which is  
28 attributed to MIS 15, indicating an MIS 15 or post-MIS 15 age. They have similarities to the ovate handaxes of  
29 MIS 13 age from High Lodge and Boxgrove (Ashton et al. 1992; Roberts and Parfitt 1999), but without clearer  
30 dating of the slope deposits at Carrière Carpentier, it would be premature to make this connection.

31 Unfortunately, they can currently only be given a post-MIS 16 attribution. The Fréville Formation (VI) forms  
32 the gravels of the next lowest terrace, and is attributed to MIS 14 (Antoine et al. 2015). Recent rescue fieldwork  
33 at Rue du Manège established the presence of cores and flakes within the fluvial sediments, but no handaxes  
34 were recovered within the small assemblage. The sites at Cagny-la-Garenne in Amiens lie at the base of the  
35 Garenne Formation (V) and have been dated to MIS 12. The handaxes tend to be part-finished and crude in  
36 form, which may reflect the interpretation of the locations as manufacturing sites, but finished ovate forms have  
37 also been noted (Moncel et al. 2015; Lamotte and Tuffreau 2016). Direct comparisons to Britain cannot be  
38 made, due to the lack of MIS 12 primary context sites in the UK. Finally, Rue de Cagny at St Acheul has been  
39 attributed to MIS 11-10. Notably, the historic collection includes twisted ovate handaxes with obvious

1 comparisons to the British MIS 11 sites with these forms (Moncel et al. 2015; Lamotte and Tuffreau 2016;  
2 White et al. 2019).

3 Although there is still much work to be undertaken to understand better the comparisons between the river  
4 systems of southern Britain and northwest France, there do appear to be some underlying patterns in handaxe  
5 form that deserve further investigation. Comparison with other river systems in western Europe also merits  
6 attention, and future work to refine dating and encourage the use of comparable systems of handaxe analysis  
7 holds great promise for understanding cultural developments and shifts in Acheulean population during the  
8 Middle Pleistocene (e.g. Garcia-Medrano 2020).

### 9 5.3.3. Transition to the Early Middle Palaeolithic

10 An important component of the Solent record is the evidence for occupation during MIS 8, which is the key  
11 period for understanding the Lower to Middle Palaeolithic transition in northwest Europe (Hérisson and Soriano  
12 2020). An intriguing question in Britain regarding the transition is the nature of the relationship between sites  
13 that contain handaxes with no evidence of Levallois technology and those that, by contrast, have abundant  
14 evidence of Levallois technology and no handaxe manufacture.

15 For the Solent, the handaxe assemblage from Harnham is argued to date to late MIS 8 (Bates et al. 2014), and it  
16 is likely that the fresher handaxes from Warsash also relate to occupation at this time. Elsewhere in Britain, the  
17 handaxe assemblage from Cuxton has also been suggested to date to MIS 8 (Wenban-Smith 2004; Wenban-  
18 Smith et al. 2007). These assemblages are remarkably similar to many of the MIS 9 assemblages, being  
19 dominated by pointed handaxes with ficrons and, in the case of Cuxton, cleavers. Three potential explanations  
20 can be suggested: the assemblages assigned to MIS 8 are in fact derived from MIS 9 sediments (White et al.  
21 2018); one or more of the handaxe assemblages date to MIS 8 and represent persistence of human occupation of  
22 southern Britain from MIS 9 through to late MIS 8 (Bates et al. 2014); or one or more of the handaxe  
23 assemblages date to MIS 8 and represent the dispersal of humans into Britain from continental Europe during  
24 MIS 8 (Ashton and Hosfield 2010; Ashton et al. 2011; Scott and Ashton 2011). If the latter, then the continuity  
25 in handaxe typology from MIS 9 to MIS 8 could suggest the maintenance of a handaxe tradition south of Britain  
26 during the initial part of MIS 8, as has been suggested for the reappearance of twisted ovates in the British  
27 record at the end of MIS 11 (White et al. 2019).

28 The apparent persistence of handaxe technology into MIS 8, and the paucity of early Middle Palaeolithic  
29 artefacts in the form of Levallois cores and flakes in the Solent compared to the Thames, has been interpreted as  
30 evidence of an east-west divide in the character of early Middle Palaeolithic occupation of Britain (Ashton and  
31 Hosfield 2010; Ashton et al. 2011). However, when early collecting behaviour is taken into account, the  
32 disparity in the number of Levallois artefacts between the Solent and the Thames seems to be a product of the  
33 intensity and quality of collecting, and in particular a greater bias towards the recovery of handaxes in some  
34 areas (Ashton et al. 2018). Rather than reflecting an east-west divide, the distribution of Levallois artefacts is  
35 concentrated in the lower reaches of major rivers in southern and eastern Britain (*ibid.*). Further, the timing of  
36 the occurrence of Levallois technology seems to be broadly synchronous between the Solent and the Thames  
37 (Davis et al. 2016).



1 In the Thames, prepared core technology occurs in a non-handaxe assemblage from the Botany Gravel at the top  
2 of the Purfleet sequence, dated to late MIS 9 or early MIS 8 (Bridgland et al. 2013; Schreve et al. 2002). Many  
3 of these are simple prepared cores (White and Ashton 2003) but a small number adhere to all six of Boëda's  
4 (1995) criteria for the identification of Levallois technology (White and Ashton 2003; Bridgland et al. 2013).  
5 These predate the main phase of early Middle Palaeolithic occupation of the Thames Valley, which is argued to  
6 date to late MIS 8 or early MIS 7. This main phase is represented by several large Levallois assemblages that  
7 occur on the surface of the Lynch Hill terrace in the Middle Thames (e.g. Yiewsley and Creffield Road) or in  
8 deposits associated with the Mucking terrace of the Lower Thames (e.g. Baker's Hole; Scott 2010; Ashton et al.  
9 2011, 2018; Scott et al. 2011).

10 The small number of rolled Levallois cores and flakes and simple prepared cores from the Belbin and  
11 Mottisfont/Lower Warsash terrace in the Test, and the three rolled Levallois cores from the Ensburry Park terrace  
12 in Bournemouth, point to an early appearance of this technology in the Solent region, potentially during MIS 9  
13 or early MIS 8. However, the majority of the Solent Levallois material is found in fresh condition, with the  
14 largest assemblage associated with the Lower Warsash terrace at Warsash. As has been discussed above, this  
15 material is likely to date to late MIS 8 or early MIS 7, predating the formation of the Hamble terrace during MIS  
16 7d. Crucially, this material can be separated from the handaxes from the same sites on the basis of condition. So  
17 rather than representing a phase of occupation associated with the persistence of handaxe technology, the  
18 Levallois assemblage from Warsash is more likely part of a broader pattern of Neanderthal occupation of  
19 southern Britain during late MIS 8/early MIS 7 (Ashton et al. 2018), associated with the widespread adoption of  
20 classic Levallois flaking at many sites in northwest Europe at this time (Hérisson et al. 2016).

21 However, the relationship between handaxe and Levallois technology is also complex in northwest Europe. At  
22 Mesvin IV in Belgium, attributed to early MIS 8, the assemblage has a mix of handaxes and simple prepared  
23 cores, although differences in condition suggests that they are not directly associated (Cahen and Michel 1986;  
24 Ryssaert 2006). Also in Belgium, Kesselt-Op de Schans has been attributed to late MIS 9, or early MIS 8 and  
25 contains early Levallois material, but no handaxes (van Baelen 2007, 2008). But at several sites in northwest  
26 France handaxe technology persists into late MIS 7, such as the upper levels at Gentelles (Tuffreau et al. 2008)  
27 and Oisieres à Bapaume (Tuffreau 1976; Koelher 2008), with the latter associated with Levallois technology.  
28 Both technologies are also present in level 5 at La Cotte de St Brelade on Jersey (Callow and Cornford 1986).  
29 Other sites attributed to MIS 7 contain only Levallois, such as Maastricht-Belvedere in the Netherlands  
30 (Roebroeks et al., 1992; De Loecker, 2006), and the northern French sites of Pucueil (A/C; Delagnes and  
31 Ropars 1996), Biache-Saint-Vaast (Boeda 1986) and Therdonne (Herisson 2007).

32 As with southern Britain, the complex variation in the early Middle Palaeolithic assemblages in northwest  
33 Europe may reflect discontinuities in occupation during cooler climates with repopulation events bringing in a  
34 variety of material cultures. The relationship to sites in southern Europe, where there appears to be semi-  
35 continuous occupation is not clear, but at sites such as Orgnac in southern France or Gran Dolina in northern  
36 Spain there is evidence for the more gradual development of prepared core technologies as handaxe production  
37 played a lesser role (Moncel et al. 2011; Lomberra-Hermida et al. 2020).

38

1 **6. Conclusion**

2 Despite much recent work, the Solent remains a difficult record to interpret, primarily due to the lack of a robust  
3 chronology but also because of uncertainties over the mapping and correlation of terraces in its various river  
4 valleys. However, given its rich lithic assemblages and long terrace sequence, it also remains an important  
5 archive with the potential to test understanding of the early Palaeolithic occupation of northwest Europe and to  
6 provide a southern perspective on the chronological and regional patterning in the British record emerging from  
7 the Thames and East Anglia. At present, the evidence that can be extracted from the Solent suggests it largely  
8 mirrors the developments in the Thames and East Anglia, particularly in terms of chronological variation in  
9 handaxe typology and the timing of the occurrence of Levallois technology. But it also hints at some  
10 differences, most notably the potential for an earlier first appearance of handaxe technology, potentially during  
11 MIS 17, and the persistence of the same technology into MIS 8.

12 **Declarations**

13 **Funding** – This work was funded by an Arts and Humanities Research Council Collaborative Doctoral Award  
14 (AH/1506837/1).

15 **Conflicts of interest** – On behalf of all authors, the corresponding author states that there is no conflict of  
16 interest.

17 **Availability of data and material** – The datasets generated during and/or analysed during the current study are  
18 available from the corresponding author on reasonable request

19 **Electronic Supplementary Material**

20 **Electronic Supplementary Material 1** Supplementary tables: 1) museum collections used for this study; 2) site  
21 catalogue; 3) summary data for Nursling terrace sites; 4 and 5) summary data for the Belbin terrace sites; 6)  
22 summary data for the Mottisfont/Lower Warsash terrace sites; 7) summary data for the Hamble terrace sites

23 **Acknowledgements**

24 The authors would like to thank the museum curators and staff for access to collections and support during data  
25 collection. Thanks must also be extended to Terry Hardaker for providing access to the MacRae Collection and  
26 Keeping Archive, Phil Harding for data from the Dowland Collection and David Clarke for access to the  
27 Keeping Collection. We are grateful to two anonymous reviewers of this paper for their constructive comments  
28 and suggestions. Data collection was undertaken while RD was at University of Reading and in receipt of an  
29 Arts and Humanities Research Council Collaborative Doctoral Award (AH/1506837/1). This paper is a  
30 contribution to the Pathways to Ancient Britain Project funded by the Calleva Foundation.

31 **References**

32 Allen, L. G., & Gibbard, P. L. (1993). Pleistocene evolution of the Solent River of southern England.  
33 *Quaternary Science Reviews*, 12, 503-528. [https://doi.org/10.1016/0277-3791\(93\)90067-V](https://doi.org/10.1016/0277-3791(93)90067-V)

- 1 Antoine, P., Limondin-Lozouet, N., Chaussé, C., Lautridou, J.-P., Pastre, J.-F., Auguste, P. et al. (2007).  
2 Pleistocene fluvial terraces from northern France (Seine, Yonne, Somme): synthesis, and new results from  
3 interglacial deposits. *Quaternary Science Reviews*, 26, 22–24. <https://doi.org/10.1016/j.quascirev.2006.01.036>.
- 4 Antoine, P., Moncel, M.-H., Limondin-Lozouet, N., Locht, J.-L., Bahain, J.-J., Moreno, D. et al. (2016).  
5 Palaeoenvironment and dating of the Early Acheulean localities from the Somme River basin (northern France):  
6 new discoveries from the High Terrace at Abbeville-Carrière Carpentier. *Quaternary Science Reviews*, 149,  
7 338–371. <http://dx.doi.org/10.1016/j.quascirev.2016.07.035>
- 8 Antoine, P., Moncel, M.-H., Locht, J.-L., Bahain, J.-J., Voinchet, P., Herisson, D. et al. (2019). The earliest  
9 record of Acheulean Human occupation from Northern Europe and the rediscovery of the Moulin Quignon site.  
10 *Nature Scientific Reports*. <https://doi.org/10.1038/s41598-019-49400-w>
- 11 Antoine, P., Moncel, M.-H. , Locht, J.-L., Limondin-Lozouet, N., Auguste, P., Stoezel, E. et al. (2015). Dating  
12 the earliest human occupation of Western Europe: New evidence from the fluvial terrace system of the Somme  
13 basin (Northern France). *Quaternary International*, 370, 77-99. <https://doi.org/10.1016/j.quaint.2014.08.012>
- 14 Ashton, N. M. (1998). The taphonomy of the flint assemblages. In N. M. Ashton, S. G. Lewis & S.A. Parfitt  
15 (Eds.), *Excavations at the Lower Palaeolithic Site at East Farm, Barnham, Suffolk, 1989-1994*. British Museum  
16 Occasional Paper Number 125 (pp. 183-204). London: British Museum Press.
- 17 Ashton, N. M. (2001). One step beyond. Flint shortage above the Goring Gap: the example of Wolvercote. In S.  
18 Milliken, & J. Cook (Eds.) *A Very Remote Period Indeed: Papers on the Palaeolithic Presented to Derek Roe*  
19 (pp. 199-206). Oxford: Oxbow.
- 20 Ashton, N. M. & Davis, R. J. (in press). Cultural mosaics, social structure and identity: The Acheulean threshold  
21 in Europe. *Journal of Human Evolution*.
- 22 Ashton, N. M., Harris, C. R. E. & Lewis, S. G. (2018). Frontiers and route-ways from Europe: the Early Middle  
23 Palaeolithic of Britain. *Journal of Quaternary Science*, 33, 194-211. <https://doi.org/10.1002/jqs.3015>
- 24 Ashton, N. M., & Hosfield, R. T. (2010). Mapping the human record in the British early Palaeolithic: evidence  
25 from the Solent River system. *Journal of Quaternary Science*, 25, 737-753. <https://doi.org/10.1002/jqs.1350>
- 26 Ashton, N. M., & Lewis, S. G. (2002). Deserted Britain: declining populations in the British late Middle  
27 Pleistocene. *Antiquity*, 76, 388-396. <https://doi.org/10.1017/S0003598X00090505>
- 28 Ashton, N. M., & Lewis, S. G. (2012). The environmental contexts of early human occupation of northwest  
29 Europe: The British Lower Palaeolithic record. *Quaternary International*, 271, 50-64.  
30 <https://doi.org/10.1016/j.quaint.2011.10.022>.
- 31 Ashton, N. M., Lewis, S. G., De Groote, I., Duffy, S. M., Bates, M., Bates, R. et al. (2014). Hominin footprints  
32 from Early Pleistocene deposits at Happisburgh, UK. *PLoS ONE*, 9(2): e88329.  
33 <https://doi.org/10.1371/journal.pone.0088329>
- 34 Ashton, N. M., Lewis, S. G., & Hosfield, R. T. (2011). Mapping the Human Record: Population Change in  
35 Britain during the Early Palaeolithic. In N. M. Ashton, S. G. Lewis, & C. B. Stringer (Eds.), *The Ancient Human*  
36 *occupation of Britain* (pp. 39-51). Amsterdam: Elsevier <https://doi.org/10.1016/B978-0-444-53597-9.00004-2>

- 1 Ashton, N. M., Lewis, S. G., Parfitt, S. A., Davis, R. J., & Stringer C. B. (2016). Handaxe and non-handaxe  
2 assemblages during Marine Isotope Stage 11 in northern Europe: Recent investigations at Barnham, Suffolk,  
3 UK. *Journal of Quaternary Science*, 31, 837-843. <https://doi.org/10.1002/jqs.2918>
- 4 Ashton, N. M., Lewis, S. G., Parfitt, S. A., Penkman, K. E. H., & Coope, G. R. (2008). New evidence for  
5 complex climate change in MIS 11 from Hoxne, UK. *Quaternary Science Reviews*, 27, 652–668.  
6 <https://doi.org/10.1016/j.quascirev.2008.01.003>
- 7 Ashton, N.M., Cook, J., Lewis, S.G. & Rose, J. (Eds.). (1992). *High Lodge: Excavations by G. de G. Sieveking,*  
8 *1962–68 and J. Cook, 1988.* London: British Museum Press.
- 9 Bates, M. R. (2001). The meeting of the waters: raised beaches and river gravels of the Sussex coastal  
10 plain/Hampshire Basin. In F. F. Wenban-Smith, & R. T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent*  
11 *River* (pp. 27–45). Lithic Studies Society Occasional Paper 7, London: Lithic Studies Society.
- 12 Bates, M. R., Briant, R. M., Rhodes, E. J., Schwenninger, J.-L., & Whittaker, J. E. (2010). A new chronological  
13 framework for Middle and Upper Pleistocene landscape evolution in the Sussex/Hampshire Coastal Corridor,  
14 UK. *Proceedings of the Geologists' Association*, 121, 369-392. <https://doi.org/10.1016/j.pgeola.2010.02.004>.
- 15 Bates, M. R., Wenban-Smith, F. F., Bello, S. M., Bridgland, D. R., Buck, L. T., Collins, M. J. et al. (2014). Late  
16 persistence of the Acheulian in southern Britain in an MIS 8 interstadial: evidence from Harnham, Wiltshire.  
17 *Quaternary Science Reviews*, 101, 159-176. <https://doi.org/10.1016/j.quascirev.2014.07.002>.
- 18 Bates, M. R., Wenban-Smith, F. F., Briant, R., & Bates, C.R. (2007). *Curation of the Sussex / Hampshire*  
19 *Coastal Corridor Lower / Middle Palaeolithic Record.* Final Report as submitted to English Heritage.  
20 <https://doi.org/10.5284/1000303>
- 21 Bates, M. R., Wenban-Smith, F. F., Briant, R. M., & Marshall, G. (2004). *Palaeolithic Archaeology of the*  
22 *Sussex/Hampshire Coastal Corridor*, Project Number 3279. Unpublished Report for English Heritage.
- 23 Boëda, E. (1986). Le débitage Levallois de Biache-Saint-Vaast (Pas-de-Calais): première étude technologique.  
24 In: Chronostratigraphie et faciès culturels du Paléolithique inférieur et moyen dans l'Europe du Nord-Ouest,  
25 Actes du 22 Congrès Préhistorique de France.
- 26 Boëda, E. (1995). Levallois: A volumetric construction, methods, a technique. In H. L. Dibble & O. Bar-Yosef  
27 (eds.), *The definition and interpretation of Levallois technology* (pp. 41–67). Madison: Prehistory Press
- 28 Booth, K. A. (2002). *Geology of the Winchester district – a brief explanation of the geological map. Sheet*  
29 *Explanation of the British Geological Survey, 1:50,000 Sheet 299 Winchester (England and Wales).* London:  
30 HMSO.
- 31 Bordes, F. (1961). Typologie du Paléolithique ancien et moyen. Bordeaux: Delmas. Briant, R. M., Bates, M. R.,  
32 Boreham, S., Cameron, N. G., Coope, G. R., Field, M. H. et al. (2019a). Early Ipswichian (last interglacial) sea  
33 level rise in the channel region: Stone Point Site of Special Scientific Interest, Hampshire, England. *Proceedings*  
34 *of the Geologists' Association*, 130, 1-26. <https://doi.org/10.1016/j.pgeola.2018.03.002>.
- 35 Briant, R. M., Bates, M. R., Boreham, S., Cameron, N. G., Coope, G. R., Field, M. H. et al. (2009a). Gravels  
36 and interglacial sediments at Stone Point Site of Special Scientific Interest, Lepe Country Park, Hampshire. In

- 1 R. M. Briant, M. R. Bates, R. T. Hosfield & F. F. Wenban-Smith (Eds.), *The Quaternary of the Solent Basin and*  
2 *West Sussex Raised Beaches. Field Guide* (pp. 171-188). London: Quaternary Research Association.
- 3 Briant, R. M., Bates, M. R., Hosfield, R. T., & Wenban-Smith, F. F. (Eds.) (2009b). *The Quaternary of the*  
4 *Solent Basin and West Sussex Raised Beaches. Field Guide*. London: Quaternary Research Association.
- 5 Briant, R. M., Bates, M. R., Marshall, G. D., Schwenninger, J-L., & Wenban-Smith, F. F. (2012). Terrace  
6 reconstruction and long profile projection: a case study from the Solent river system near Southampton,  
7 England. *Proceedings of the Geologists' Association*, 123, 438 - 449.  
8 <https://doi.org/10.1016/j.pgeola.2012.01.006>.
- 9 Briant, R. M., Bates, M. R., Schwenninger, J-L., & Wenban-Smith, F. F. (2006). An optically stimulated  
10 luminescence dated Middle to Late Pleistocene fluvial sequence from the western Solent Basin, southern  
11 England. *Journal of Quaternary Science*, 21, 507-523. <https://doi.org/10.1002/jqs.1035>
- 12 Briant, R. M., Davis, R. J., Egberts, E., Hatch, M., & Basell, L. (2019b). Quaternary fluvial archives of the  
13 erstwhile River Solent. In D. R. Bridgland, R. M. Briant, P. Allen, E. J. Brown, & T. S. White (Eds.) *The*  
14 *Quaternary Fluvial Archives of the Major English Rivers. Field Guide* (pp. 60-69). London: Quaternary  
15 Research Association.
- 16 Briant, R. M., Wenban-Smith, F. F., & Schwenninger, J-L. (2009c). Solent river gravels at Barton on Sea,  
17 Hampshire SZ230 930. In R. M. Briant, M. R. Bates, R. T. Hosfield, & F. F. Wenban-Smith (Eds.), *The*  
18 *Quaternary of the Solent Basin and West Sussex Raised Beaches. Field Guide* (pp. 161-170). London:  
19 Quaternary Research Association.
- 20 Bridgland, D. R. (1994). *Quaternary of the Thames*. Geological Conservation Review Series 7. London:  
21 Chapman and Hall.
- 22 Bridgland, D. R. (1996). Quaternary river terrace deposits as a framework for the Lower Palaeolithic record. In  
23 C. S. Gamble & A. J. Lawson (Eds.), *The English Palaeolithic Reviewed* (pp. 24-39). Salisbury: Trust for  
24 Wessex Archaeology Ltd.
- 25 Bridgland, D. R. (2000). River terrace systems in north-west Europe: an archive of environmental change, uplift  
26 and early human occupation. *Quaternary Science Reviews*, 19, 1293-1303. [https://doi.org/10.1016/S0277-](https://doi.org/10.1016/S0277-3791(99)00095-5)  
27 [3791\(99\)00095-5](https://doi.org/10.1016/S0277-3791(99)00095-5)
- 28 Bridgland, D. R. (2001). The Pleistocene evolution and Palaeolithic occupation of the Solent River. In F. F.  
29 Wenban-Smith, & R. T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent River* (pp. 15-25). Lithic  
30 Studies Society Occasional Paper 7. London: Lithic Studies Society.
- 31 Bridgland, D. R. (2010). The record from British Quaternary river systems within the context of global fluvial  
32 archives. *Journal of Quaternary Science*, 25, 433-446. <https://doi.org/10.1002/jqs.1383>
- 33 Bridgland, D. R., Antoine, P., Limondin-Lozouet, N., Santisteban, J. I., Westaway, R., & White, M. J. (2006).  
34 The Palaeolithic occupation of Europe as revealed by evidence from the rivers: data from IGCP 449. *Journal of*  
35 *Quaternary Science*, 21, 437-455. <https://doi.org/10.1002/jqs.1042>

- 1 Bridgland, D. R. & Harding, P. (1987). Palaeolithic sites in tributary valleys of the Solent River. In K. E. Barber  
2 (Ed.), *Wessex and the Isle of Wight: Field Guide* (pp. 45-57). Cambridge: Quaternary Research Association.
- 3 Bridgland, D. R., & Harding, P. (1993a). Preliminary observations at the Kimbridge Farm Quarry, Dunbridge,  
4 Hampshire: early results of a watching brief. *Quaternary Newsletter*, 69, 1–9.
- 5 Bridgland, D. R., & Harding, P. (1993b). Middle Pleistocene deposits at Globe Pit, Little Thurrock, and their  
6 contained Clactonian industry. *Proceedings of the Geologists' Association*, 104, 263–328.  
7 [https://doi.org/10.1016/S0016-7878\(08\)80045-4](https://doi.org/10.1016/S0016-7878(08)80045-4)
- 8 Bridgland, D. R., Harding, P., Allen, P., Candy, I., Cherry, C., George, W. et al. (2013). An enhanced record of  
9 MIS 9 environments, geochronology and geoarchaeology: data from construction of the High Speed 1 (London–  
10 Channel Tunnel) rail-link and other recent investigations at Purfleet, Essex, UK. *Proceedings of the Geologists'*  
11 *Association*, 124, 417-476. <https://doi.org/10.1016/j.pgeola.2012.03.006>.
- 12 Bridgland, D. R., Maddy, D., & Bates, M. (2004). River terrace sequences: templates for Quaternary  
13 geochronology and marine–terrestrial correlation. *Journal of Quaternary Science*, 19, 203-218.  
14 <https://doi.org/10.1002/jqs.819>
- 15 Bridgland, D. R., & White, M. J. (2014). Fluvial archives as a framework for the Lower and Middle  
16 Palaeolithic: patterns of British artefact distribution and potential chronological implications. *Boreas*, 43, 543–  
17 555. <https://doi.org/10.1111/bor.12059>
- 18 Bridgland, D. R., & White, M. J. (2015). Chronological variations in handaxes: patterns detected from fluvial  
19 archives in north-west Europe. *Journal of Quaternary Science*, 30, 623-638. <https://doi.org/10.1002/jqs.2805>
- 20 Burkitt, M. C., Paterson, T. T., & Mogridge, C. J. (1939). The Lower Palaeolithic industries near Warsash,  
21 Hampshire. *Proceedings of the Prehistoric Society*, 5, 39–50. <https://doi.org/10.1017/S0079497X00020685>
- 22 Bynoe et al. (2021)
- 23 Cahen, D. & Michel, J. (1986). Le site paléolithique moyen ancien de Mesvin IV (Hainaut, Belgique). In:  
24 Tuffreau, A. & Sommé, J. (Eds.), *Chronostratigraphie et Facies Culturels Du Paléolithique Inférieur et Moyen*  
25 *Dans l'Europe Du Nord-Ouest. Actes Du Colloque International Organisé à l'Université Des Sciences et*  
26 *Techniques de Lille Dans Le Cadre Du 22ème Congrès Préhistorique de France* (pp. 89-102). Paris: La  
27 Société Préhistorique Française - Association Française pour l'Etude du Quaternaire..
- 28 Calkin, J. B., & Green, J. F. N. (1949). Palaeoliths and terraces near Bournemouth. *Proceedings of the*  
29 *Prehistoric Society*, 15, 21–37. <https://doi.org/10.1017/S0079497X00019150>
- 30 Callow, P. & Cornford, J. M. (Eds.). (1986). *La Cotte de St Brelade 1961-1978. Excavations by C. B.M.*  
31 *McBurney*. Norwich: Geo Books.
- 32 Cohen, K. M, MacDonald, K. Joordens, J. C. A., Roebroeks, W., & Gibbard, P. L. (2012). The earliest  
33 occupation of north-west Europe: a coastal perspective. *Quaternary International*, 271, 70 - 83.  
34 <https://doi.org/10.1016/j.quaint.2011.11.003>
- 35 Dale, W. (1881). Report of a meeting of the British Archaeological Society. *Journal of the British*  
36 *Archaeological Society* 37, 89.

- 1 Dale, W. (1896). The Palaeolithic Implements of the Southampton Gravels. *Papers and Proceedings of the*  
2 *Hampshire Field Club and Archaeological Society*, 3, 261-264.
- 3 Dale, W. (1912). On the Implement-bearing gravel beds of the lower valley of the Test. *Proceedings of the*  
4 *Society of Antiquaries*, 24, 108-116.
- 5 Dale, W. (1918). Report as Local Secretary for Hampshire. *Proceedings of the Society of Antiquaries*, 30, 20-32.
- 6 Davis, R. J. (2013). *The Palaeolithic Archaeology of the Solent River: Human Settlement History and*  
7 *Technology*. Unpublished PhD Thesis, University of Reading.
- 8 Davis, R. J. (2014). Concerning the earliest Acheulean occupation of Britain: the geological context of a  
9 handaxe assemblage from Foxholes, Bournemouth, southern England. *Lithics*, 35, 33-39.
- 10 Davis, R. J. (2015). Three Lower Palaeolithic Handaxes from Southampton Common: Candidates for the  
11 Earliest Archaeology in Hampshire. *Hampshire Field Club & Archaeological Society Newsletter*, 63.
- 12 Davis, R. J., & Ashton, N. M. (2019). Landscapes, environments and societies: The development of culture in  
13 Lower Palaeolithic Europe. *Journal of Anthropological Archaeology*, 56.  
14 <https://doi.org/10.1016/j.jaa.2019.101107>
- 15 Davis, R. J., Ashton, N. M., Hatch, M. T., Hoare, P. G., & Lewis, S. G., (2021). Palaeolithic archaeology of the  
16 Bytham River: Human occupation of Britain during the early Middle Pleistocene and its European context.  
17 *Journal of Quaternary Science*. <https://doi.org/10.1002/jqs.3305>
- 18 Davis, R. J., Hatch, M., Ashton, N. M., Hosfield, R. T., & Lewis, S. G. (2016). The Palaeolithic record of  
19 Warsash, Hampshire, UK: implications for late Lower and early Middle Palaeolithic occupation history of  
20 Southern Britain. *Proceedings of the Geologists' Association*, 127, 558-574.  
21 <https://doi.org/10.1016/j.pgeola.2016.09.005>.
- 22 De Loecker, D. (2006). *Beyond the Site: the Saalian Archaeological Record at Maastricht- belvedere, the*  
23 *Netherlands*. Leiden: University of Leiden.
- 24 Delagnes, A. & Ropars, A. (1996). *Paleolithique moyen en pays de Caux (Haute-Normandie). Le Pucheuill,*  
25 *Ettouteville: deux gisements de plein air en milieu loessique* (Documents d'Archaeologie Française).
- 26 Dennell, R., Martínón-Torres, M., & Bermúdez de Castro, J. M. (2011). Hominin variability, climatic instability  
27 and population demography in Middle Pleistocene Europe. *Quaternary Science Reviews*, 30, 1511–1524.  
28 <https://doi.org/10.1016/j.quascirev.2009.11.027>
- 29 Edwards, R. A., & Freshney, E. C. (1987). *Geology of the country around Southampton. Memoir for 1:50,000*  
30 *geological sheet 315 (England and Wales)*. London: HMSO.
- 31 Egberts, E. (2016). *The Palaeolithic of the Avon valley : a geoarchaeological approach to the hominin*  
32 *colonisation of Britain*. Unpublished PhD Thesis, Bournemouth University.  
33 <https://ethos.bl.uk/OrderDetails.do?uin=uk.bl.ethos.715383>



- 1 Egberts, E., Basell, L. S., Welham, K., Brown, A. G., & Toms, P. S. (2020). Pleistocene landscape evolution in  
2 the Avon valley, southern Britain: Optical dating of terrace formation and Palaeolithic archaeology. *Proceedings*  
3 *of the Geologists' Association*, 131, 121-137. <https://doi.org/10.1016/j.pgeola.2020.02.002>.
- 4 Evans, J. (1872). *The Ancient Stone Implements, Weapons and Ornaments of Great Britain*. London: Longmans,  
5 Green, and Co.
- 6 Evans, J. (1897). *The Ancient Stone Implements, Weapons and Ornaments of Great Britain* (2nd Edition).  
7 London: Longmans, Green, and Co.
- 8 Gamble, C. S. (1996). Hominid behaviour in the Middle Pleistocene: an English perspective. In C. S. Gamble &  
9 A. J. Lawson (Eds.), *The English Palaeolithic Reviewed* (pp. 63-71). Salisbury: Trust for Wessex Archaeology  
10 Ltd.
- 11 García-Medrano, P., Ollé, A., Ashton, N. M., & Roberts M. B. (2019). The mental template in handaxe  
12 manufacture: new Insights into Acheulean lithic technological behavior at Boxgrove, Sussex, UK. *Journal of*  
13 *Archaeological Method and Theory*, 26, 396-422. <https://doi.org/10.1007/s10816-018-9376-0>.
- 14 Gibbard P. L. (1988). The history of the great northwest European rivers during the past three million years.  
15 *Philosophical Transactions of the Royal Society, London Series, B318*, 559-602.  
16 <https://doi.org/10.1098/rstb.1988.0024>
- 17 Gupta, S., Collier, J. S, Palmer-Felgate, A., & Potter, G. (2007). Catastrophic flooding origin of shelf valley  
18 systems in the English Channel. *Nature*, 448, 342-345. <https://doi.org/10.1038/nature06018>
- 19 Harding, P. (1998). An interim report of an archaeological watching brief on Palaeolithic deposits at Dunbridge,  
20 Hants. In N. M. Ashton, F. Healy, & P. Pettitt (Eds.), *Stone Age Archaeology. Essays in Honour of John Wymer*  
21 (pp. 72-76). Oxbow Monograph 102. Occasional Paper 6. Lithic Studies Society. Oxford: Oxbow Books.
- 22 Harding, P. A., & Bridgland, D. R. (1998). Pleistocene deposits and Palaeolithic implements at Godolphin  
23 School, Milford Hill, Salisbury. *Wiltshire Archaeological and Natural History Magazine*, 91, 1-10.
- 24 Harding, P, Bridgland, D. R, Allen, P, Bradley, P, Grant, M. J. Peat, D. et al. (2012). Chronology of the Lower  
25 and Middle Palaeolithic in NW Europe: developer-funded investigations at Dunbridge, Hampshire, southern  
26 England. *Proceedings of the Geologists' Association*, 123, 584-607.  
27 <https://doi.org/10.1016/j.pgeola.2012.03.003>
- 28 Hatch, M. (2014). *The Pleistocene Solent River and its Major Tributaries: Reinterpreting the Fluvial Terrace*  
29 *Stratigraphy as a Framework for the Palaeolithic Archaeology of the Region*. Unpublished PhD Thesis,  
30 University of London. <https://ethos.bl.uk/OrderDetails.do?uin=uk.bl.ethos.664893>
- 31 Hatch, M., Davis, R. J., Lewis, S. G., Ashton, N. M., Briant, R. M., & Lukas, S. (2017). The stratigraphy and  
32 chronology of the fluvial sediments at Warsash, UK: implications for the Palaeolithic archaeology of the River  
33 Test. *Proceedings of the Geologists' Association*, 128, 198-221. <https://doi.org/10.1016/j.pgeola.2016.12.001>.
- 34 Hérison, D. (2007). *Strategie de reduction des nucleus du niveau 3 du gisement Paléolithique Moyen de*  
35 *Therdonne (Oise, France)*. Unpublished MA thesis, Université des Sciences et Technologies de Lille.



- 1 Hérisson, D., Brenet, M., Cliquet, D., Moncel, M.-H., Richter, J., Scott, B. et al. (2016). The emergence of the  
2 Middle Palaeolithic in north-western Europe and its southern fringes. *Quaternary International*, 411, 233-283.  
3 <https://doi.org/10.1016/j.quaint.2016.02.049>.
- 4 Hérisson, D., & Soriano, S. (2020). A view of the Lower to Middle Paleolithic boundary from Northern France,  
5 far from the Near East? *Journal of Human Evolution*, 145, 102814.  
6 <https://doi.org/10.1016/j.jhevol.2020.102814>.
- 7 Hijma, M. P., Cohen, K. M., Roebroeks, W., Westerhoff, W. E., & Busschers, F. S. (2012). Pleistocene Rhine–  
8 Thames landscapes: geological background for hominin occupation of the southern North Sea region. *Journal of*  
9 *Quaternary Science*, 27, 17-39. <https://doi.org/10.1002/jqs.1549>
- 10 Hodson, F., & West, I. (1972). Holocene deposits of Fawley, Hampshire, and the development of Southampton  
11 Water. *Proceedings of the Geologist's Association*, 83, 421 - 442. [https://doi.org/10.1016/S0016-](https://doi.org/10.1016/S0016-7878(72)80015-4)  
12 [7878\(72\)80015-4](https://doi.org/10.1016/S0016-7878(72)80015-4)
- 13 Hosfield, R. T. (1999). *The Palaeolithic of the Hampshire Basin. A Regional Model of Hominid Behaviour*  
14 *during the Middle Pleistocene*. BAR British Series 286. Oxford: Archaeopress.
- 15 Hosfield, R. T. (2001). The Lower Palaeolithic of the Solent: 'site' formation and interpretive frameworks. In F.  
16 F. Wenban-Smith & R. T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent River* (pp. 85-97). Lithic  
17 Studies Society Occasional Paper 7. London: Lithic Studies Society,
- 18 Hosfield, R. T. (2016). Walking in a Winter Wonderland? Strategies for Early and Middle Pleistocene survival  
19 in mid latitude Europe. *Current Anthropology*, 57, 653-682. doi: <https://doi.org/10.1086/688579>
- 20 Hosfield, R. (2020). *The Earliest Europeans – A Year in the Life: Seasonal Survival Strategies in the Lower*  
21 *Palaeolithic*. Oxford: Oxbow Books.
- 22 Hosfield, R. T., & Chambers, J. C. (2004). *The Archaeological Potential of Secondary Contexts, Project No.*  
23 *3661*. Unpublished Report for English Heritage. <https://doi.org/10.5284/1000291>
- 24 Koehler, H. (2008). L'apport du gisement des Oisiers à Bapaume (Pas-de-Calais) au début de l'émergence du  
25 Paléolithique Moyen en le Nord de la France. *Bulletin de la Société Préhistorique Française*, 105, 709-735.
- 26 Lamotte, A. & Tuffreau, A. (2016). Acheulean of the Somme basin (France): Assessment of lithic changes  
27 during MIS 12 to 9. *Quaternary International*, 409, 54-72. <https://doi.org/10.1016/j.quaint.2015.08.058>.
- 28 Lericolais, G, Auffret, J.-P., & Bourillet, J.-F. (2003). The Quaternary Channel River: seismic stratigraphy of its  
29 palaeo-valleys and deeps. *Journal of Quaternary Science*, 18, 245–260. <https://doi.org/10.1002/jqs.759>
- 30 Lewis, S.G., Ashton, N.M., Field, M., Hoare, P.G., Kamermans, H., Knul, M. et al. (2019). Human occupation  
31 of northern Europe in MIS 13: Happisburgh Site 1 (Norfolk, UK) and its European context. *Quaternary Science*  
32 *Reviews*, 211, 34-58. <https://doi.org/10.1016/j.quascirev.2019.02.028>.
- 33 Lisiecki, L. E., & Raymo, M. E. (2005). A Pliocene-Pleistocene stack of 57 globally distributed benthic  $\delta^{18}O$   
34 records. *Paleoceanography*, 20, PA1003. <https://doi.org/10.1029/2004PA001071>.

- 1 Loader, R. D. (2001). Priory Bay, Isle of Wight: A review of current knowledge. In F. F. Wenban-Smith, & R.  
2 T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent River* (pp. 71–76). Lithic Studies Society Occasional  
3 Paper 7. London: Lithic Studies Society.
- 4 Lombera-Hermida, de, A., Rodríguez-Álvarez, X.P., Mosquera, M., Ollé, A., García-Medrano, P., Pedergnana,  
5 A. et al. (2020). The dawn of the Middle Paleolithic in Atapuerca: the lithic assemblage of TD10. 1 from Gran  
6 Dolina. *Journal of Human Evolution*, 145, 102812. <https://doi.org/10.1016/j.jhevol.2020.102812>
- 7 Machin, A. (2009). The role of the individual agent in Acheulean biface variability: a multi-factorial model.  
8 *Journal of Social Archaeology* 9, 35-58. <https://doi.org/10.1177/1469605308099370>
- 9 McNabb, J., Hosfield, R. T., Dearling, K., Barker, D., Strutt, K., Cole, J. et al. (2012). Recent Work at the  
10 Lower Palaeolithic Site of Corfe Mullen, Dorset, England. *Proceedings of the Prehistoric Society*, 78, 35-  
11 50. <https://doi.org/10.1017/S0079497X00027092>
- 12 MacRae, R. J. (1991). New Lower Palaeolithic finds from gravel pits in central southern England. *Lithics*, 12,  
13 12-19. Meijer, T., & Preece, R. C. (1995). Malacological evidence relating to the insularity of the British Isles  
14 during the Quaternary. In R. C. Preece (Ed.), *Island Britain: A Quaternary Perspective* (pp. 89-110). Geological  
15 Society Special Publication 96. London: Geological Society.
- 16 Mephram, L. (2009). *TERPS - The English Rivers Project* [data-set]. York: Archaeology Data Service  
17 [distributor] <https://doi.org/10.5284/1000063>
- 18 Moncel, M.-H., Ashton, N. M., Lamotte, A., Tuffreau, A., Cliquet, D., & Despriée, J. (2015). North-west  
19 Europe early Acheulian. *Journal of Anthropological Archaeology*, 40, 302-331.  
20 <https://doi.org/10.1016/j.jaa.2015.09.005>
- 21 Moncel, M.-H., Despriée, J., Voinchet, P., Tissoux, H., Moreno, D., & Bahain, J.-J. et al. (2013). Early evidence  
22 of Acheulean settlement in north-western Europe - La Noira site, a 700 000 year-old occupation in the Center of  
23 France, *PlosOne*, 8 (Issue 11), e75529. <https://doi.org/10.1371/journal.pone.0075529>
- 24 Moncel, M.-H., Moigne, A.-M., Sam, Y. & Combier, J. (2011). The emergence of Neanderthal technical  
25 behavior: new evidence from Orgnac 3 (Level 1, MIS 8), Southeastern France. *Current Anthropology*, 52, 37-  
26 75. <https://doi.org/10.1086/658179>
- 27 Moncel, M.-H., Santagata, C., Pereira, A., Nomade, S., Bahain, J.-J., Voinchet, P. et al. (2019). A biface  
28 production older than 600 ka ago at Notarchirico (Southern Italy) contribution to understanding early Acheulean  
29 cognition and skills in Europe. *PLoS ONE* 14, e0218591. <https://doi.org/10.1371/journal.pone.0218591>
- 30 Parfitt, S. A., Barendregt, R. W., Breda, M., Candy, I., Collins, M. J., Coope, G. R. et al. (2005). The earliest  
31 record of human activity in northern Europe. *Nature*, 438, 1008–1012. <https://doi.org/10.1038/nature04227>
- 32 Parfitt, S. A., Ashton, N. M., Lewis, S. G., Abel, R. L. Coope, G. R., Field, M. H. et al. (2010). Early  
33 Pleistocene human occupation at the edge of the boreal zone in northwest Europe. *Nature*, 466, 229–233.  
34 <https://doi.org/10.1038/nature09117>
- 35 Pettitt, P., & White, M. J. (2012). *The British Palaeolithic: Human Societies at the Edge of the Pleistocene*  
36 *World*. London: Routledge.

- 1 Pope, M., Parfitt, S. A., & Roberts, M. B. (2020). *The Horse Butchery Site: A high resolution record of Lower*  
2 *Palaeolithic hominin behaviour at Boxgrove, UK*. London: SpoilHeap Publications.
- 3 Poulton, R. W. (1909). An account of discoveries of Palaeolithic implements in the Isle of Wight. In F. Morey  
4 (Ed.), *A Guide to the Natural History of the Isle of Wight* (pp. 37-41). Newport: County Press.
- 5 Preece, R. C., Scource, J. D., Houghton, S. D., Knudsen, K. L., Penney, D. N. (1990). The Pleistocene sea-level  
6 and neotectonic history of the Eastern Solent, Southern England. *Philosophical Transactions of the Royal*  
7 *Society of London, B328*, 425-477. <https://doi.org/10.1098/rstb.1990.0120>
- 8 Ravon, A.-L. (2019). Early human occupations at the westernmost tip of Eurasia: The lithic industries from  
9 Menez-Dregan I (Plouhinec, Finistère, France). *Comptes Rendus Palevol, 18*, 663-684.  
10 <https://doi.org/10.1016/j.crpv.2019.06.001>
- 11 Roberts, M. B., & Parfitt S. A. (1999). Boxgrove: A Middle Pleistocene hominid site at Eartham Quarry,  
12 Boxgrove, West Sussex. English Heritage Archaeological Report 17. London: English Heritage.  
13 <https://doi.org/10.5284/1028203>
- 14 Roberts, M. B., & Pope, M. (2018). *The Boxgrove Wider Area Project 2018: Mapping the early Middle*  
15 *Pleistocene deposits of the Slindon Formation across the coastal plain of West Sussex and eastern Hampshire*.  
16 Spoilheap Monograph 15. Suffolk: Lavenham Press.
- 17 Roe, D. A. (1968a). British Lower and Middle Palaeolithic handaxe groups. *Proceedings of the Prehistoric*  
18 *Society, 34*, 1-82.
- 19 Roe, D. A. (1968b). *Gazetteer for British Lower and Middle Palaeolithic Sites*. London: Council for British  
20 Archaeology.
- 21 Roe, D. A. (1981). *The Lower and Middle Palaeolithic Periods in Britain*. London: Routledge and Kegan Paul  
22 Ltd.
- 23 Roe, D. A. (2001). Some earlier Palaeolithic find-spots of interest in the Solent region. In F. F. Wenban-Smith,  
24 & R. T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent River* (pp. 47-56). Lithic Studies Society  
25 Occasional Paper No. 7. London: Lithic Studies Society.
- 26 Roebroeks, W. (2006). The human colonisation of Europe: where are we? *Journal of Quaternary Science, 21*,  
27 425-436. <https://doi.org/10.1002/jqs.1044>
- 28 Roebroeks, W., Conard, N.J. & van Kolfschoten, T. (1992). Dense forests, cold steppes, and the Palaeolithic  
29 settlement of northern Europe. *Current Anthropology, 33*, 551-586. <http://dx.doi.org/10.1086/204113>.
- 30 Ryssaert, C. (2006). Lithische technologie te Mesvin IV: selectiecriteria voor geretoucheerde werktuigen en hun  
31 relatie met Levalloiseindproducten. *Anthropologica et Praehistoria, 117*, 13-34.
- 32 Schreve, D. C. (1997). *Mammalian biostratigraphy of the later Middle Pleistocene in Britain*. Unpublished PhD  
33 thesis, University of London.
- 34 Schreve, D. C., Bridgland, D. R., Allen, P., Blackford, J. J., Gleed-Owen, C. P., & Griffiths, H. I. et al. (2002).  
35 Sedimentology, palaeontology and archaeology of late Middle Pleistocene River Thames terrace deposits at

- 1 Purfleet, Essex, UK. *Quaternary Science Reviews*, 21, 1423-1464. [https://doi.org/10.1016/S0277-](https://doi.org/10.1016/S0277-3791(01)00100-7)  
2 [3791\(01\)00100-7](https://doi.org/10.1016/S0277-3791(01)00100-7).
- 3 Scott, B. (2010). *Becoming Neanderthals*. Oxford: Oxbow Books.
- 4 Scott, B., & Ashton N. M. (2011). The Early Middle Palaeolithic: the European context. In N. M. Ashton, S. G.  
5 Lewis, & C. B. Stringer (Eds.), *The Ancient Human occupation of Britain* (pp. 91-112). Amsterdam: Elsevier.  
6 <https://doi.org/10.1016/B978-0-444-53597-9.00007-8>.
- 7 Scott, B., Ashton, N. M., Lewis, S. G., Parfitt, S. A., & White, M. J. (2011). Technology and Landscape Use in  
8 the Early Middle Palaeolithic of the Thames Valley. In N. M. Ashton, S. G. Lewis, & C. B. Stringer (Eds.), *The*  
9 *Ancient Human occupation of Britain* (pp. 67-89). Amsterdam: Elsevier. [https://doi.org/10.1016/B978-0-444-](https://doi.org/10.1016/B978-0-444-53597-9.00006-6)  
10 [53597-9.00006-6](https://doi.org/10.1016/B978-0-444-53597-9.00006-6).
- 11 Shackley, M. L. (1974). Stream abrasion of flint implements. *Nature*, 248, 501-502.
- 12 Shackley, M. L. (1978). The behaviour of artefacts as sedimentary particles in a fluvial environment.  
13 *Archaeometry*, 20, 55-61. <https://doi.org/10.1111/j.1475-4754.1978.tb00212.x>
- 14 Shipton, C., & White, M. J. (2020). Handaxe types, colonization waves, and social norms in the British  
15 Acheulean. *Journal of Archaeological Science: Reports*, 31, 102352.  
16 <https://doi.org/10.1016/j.jasrep.2020.102352>
- 17 Tuffreau, A. (1976). Les fouilles du gisement Acheuléen supérieur des Osiers à Bapaume (Pas-de-Calais).  
18 *Bulletin de la Société Préhistorique Française*, 73, 231-243.
- 19 Tuffreau, A., Lamotte, A. & Goyal, É. (2008). Les industries acheuléennes de la France septentrionale.  
20 *L'Anthropologie*, 112, 104-139. <https://doi.org/10.1016/j.anthro.2008.01.003>
- 21 Tyldesley, J. (1986). *The Wolvercote Channel Handaxe Assemblage*. British Archaeological Report 153. Oxford: BAR.
- 22 Van Baelen, A., Meijs, E., Van Peer, P., de Warrimont, J.P. & De Bie, M. (2007). An early Middle Palaeolithic  
23 site at Kesselt-Op de Schans (Belgian Limburg). Preliminary results. *Notae Praehistoricae*, 27, 19-26.
- 24 Van Baelen, A., Meijs, E., Van Peer, P., de Warrimont, J.P., De Bie, M. (2008). The early Middle Palaeolithic  
25 site of Kesselt-Op de Schans (Belgian Limburg). Excavation campaign 2008. *Notae Praehistoricae* 28, 5-9.
- 26 Vallverdú, J., Saladié, P., Rosas, A., Huguet, R., Cáceres, I., Mosquera, M. et al. (2014). Age and date for early  
27 arrival of the Acheulian in Europe (Barranc de la Boella, la Canonja, Spain). *Plos One*, 9, e103634.  
28 <https://doi.org/10.1371/journal.pone.0103634>
- 29 Velegrakis, A. F., Dix, J. K., & Collins, M. B. (1999). Late  
30 Quaternary evolution of the upper reaches of the Solent River, southern England, based on marine geophysical  
evidence. *Journal of the Geological Society of London*, 156, 73-87. <https://doi.org/10.1144/gsjgs.156.1.0073>
- 31 Voinchet, P., Moreno, D., Bahain, J.-J., Tissoux, H., Tombret, O., Falgueres, C. et al. (2015). New  
32 chronological data (ESR and ESR/U-series) for the earliest Acheulean sites of northwestern Europe. *Journal of*  
33 *Quaternary Science*, 30, 610-622.
- 34 Walker, M.J., Haber Uriarte, M., López Jiménez, A., López Martínez, M., Martín Lerma, I., Van der Made, J. et  
35 al. (2020). Cueva Negra del Estrecho del Río Quípar: a dated late Early Pleistocene Palaeolithic site in

1 southeastern Spain. *Journal of Paleolithic Archaeology*, 3, 816–855. [https://doi.org/10.1007/s41982-020-00062-](https://doi.org/10.1007/s41982-020-00062-5)  
2 [5](https://doi.org/10.1007/s41982-020-00062-5)

3 Wenban-Smith, F. F. (2001). As represented by the Solent River: handaxes from Highfield, Southampton. In F.  
4 F. Wenban-Smith, & R. T. Hosfield (Eds.), *Palaeolithic Archaeology of the Solent River* (pp. 57-70). Lithic  
5 Studies Society Occasional Paper No. 7. London: Lithic Studies Society.

6 Wenban-Smith, F. F. (2004). Handaxe typology and Lower Palaeolithic cultural development: ficrons, cleavers  
7 and two giant handaxes from Cuxton. *Lithics*, 25, 11-21.

8 Wenban-Smith, F. F., Bates, M. R., & Marshall, G. D. (2007). *Medway Valley Palaeolithic Project Final*  
9 *Report: The Palaeolithic Resource in the Medway Gravels (Kent)*. Report submitted to English Heritage, and  
10 made available March 2009 through ADS. <https://doi.org/10.5284/1000073>

11 Wenban-Smith, F. F., Bates, M. R., Marshall, G. D., & Schwenninger, J.-L. (2009). The Pleistocene sequence at  
12 Priory Bay, Isle of Wight. In R. M. Briant, M. R. Bates, R. T. Hosfield, & F. F. Wenban-Smith (Eds.), *The*  
13 *Quaternary of the Solent Basin and West Sussex Raised Beaches. Field Guide* (pp. 189-197). London:  
14 Quaternary Research Association.

15 Wenban-Smith, F. F., Gamble, C. S., & Apsimon, A. (2000). The Lower Palaeolithic site at Red Barns,  
16 Portchester, Hampshire: Bifacial technology, raw material quality, and the organisation of archaic behaviour.  
17 *Proceedings of the Prehistoric Society*, 66, 209-255. <https://doi.org/10.1017/S0079497X0000181X>

18 Wenban-Smith, F. F. & Hosfield, R. T. (2001). *Palaeolithic Archaeology of the Solent River*. Lithic Studies  
19 Society Occasional Paper No. 7. London: Lithic Studies Society.

20 Wessex Archaeology (1993). *The Southern Rivers Palaeolithic Project Report No. 1. 1991-1992, The Upper*  
21 *Thames Valley, the Kennet Valley and the Solent Drainage System*. Salisbury: Wessex Archaeology.  
22 <https://doi.org/10.5284/1000063>

23 Westaway, R., Bridgland, D. R., & White, M. J. (2006). The Quaternary uplift history of central southern  
24 England: evidence from the terraces of the Solent River system and nearby raised beaches. *Quaternary Science*  
25 *Reviews*, 25, 2212-2250. <https://doi.org/10.1016/j.quascirev.2005.06.005>

26 White, H. J. O. (1912). *The Geology of the Country around Winchester and Stockbridge. Memoir of the*  
27 *Geological Survey*. London: HMSO.

28 White, M. J., & Ashton, N. M. (2003). Lower Palaeolithic Core Technology and the Origins of the Levallois  
29 Method in North-Western Europe. *Current Anthropology*, 44, 598-609. <https://doi.org/10.1086/377653>

30 White, M. J., Ashton, N. M., & Bridgland, D. R. (2019). Twisted handaxes in Middle Pleistocene Britain and  
31 their implications for regional-scale cultural variation and the deep history of Acheulean hominin groups.  
32 *Proceedings of the Prehistoric Society*, 85, 61-81. <https://doi.org/10.1017/ppr.2019.1>

33 White, M. J., Bridgland, D. R., Schreve, D. C., White, T. S., & Penkman, K. E. H. (2018). Well-dated fluvial  
34 sequences as templates for patterns of handaxe distribution: Understanding the record of Acheulean activity in  
35 the Thames and its correlatives. *Quaternary International*, 480, 118-131.  
36 <https://doi.org/10.1016/j.quaint.2017.03.049>

- 1 White, M. J., & Jacobi, R. M. (2002). Two Sides to Every Story: Bout Coupé Handaxes Revisited. *Oxford*  
2 *Journal of Archaeology*, 21, 109-133. <https://doi.org/10.1111/1468-0092.00152>
- 3 White, M. J., & Schreve, D.C. (2000). Island Britain-Peninsula Britain: palaeogeography, colonisation and the  
4 Lower Palaeolithic settlement of the British Isles. *Proceedings of the Prehistoric Society*, 66, 1-28.  
5 <https://doi.org/10.1017/S0079497X00001742>
- 6 White, M. J., Scott, B., & Ashton, N. M. (2006). The Early Middle Palaeolithic in Britain: archaeology,  
7 settlement history and human behaviour. *Journal of Quaternary Science*, 21, 525-541.  
8 <https://doi.org/10.1002/jqs.1034>
- 9 Wymer, J. J. (1968). *Lower Palaeolithic Archaeology in Britain as represented by the Thames Valley*. London:  
10 John Baker.
- 11 Wymer, J. J. (1985). *Palaeolithic Sites of East Anglia*. Norwich: Geo Books.
- 12 Wymer, J. J. (1999). *The Lower Palaeolithic Occupation of Britain (Vol. 1 and 2)*. Salisbury: Wessex  
13 Archaeology and English Heritage. <https://doi.org/10.5284/1000063>
- 14

## 1 **Figure and table captions**

- 2 **Fig. 1** The River Test and its regional context. A) The wider Solent region with key sites mentioned in the text.  
3 B) Mapping of the terrace stratigraphy of the River Test and River Itchen after Hatch et al. (2017) with study  
4 site locations. 1. Belbin's Pit, 2. Brownwich Beach, 3. Chilling Church Pit, 4. Chilling-Hook Gravel Pit, 5.  
5 Chiver's Gravel Pit, 6. Colden Common, 7. Coxford, 8. Dunbridge, 9. Dyke's Pit, 10. Emsworth Road, 11. Fleet  
6 End Pit, 12. Harris Pit, 13. High Street, 14. Highfield, 15. Hill Head, 16. Hill Lane, 17. Hook, 18. Kimbridge  
7 Pits, 19. Lee-on-Solent, 20. Lone Barn Farm, 21. Luzborough Gravel Pits, 22. Mousehole Pit, 23. New Pit, 24.  
8 Newbury's Pit, 25. Ogle Road, 26. Old Shirley, 27. Park's Pit, 28. Pauncefoot Hill, 29. Portswood Pits, 30. Ridge  
9 Gravel Pit, 31. Rockstone Place, 32. Shirley Avenue, 33. Shirley Road, 34. Shirley Warren, 35. Southampton  
10 Cemetery, 36. Spa Road, 37. St James's Church Pit, Shirley, 38. Test Road Materials Pit, 39. Warsash (Lower  
11 Warsash terrace), 40. Warsash (Hamble terrace), 41. Warsash Church Pit, 42. Withedswood Gravel Pit
- 12 **Fig. 2** The terrace stratigraphy of the River Test as mapped by Hatch et al. (2017). Profile projected along  
13 N135°E with distance measured from zero at SU 31595 29000
- 14 **Fig. 3** Summary of OSL age estimates from the Test terraces in relation to Marine Isotope Stages (after Lisiecki  
15 and Raymo 2005). Age estimates from <sup>1</sup>Briant et al. (2012), <sup>2</sup>Harding et al. (2012) and <sup>3</sup>Hatch et al. (2017).  
16 Only age estimates deemed reliable by these authors are depicted. Harding et al. report a weighted mean average  
17 of 305 ± 25 ka for the Mottisfont terrace samples
- 18 **Fig. 4** One of the handaxes found by Mr W. Read in 1869 at Town Pits at the northwest corner of Southampton  
19 Common. These gravels are assigned to the Midanbury Terrace (Photo R.D.; reproduced courtesy of the  
20 Ashmolean Museum, Oxford)
- 21 **Fig. 5** Comparison of artefact condition between the Test terrace records. A) degree of abrasion of handaxes; B)  
22 handaxe surface condition; C) degree of abrasion of Levallois artefacts; D) Levallois surface condition
- 23 **Fig. 6** Examples of ovate handaxes from Ridge Gravel Pit. A and C: slightly rolled ovate with straight cleaver-  
24 like tip; B and E: moderately rolled ovate handaxe with tranchet-sharpened tip; D: rolled cordate/ovate handaxe;  
25 F: moderately rolled ovate handaxe (Photos R.D.)
- 26 **Fig. 7** Examples of crude and pointed handaxes from Ridge Gravel Pit. A: moderately rolled crude pointed  
27 handaxe; B: moderately rolled small pointed handaxe; C and E: very rolled thick asymmetrical pointed handaxe;  
28 D: slightly rolled crude pointed handaxe (Photos R.D.)
- 29 **Fig. 8** Comparison of refinement (max. width/max. thickness) of crude, pointed, sub-cordate and ovate handaxes  
30 between Test terrace records
- 31 **Fig. 9** Examples of fresher handaxes from the Belbin terrace. A and C: slightly rolled pointed handaxe from  
32 Dunbridge; B: fresh *bout coupé* from Dunbridge; D: slightly rolled pointed handaxe from Luzborough Gravel  
33 Pits; E and F: slightly rolled pointed handaxe from Test Road Materials Pit; G: slightly rolled pointed handaxe  
34 with straight cleaver-like tip from Test Road Materials Pit; H: slightly rolled sub-cordate handaxe from Test  
35 Road Materials Pit (Photos R.D.; A-D reproduced courtesy of the British Museum)
- 36 **Fig. 10** Examples of fresher handaxes from the Mottisfont/Lower Warsash terrace. A: slightly rolled ficron from  
37 Dyke's Pit, Warsash; B: fresh pointed handaxe from Warsash; C: slightly rolled pointed handaxe made on a  
38 flake from Warsash; D and E: slightly rolled pointed handaxe from Warsash (Photos R.D.; reproduced courtesy  
39 of the British Museum)
- 40 **Fig. 11** Examples of Levallois artefacts from the Test terraces. A: very rolled Levallois flake from Belbin's Pit;  
41 B: slightly rolled Levallois flake from Chiver's Pit; C: slightly rolled Levallois flake from Belbin's Pit; D:  
42 moderately rolled Levallois flake from Test Road Materials Pit; E: very rolled Levallois flake from Colden  
43 Common; F: fresh Levallois core from Fleet End Pits, Warsash; G: fresh Levallois core from Warsash; H and J:  
44 fresh Levallois flake from Warsash; I: slightly rolled Levallois flake from Warsash; K: moderately rolled  
45 Levallois flake from Lee-on-Solent (Photos R.D.; A-C and E-K reproduced courtesy of the British Museum)
- 46 **Table 1** Comparison of the Hatch et al. (2017) terrace mapping at Dunbridge, Romsey, Southampton and  
47 Warsash with the terrace mapping of Harding et al. (2012), PASHCC (Bates et al., 2004; Briant et al., 2012) and  
48 the BGS. Italics indicate significant differences between Hatch et al. and other schemes. <sup>a</sup>BGS stratigraphy of

1 Booth (2002) for Sheet 299 and Edwards and Freshney (1987) for Sheet 315. <sup>b</sup> See Figure 1 caption for key to  
2 numbered study sites. Additional sites mentioned in the text are named

3 **Table 2** Summary of age estimates for the Test terraces. OSL age estimates in brackets are deemed unreliable  
4 by Briant et al. (2012). OSL age estimates from <sup>a</sup> Briant et al. (2012), <sup>b</sup> Harding et al. (2012) and <sup>c</sup> Hatch et al.  
5 (2017)

6 **Table 3** Summary of the archaeological sample examined for this study

7 **Table 4** The number of handaxes and Levallois artefacts that can be assigned to each Test terrace. See Table S2  
8 in supplementary information for a complete site catalogue for the Test

9 **Table 5** Summary of the raw material characteristics of the Test terrace handaxe records

10 **Table 6** Summary of metric (mean and standard deviation) and typological data for the Test terrace handaxe  
11 records. Elongation = Breadth/Length; Refinement = Thickness/Breadth; Edge Shape = Tip Width/Butt Width;  
12 Profile shape = Tip Thickness/Butt Thickness (after Roe, 1968a)

13 **Table 7** Summary of selected attributes of the Test terrace handaxe records. Scar index = number of scars >  
14 5mm/length (mm)

15 **Table 8** Comparison of metric (mean and standard deviation) and typological data between fresher and rolled  
16 handaxes from the Nursling, Belbin and Mottisfont/Lower Warsash terrace records. Elongation =  
17 Breadth/Length; Refinement = Thickness/Breadth; Edge Shape = Tip Width/Butt Width; Profile shape = Tip  
18 Thickness/Butt Thickness (after Roe, 1968a)

19 **Table 9** Comparison of selected attributes between fresher and rolled handaxes from the Nursling, Belbin and  
20 Mottisfont/Lower Warsash terrace records. Scar index = number of scars > 5mm/length (mm)

21 **Table 10** Summary of the key characteristics of the Test terrace handaxe records. Age interpretation based on  
22 terrace stratigraphy, OSL age estimates for the Hamble and Mottisfont/Lower Warsash terraces, and an assumed  
23 one terrace per glacial/interglacial cycle for the higher terraces (see text for discussion)

24 **Table 11** Number of handaxe and Levallois artefacts assigned to the Solent and Stour terraces in the  
25 Bournemouth area (after Davis, 2013) and suggested terrace ages

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40



1 Table 1

Area	Hatch et al. (2017)	Harding et al. (2012)	PASHCC	BGS <sup>a</sup>	Sites <sup>b</sup>
<u>Sheet 299 - Dunbridge</u>					
	Broadlands Farm	Broadlands Farm	Terrace 1	Terrace 1	
	Mottisfont	Mottisfont	<i>Terrace 5</i>	<i>Terrace 2/3</i>	18
	Belbin	Belbin	<i>Terrace 5</i>	<i>Terrace 2/3</i>	8
	Nursling	<i>Unspecified</i>	<i>Terrace 7</i>	<i>Terrace 4</i>	Great Copse
	Bitterne	<i>Midanbury</i>	<i>Terrace 8</i>	<i>Terrace 5/6</i>	
	Midanbury	Midanbury	Terrace 8	<i>Terrace 5/6</i>	Spearywell Wood
<u>Sheet 315 – Romsey</u>					
	Broadlands Farm	Broadlands Farm	Terrace 1	Terrace 1	
	Mottisfont	Mottisfont	Terrace 3	Terrace 3	20
	Belbin	Belbin	Terrace 4	Terrace 4	1, 5, 21, 38
	Ganger Wood	Ganger Wood	Terrace 5	Terrace 5	
	Nursling	Nursling	Terrace 6	Terrace 6	28, 30
	Bitterne	Bitterne	Terrace 7	Terrace 7	
	Midanbury	<i>Castle Hill</i>	Terrace 8	Terrace 8	
<u>Sheet 315 - Southampton</u>					
	Broadlands Farm	Broadlands Farm	Terrace 1	Terrace 1	
	Hamble	Hamble	Terrace 2	Terrace 2	13
	Mottisfont	Mottisfont	Terrace 3	Terrace 3	10, 22, 25, 26, 33, 36
	Belbin	Belbin	Terrace 4	Terrace 4	7, 12, 14, 16, 29, 31, 32, 34, 35, 37
	Ganger Wood	Ganger Wood	Terrace 5	Terrace 5	
	Nursling	Nursling	Terrace 6	Terrace 6	
	Bitterne	Bitterne	Terrace 7	Terrace 7	
	Rownhams Farm	Rownhams Farm	Terrace 8	Terrace 8	Town Pits
	Castle Hill	Castle Hill	Terrace 9	Terrace 9	
	Toot Hill	Toot Hill	Terrace 10	Terrace 10	
	Lordswood Lane	Lordswood Lane	<i>Terrace 10</i>	Terrace 11	
	Lordswood Lane	<i>Chilworth</i>	<i>Terrace 10</i>	Terrace 11	
<u>Sheet 315 – Warsash</u>					
	Hamble	Hamble & Lower Warsash	<i>Terrace 2 &amp; Terrace 3</i>	<i>Terrace 2 &amp; Terrace 3</i>	2, 3, 4, 15, 17, 19, 40
	Lower Warsash	Lower Warsash	Terrace 3	Terrace 3	9, 11, 23, 27, 39, 41
	Upper Warsash	Upper Warsash	<i>Terrace 3</i>	<i>Terrace 3</i>	
	Mallards Moor	<i>Mallards Moor &amp; Nursling</i>	<i>Terrace 5 &amp; Terrace 6</i>	<i>Terrace 5 &amp; Terrace 6</i>	
	Nursling	Nursling	Terrace 6	Terrace 6	
	Bitterne	<i>Nursling</i>	<i>Terrace 6</i>	<i>Terrace 6</i>	
	Rownhams Farm	Rownhams Farm	Terrace 8	Terrace 8	

2

3 **Table 1** Comparison of the Hatch et al. (2017) terrace mapping at Dunbridge, Romsey, Southampton and  
4 Warsash with the terrace mapping of Harding et al. (2012), PASHCC (Bates et al., 2004; Briant et al., 2012) and  
5 the BGS. Italics indicate significant differences between Hatch et al. and other schemes. <sup>a</sup>BGS stratigraphy of  
6 Booth (2002) for Sheet 299 and Edwards and Freshney (1987) for Sheet 315. <sup>b</sup> See Figure 1 caption for key to  
7 numbered study sites. Additional sites mentioned in the text are named

8

9

10

11

12

1 Table 2

	OSL age estimates	OSL MIS attribution	Westaway et al. (2006) age estimate
Lordswood Lane/West End	-	-	MIS 26
Toot Hill/Netley Hill	-	-	MIS 22
Castle Hill	-	-	MIS 18
Midanbury/Rownham's Farm	-	-	MIS 16/15b
Bitterne	(>200 <sup>a</sup> )	(pre-MIS 7)	MIS 14
Nursling	(413 ± 26 <sup>a</sup> )	(MIS 12/11)	MIS 13b
	(280 ± 19 <sup>a</sup> )	(MIS 8)	
Ganger Wood/Mallards Moor	(292 ± 20 <sup>a</sup> )	(MIS 9/8)	MIS 12
	(233 ± 37 <sup>a</sup> )	(MIS 8/7)	
Belbin/Upper Warsash	-	-	MIS 10
Mottisfont/Lower Warsash	305 ± 25 <sup>b</sup>	MIS 9/8	MIS 8
	229 ± 24 <sup>c</sup>	MIS 8/7	
Hamble	231 ± 24 <sup>a</sup>	MIS 8/7	MIS 6
	221 ± 20 <sup>a</sup>	MIS 7	
	212 ± 25 <sup>a</sup>	MIS 7/6	
	204 ± 17 <sup>a</sup>	MIS 7/6	
	200 ± 23 <sup>c</sup>	MIS 7/6	
Broadlands Farm	69 ± 5 <sup>a</sup>	MIS 4	MIS 2

2

3 **Table 2** Summary of age estimates for the Test terraces. OSL age estimates in brackets are deemed unreliable  
 4 by Briant et al. (2012). OSL age estimates from <sup>a</sup>Briant et al. (2012), <sup>b</sup>Harding et al. (2012) and <sup>c</sup>Hatch et al.  
 5 (2017)

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

1 Table 3

Nursling terrace		Belbin terrace		Mottisfont/Lower Warsash terrace		Hamble terrace	
Site	Handaxes/ Levallois	Site	Handaxes/ Levallois	Site	Handaxes/ Levallois	Site	Handaxes/ Levallois
Pauncefoot Hill	26	Belbin's Pit	112/3	Colden Common	58/1	Brownwich Beach	1/1
Ridge	131	Chiver's Gravel Pit	12/1	Dyke's Pit	2	Chilling Church Pit	8
		Coxford	17	Emsworth Road	1	Chilling-Hook Gravel Pit	4
		Dunbridge	386	Fleet End Pit	14/2	High Street	1
		Harris Pit	4	Kimbridge Pits	30	Hill Head	70
		Highfield	69	Mousehole Pit	22	Hook	4
		Hill Lane	11/1	New Pit	15/5	Lee-on-Solent	0/1
		Luzborough Gravel Pits	51	Newbury's Pit	5	Warsash	51
		Portswood Pits	2	Ogle Road	2		
		Rockstone Place	1	Old Shirley	16		
		St James's Church Pit, Shirley	25	Park's Pit	10		
		Shirley Avenue	1	Shirley Road	18		
		Shirley Warren	18	Spa Road	1		
		Southampton Cemetery	20	Lone Barn Farm	5		
		Test Road Materials Pit	43/2	Warsash	200/14		
		Withedswood Gravel Pit	18	Warsash Church Pit	1		
Total	157	Total	790/7	Total	400/22	Total	139/2

2  
3  
4  
5  
6  
7  
8  
9  
10  
11

**Table 3** Summary of the archaeological sample examined for this study

1 Table 4

Terrace	No. of sites	Handaxes	Levallois	Key sites (% of terrace total)
Lordswood Lane/West End	-	-	-	
Toot Hill/Netley Hill	-	-	-	
Castle Hill	-	-	-	
Midanbury/Rownham's Farm	1	3	-	Town Pit (100%)
Bitterne	-	-	-	
Nursling	3	170	-	Ridge Gravel Pit (79%); Pauncefoot Hill (19%)
Ganger Wood/Mallards Moor	3	13	-	Old Netley Gravel Pit (56%)
Belbin/Upper Warsash	29	1595	12	Dunbridge (66%); Belbin's Pit (11%)
Mottisfont/Lower Warsash	26	467	31	Warsash (54%); Kimbridge (17%); Colden Common (14%)
Hamble	12	432	3	Hill Head (52%); Warsash (16%); Lee-on-Solent (15%)
Broadlands Farm	10	39	-	Redbridge (48%)

2

3 **Table 4** The number of handaxes and Levallois artefacts that can be assigned to each Test terrace. See Table S2  
 4 in supplementary information for a complete site catalogue for the Test

5

6 Table 5

	Nursling terrace		Belbin terrace		Mottisfont/Lower Warsash terrace		Hamble terrace	
	Fresher	Rolled	Fresher	Rolled	Fresher	Rolled	Fresher	Rolled
Raw material								
Flint	100.0%	99.0%	99.0%	99.1%	92.7%	97.2%	100.0%	98.5%
Chert	-	1.0%	1.0%	0.9%	7.3%	2.8%	-	1.5%
<i>n</i>	54	103	105	685	42	358	5	134
Cortex condition								
Fresh	47.5%	42.0%	14.6%	1.9%	29.4%	3.6%	20.0%	7.6%
Worn	52.5%	58.0%	85.4%	98.1%	70.6%	96.4%	80.0%	92.4%
<i>n</i>	40	69	89	519	17	195	5	92

7

8 **Table 5** Summary of the raw material characteristics of the Test terrace handaxe records

9

10

11

12

13

14

15

16

17

18

1 Table 6

	Nursling terrace	Belbin terrace	Mottisfont/Lower Warsash terrace	Hamble terrace
Length (mm)	128.6 ± 35.9	121.5 ± 34.0	129.6 ± 35.0	132.8 ± 31.5
Breadth (mm)	75.0 ± 15.35	73.7 ± 15.6	78.2 ± 16.1	82.7 ± 14.1
Thickness (mm)	37.48 ± 11.7	36.2 ± 9.5	37.8 ± 9.1	37.8 ± 9.1
Elongation	0.60 ± 0.11	0.62 ± 0.12	0.61 ± 0.10	0.63 ± 0.10
Refinement	0.50 ± 0.15	0.50 ± 0.11	0.49 ± 0.10	0.46 ± 0.09
Edge Shape	0.75 ± 0.15	0.69 ± 0.20	0.68 ± 0.22	0.75 ± 0.21
Profile Shape	0.69 ± 0.19	0.61 ± 0.21	0.59 ± 0.19	0.68 ± 0.20
Wymer (1968) type				
Crude (D & E)	9.2%	15.3%	14.5%	8.2%
Pointed (F)	21.6%	41.2%	37.1%	32.8%
Sub-cordate (G)	12.4%	17.8%	17.3%	13.4%
Cleaver (H)	1.3%	1.2%	5.1%	3.0%
Ovate (J & K)	54.9%	20.7%	21.6%	37.3%
Twisted ovate (Kf)	-	1.8%	1.3%	2.2%
Ficron (M)	-	1.3%	2.3%	2.2%
Flat-butted cordate (N)	-	0.3%	-	0.7%
Uniface	0.7%	0.5%	1.0%	-
<i>n</i>	153	765	394	134
Roe (1968a) metric type				
Pointed	33.7%	52.6%	51.6%	33.7%
Ovate	64.2%	43.7%	44.5%	63.3%
Cleaver	2.1%	3.6%	3.9%	31.0%
<i>n</i>	95	631	335	98

2

3 **Table 6** Summary of metric (mean and standard deviation) and typological data for the Test terrace handaxe  
 4 records. Elongation = Breadth/Length; Refinement = Thickness/Breadth; Edge Shape = Tip Width/Butt Width;  
 5 Profile shape = Tip Thickness/Butt Thickness (after Roe, 1968a)

6 Table 7

	Nursling terrace	Belbin terrace	Mottisfont/Lower Warsash terrace	Hamble terrace
Blank type				
Cobble/nodule	87.9%	87.5%	85.0%	91.4%
Flake	12.1%	12.5%	15.0%	8.6%
<i>n</i>	99	416	232	58
Tip shape				
Rounded	89.2%	90.2%	87.4%	91.3%
Pointed	-	0.1%	0.3%	-
Square	10.8%	9.7%	12.3%	8.7%
Tranchet sharpened tip				
Yes	24.2%	8.9%	10.4%	9.6%
No	75.8%	91.1%	89.6%	90.4%
<i>n</i>	149	696	358	115
Total cortex (%)	11.1 ± 13.7	11.9 ± 12.3	11.2 ± 13.5	8.1 ± 9.6
Butt cortex (%)	18.2 ± 23.6	20.7 ± 23.9	21.1 ± 25.6	16.0 ± 20.4
Total edge (%)	87 ± 16	82 ± 17	82 ± 17	86 ± 15
Scar index	0.36 ± 0.13	0.34 ± 0.11	0.35 ± 0.11	0.36 ± 0.11

7

8 **Table 7** Summary of selected attributes of the Test terrace handaxe records. Scar index = number of scars >  
 9 5mm/length (mm)

10

1 Table 8

	Nursling terrace		Belbin terrace		Mottisfont/Lower Warsash terrace	
	Fresher	Rolled	Fresher	Rolled	Fresher	Rolled
Length	128.2 ± 37.9	130.4 ± 25.8	129.9 ± 35.7	120.3 ± 33.6	143.6 ± 40.4	127.9 ± 34.0
Breadth	75.2 ± 15.9	74.1 ± 12.8	72.5 ± 18.1	73.8 ± 15.2	79.5 ± 15.1	78.0 ± 16.2
Thickness	36.7 ± 11.7	40.7 ± 11.2	38.2 ± 9.7	35.8 ± 9.4	38.9 ± 8.7	37.7 ± 9.1
Elongation	0.61 ± 0.12	0.57 ± 0.07	0.56 ± 0.10	0.63 ± 0.12	0.57 ± 0.10	0.618 ± 0.1
Refinement	0.49 ± 0.14	0.56 ± 0.16	0.54 ± 0.13	0.49 ± 0.11	0.50 ± 0.10	0.49 ± 0.10
Edge Shape	0.76 ± 0.15	0.72 ± 0.15	0.65 ± 0.17	0.69 ± 0.20	0.63 ± 0.25	0.69 ± 0.21
Profile Shape	0.70 ± 0.19	0.66 ± 0.17	0.48 ± 0.19	0.62 ± 0.21	0.47 ± 0.15	0.60 ± 0.19
Wymer (1968) type						
Crude (D & E)	8.1%	13.8%	7.9%	16.4%	4.9%	15.6%
Pointed (F)	20.2%	27.6%	57.4%	38.7%	58.5%	34.6%
Sub-cordate (G)	11.3%	17.2%	17.8%	17.8%	14.6%	17.6%
Cleaver (H)	-	6.9%	0.9%	1.2%	2.4%	5.4%
Ovate (J & K)	59.7%	34.5%	9.9%	22.3%	12.2%	22.7%
Twisted ovate (Kf)	-	-	1.0%	2.0%	-	1.4%
Ficron (M)	-	-	3.0%	1.1%	2.4%	2.3%
Flat-butted cordate (N)	-	-	1.0%	0.2%	-	-
Uniface	0.8%	-	1.0%	0.5%	4.9%	0.6%
<i>n</i>	124	29	101	664	41	353
Roe (1968a) metric type						
Pointed	32.0%	40.0%	60.8%	51.4%	70.3%	49.3%
Ovate	68.0%	50.0%	34.2%	45.1%	24.3%	47.0%
Cleaver	-	10.0%	5.1%	3.4%	5.4%	3.7%
<i>n</i>	75	20	79	552	36	298

2

3 **Table 8** Comparison of metric (mean and standard deviation) and typological data between fresher and rolled  
4 handaxes from the Nursling, Belbin and Mottisfont/Lower Warsash terrace records. Elongation =  
5 Breadth/Length; Refinement = Thickness/Breadth; Edge Shape = Tip Width/Butt Width; Profile shape = Tip  
6 Thickness/Butt Thickness (after Roe, 1968a)

7

8

9

10

11

12

13

14

15

16

1 Table 9

	Nursling terrace		Belbin terrace		Mottisfont/Lower Warsash terrace	
	Fresher	Rolled	Fresher	Rolled	Fresher	Rolled
Blank type						
Cobble/nodule	86.8%	91.3%	85.9%	87.8%	72.4	86.7%
Flake	13.2%	8.7%	14.1%	12.2%	27.6%	13.3%
<i>n</i>	76	23	64	352	29	204
Tip shape						
Rounded	90.9%	81.5%	90.4%	90.2%	91.9%	86.9%
Pointed	-	-	-	0.2%	2.7%	-
Square	9.1%	18.5%	9.6%	9.6%	5.4%	13.1%
Tranchet sharpened tip						
Yes	26.2%	14.8%	9.6%	8.8%	13.5%	10.0%
No	73.8%	85.2%	90.4%	91.2%	86.5%	90.0%
<i>n</i>	122	27	94	602	37	320
Total cortex	11.2 ± 14.5	10.4 ± 10.0	14.2 ± 14.1	11.5 ± 12.0	12.1 ± 14.9	11.1 ± 13.4
Butt cortex	18.2 ± 24.4	18.1 ± 21.0	25.5 ± 25.6	20.0 ± 23.6	24.1 ± 27.9	20.7 ± 25.3
Total edge	87 ± 16	87 ± 14	78 ± 17	82 ± 17	81 ± 17	82 ± 17
Scar index	0.36 ± 0.14	0.34 ± 0.10	0.35 ± 0.12	0.34 ± 0.10	0.37 ± 0.12	0.34 ± 0.11

2

3 **Table 9** Comparison of selected attributes between fresher and rolled handaxes from the Nursling, Belbin and  
 4 Mottisfont/Lower Warsash terrace records. Scar index = number of scars > 5mm/length (mm)

5

6 Table 10

Assemblage	Key features	Age interpretation
Nursling terrace rolled	Thick crude and pointed handaxes	≥ MIS 13
	Ovate handaxes	
	Few flake blanks	
Nursling terrace fresher	Ovate handaxes	MIS 13
	Tranchet-sharpened tips	
Belbin terrace rolled	Mixed assemblage	≥ MIS 9
	Twisted ovates (n = 13)	
Belbin terrace fresher	Pointed handaxes	MIS 9
	Less intensive working to handaxe butts	
Mottisfont/Lower Warsash terrace rolled	Mixed assemblage	≥ MIS 8
Mottisfont/Lower Warsash terrace fresher	Large pointed handaxes	MIS 8
	Less intensive working to handaxe butts	
	Frequent flake blanks	
Hamble terrace assemblage	Mixed assemblage	> MIS 7d
	Ovate handaxes	
	Few flake blanks	
	Low cortex retention	

7

8 **Table 10** Summary of the key characteristics of the Test terrace handaxe records. Age interpretation based on  
 9 terrace stratigraphy, OSL age estimates for the Hamble and Mottisfont/Lower Warsash terraces, and an assumed  
 10 one terrace per glacial/interglacial cycle for the higher terraces (see text for discussion)

11

12

13

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28


Table 11

	Handaxes	Levallois	Westaway et al. (2006) age estimate
Sway Gravel	3	-	MIS 16
Tiptoe Gravel	1	-	MIS 14
Setley Plain Gravel	392	2	MIS 12
Old Milton Gravel	77	1	MIS 10
Taddiford Farm/Ensbury Park Gravel	835	19	MIS 9
Stanswood Bay/West Southbourne Gravel	80	3	MIS 8
Milford-on-Sea Gravel	83	7	MIS 6
Pennington Gravel	290	1	MIS 4-2

**Table 11** Number of handaxe and Levallois artefacts assigned to the Solent and Stour terraces in the Bournemouth area (after Davis, 2013) and suggested terrace ages




1 **Figure 1**




2  
3  
4  
5  
6

1 **Figure 2**



2

3 **Figure 3**




4

5 **Figure 4**




6

1 **Figure 5**



- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16


1 **Figure 6**



2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12




1 **Figure 7**



2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

1 **Figure 8**

2



3

4

5

6

7

8

9

10

11

12

13

14


15

16

17

18

1 **Figure 9**




2

3

4


1 **Figure 10**



- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12



1 **Figure 11**



2

3