

Social isolation and the role of AgeTech in a post-COVID world

Article

Published Version

Creative Commons: Attribution-Noncommercial 4.0

Open Access

Clayton, D. and Astell, A. ORCID: <https://orcid.org/0000-0002-6822-9472> (2022) Social isolation and the role of AgeTech in a post-COVID world. *Healthcare Management Forum*, 35 (5). pp. 291-295. ISSN 2352-3883 doi: <https://doi.org/10.1177/08404704221112023> Available at <https://centaur.reading.ac.uk/105869/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1177/08404704221112023>

Publisher: Sage

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online



Social isolation and the role of AgeTech in a post-COVID world

David Clayton, PhD¹; and Arlene Astell, PhD^{2,3,4} 

Healthcare Management Forum
2022, Vol. 35(5) 291–295
© 2022 The Canadian College of
Health Leaders. All rights reserved.



Article reuse guidelines:

sagepub.com/journals-permissions
DOI: 10.1177/08404704221112023
journals.sagepub.com/home/hmf



Abstract

The COVID-19 pandemic particularly affected social connection through enforced social isolation and loss of regular activities. For healthcare systems, various initiatives have sprung up, leveraging existing technologies to connect people with services, activities, and loved ones. Here we review some AgeTech offerings to address social isolation for healthcare leadership and management to consider.

Introduction

Understanding the difference between social isolation and loneliness

The pandemic could have reasonably been expected to increase the incidence of social isolation and loneliness among older people, given the risk factors they faced before the pandemic. In everyday life and the research literature, social isolation is often conflated with or seen as interchangeable with loneliness.¹ However, loneliness and social isolation are distinct entities² and our understanding of each will shape thinking about how to address them in services.

An estimated 30% of older Canadians are socially isolated or at risk of becoming so.³ Social isolation is often considered to be an objective condition that can be measured.^{1,4} Specifically, it is argued that the number of contacts a person has can be counted and quantified, with those individuals who have a limited number of social contacts being classified as socially isolated. Greater social isolation is experienced by the oldest (above 80 years).⁵ As the proportion of older adults in Canada is predicted to grow from 15% of the population in 2013 to 23–25% by 2036, the need for solutions to address the risk and the experience of social isolation in later life is clear.

Social isolation is linked to poorer health and reduced quality of life and presents a growing challenge not only in Canada but across the world. In terms of targeting individuals most at risk of social isolation, a plethora of indicators has been previously reported in the literature.⁵ These include living alone, being unmarried, having a small social network, infrequent contact with network members, lack of social network diversity, low participation in social activities, emotionally distant relationships and feelings of loneliness, and lack of connection. In the Canadian context, increased risk of social isolation has been identified among specific groups of older adults, namely, individuals who are First Nations, Inuit, and Métis (FNIM), caregivers, immigrants, or newcomers to Canada, 2SLGBTQ+, living alone, living in rural or remote areas, on a low income, disabled, or living with dementia.^{3,5}

Being socially isolated does not necessarily lead to loneliness and being lonely is not always the result of being alone and/or isolated.⁴ Loneliness occurs across the lifespan and has been

linked to poorer mental health at all ages, particularly depression and anxiety.^{6,7} The UK Campaign to End Loneliness proposed that “loneliness happens when the social connections that people want, don’t match their actual experience of relationships with others.”⁸ An extensive review of literature from 1945 to 2018, further differentiated loneliness into three subtypes: “Social Loneliness,” “Emotional Loneliness,” and “Existential Loneliness.”⁹ The review authors report that all three types of loneliness have been identified in work with older adults,⁹ which is important for developing and offering appropriate health interventions and services to match their needs. For example, addressing loneliness related to bereavement (Emotional Loneliness) vs. terminal illness (Existential Loneliness).

Based on reports before the COVID-19 pandemic, around 6% of the UK population reported often or always feeling lonely.¹⁰ A comparable analysis of baseline data from the Canadian Longitudinal Study of Ageing (CLSA) linked to the 2016 census data found the prevalence of loneliness to be slightly higher at 10.2% with social isolation reported by 5.1%.¹¹ The authors concluded that personal characteristics (such as age, income, and chronic disease) were the biggest contributors to loneliness, whereas geographical factors, such as clustering of low income older adults, were associated with increased risk of social isolation.¹¹

These data provide a baseline against which to compare the impact of the COVID-19 pandemic. Vulnerable groups of older adults did face an increased risk of loneliness due to social isolation. For example, a survey of 701 adults over 50 years old living with chronic health conditions in the United States,

¹ University of Leicester, Leicester, United Kingdom.

² University of Toronto, Toronto, Ontario, Canada.

³ University Health Network, Toronto, Ontario, Canada.

⁴ University of Reading, Reading, United Kingdom.

Corresponding author:

Arlene Astell, University of Toronto, Toronto, Ontario, Canada.

E-mail: arlene.astell@utoronto.ca

conducted in the early months of the first lockdown, found that 66% reported feeling somewhat or always lonely.¹² Other groups disproportionately affected by the pandemic include older adults living with dementia and family carers, who are often spouses. Two UK studies conducted in August 2020 found that the sudden removal of social support at the start of the pandemic negatively affected people living with dementia and family carers,¹³ and reduced hours of social service support significantly predicted anxiety among older adults with and without dementia.¹⁴ A Canadian interview study with 10 people living with dementia found they were worried about contracting COVID-19 as well as losing contact through program closure, plus concern for the well-being of people newly diagnosed with dementia or living alone.¹⁵

However, two Canadian surveys conducted early in the first lockdown in 2020 found lower levels of loneliness among older adults than younger ones. In their survey of 3,012 English-speaking Canadian adults (over 18 years of age), conducted between May 8 and June 23, 2020, Wickens and colleagues found greater odds of loneliness among all groups under 60 years of age, compared to those over 60 (5.5%) with the highest odds in the 18-29 years age group (13.8%¹⁶). Similarly, a survey of 4,879 members of a national retired educators' organization found that increasing age reduced the risk of loneliness, with those over 65 years of age reporting less loneliness than those under 65 years old. In both surveys, just over 8% of respondents reported feeling lonely most or all of the time.^{16,17}

While these data suggest that older adults fared better than younger age groups during lockdown, as highlighted, social isolation and loneliness were already a feature of many older people's lives before the pandemic and lockdown was a continuation of their "normal."¹⁸ Among the many effects of the COVID-19 pandemic, however, has been raising awareness

and concerns about the issues¹⁹ due to the global use of quarantine and physical isolation as tools for managing the spread of the pandemic.⁶ This has created increased opportunities to help tackle social isolation for older people by increasingly utilizing digital technologies to connect with them.

Role of technology

The need to physically isolate, constraints on their movement/going out, and consequential loss of face-to-face social contact with family and friends, has accelerated older people using new technology for social contact.²⁰ Multiple initiatives emerged in the past two years using existing digital technologies to connect older people with services, activities, and loved ones. For example, the Texas Memory Café Network pivoted to offering virtual memory cafes for people living with dementia and family carers and found that the remote gatherings promoted socially connectedness.²¹ Canada's technology and ageing network, AGE-WELL, has supported several initiatives to tackle social isolation and promote social connectedness—as described in the following case studies from AGE-WELL start-up companies. Other AGE-WELL start-ups offering services to support people through the pandemic can be found here: <https://agewell-nce.ca/startups-covid-19>. (Table 1).

In addition to these examples from AGE-WELL, many other initiatives to tackle social isolation sprang up or pivoted to remote delivery across Canada. These include multiple organizations providing remote visits or participation using video or telephone calls for lonely or isolated older people (Table 2). Provincially, many local organizations pivoted to move their services on-line through telephone or video calls, while others put together "technology care packages." For

Table 1. Case studies.

Case study 1: Aminthro

Aminthro is an on-line social platform and information hub for people 50 and over in North America. The platform is designed exclusively to support older adults to make friends and increase their social network. It includes an app that members can use on smart phones or tablets to discover like-minded people. At the start of the COVID-19 lockdown, Aminthro created a card that could be printed and dropped into the mailboxes of older neighbours, offering a contact name and phone number to call for help with groceries or mail delivery, or just for a friendly chat. The company also set up Aminthro Connects, a Facebook group for people of all ages to share thoughts and feelings, and access information on services for older adults, during the pandemic. <https://aminthro.com/>

Case study 2: FamliNet

FamliNet is a user-friendly communication and private network application that can be used by older people, their families, and caregiving organizations to create a circle of support. The app enables one-to-one and group interactions and the sharing of multimedia contents such as games, photographs, videos, and music. The aim is to promote social connection and communication. In response to the COVID-19 pandemic, FamliNet launched EasyConnect to make messaging easy-to-learn and easy-to-use for older adults with little or no tech experience. The free web app is designed to make it easy to send audio, text, music, photo, and video messages. The EasyConnect app supports several languages and can translate messages into individual's preferred language in both text and voice. Older adults who have difficulty typing can record and send a spoken message. Recipients with poor hearing can read spoken messages in text form. Individuals with poor vision can tap a large icon to hear text read aloud in their preferred language, and then reply in text or voice. <https://www.famlinet.com/>

Case study 3: Welbi

Welbi is a recreational platform for retirement and long-term care environments, designed to increase resident engagement and well-being. The platform was developed to organize recreation activities and offer a personalized experience to residents. The platform provides a daily overview of activities, resident profiles, engagement with activities, and planning tools. During the pandemic, Welbi added contact tracing to assist organizations in managing spread of outbreaks of COVID-19. The dashboard allows organizations to review trends in the data and look at how individual residents are doing. <https://www.welbi.co/>

Table 2. Organizations offering remote visits and social participation across Canada.

Name	Province	Web site
Companion Link	ON	https://www.companionlink.org/
Phone Pals	ON	https://www.circleofcare.com/phone-pals/
Friendly Telephone Visits/ ePals	ON	https://www.baycrest.org/Baycrest_Centre/media/content/seniors-support-program-(updated).pdf
Lonely No More	ON	https://www.northperth.ca/en/our-community/lonely-no-more-program.aspx
GTCare Companion	BC	https://gtcare.ca/
Little Brothers	QC	https://www.petitsfreres.ca/en/programs/pairing-program/
Canadian Red Cross Friendly Calls	National	https://www.redcross.ca/how-we-help/community-health-services-in-canada/friendly-calls-program
Seniors Centre Without Walls	MB, ON, AB, PEI	http://www.oacao.org/programs/seniors-centre-without-walls/

example, the Oshawa Senior Community Centres 55+ in Durham Region leveraged the successful Let's Connect program²² to make tablets and manuals for using them available to borrow for individuals with no devices at home, as well as offering Adult Day Program@Home for people living with dementia, and on-line programs via Zoom for community-dwelling older adults. Similarly, internet provision was identified as a barrier for many communities to access new on-line services. Across Canada, the Connecting Families initiative to offer low-cost internet packages to economically disadvantaged families and older adults has been granted a second round of funding to provide faster speeds.²³ For those unable to afford the \$20 per month, many libraries and other community-based organizations have been offering free tablets and wifi connections for local residents to borrow.

Key lessons for health leaders

While the COVID-19 pandemic has accelerated the introduction of digital technologies into all realms of people's lives with positive impacts as more older people are using internet-connected services,²⁴ the pandemic can also be seen to have cemented or even widened the digital divide.²⁵ While services and communities attempted to bridge the gap, individuals in vulnerable groups, through low socio-economic and/or health reasons, continued to be excluded. Persistent problems with digital access, digital literacy, and digital skills were observed among people marginalized before the pandemic.²⁵ While it is clear that existing smart devices contain multiple functions such as telephone and video calling, texting, calendars, reminders,²⁶ and plus apps to support leisure and cognitive engagement²⁷ could benefit older people, this raises the question of who could or should provide them?

While it can be argued that the internet is an essential service such as water and electricity, these are not provided by governments. People on fixed incomes such as state pensions will continue to decide between heating and food, and access to the internet will continue to be a luxury. Another challenge in the Canadian context is geography with rural and remote areas much more poorly served than urban ones. The Broadband Fund launched by the Canadian Radio-television

and Telecommunications Commission²⁸ is intended to address the digital access problem through improved provision of broadband and mobile internet access. While this can start to address the internet availability challenge, device availability, as described above, also needs to be addressed. Accordingly, the introduction of digital technologies to services requires careful consideration if aimed at those who lack access to the internet or digital devices.

Similarly, training and support for digital novices must be factored into tackling the digital divide. Pre-pandemic research highlighted gaps in knowledge and also confidence in starting to use digital technologies.²⁹ This included requiring support to access and select devices, as well as getting started and maintaining them. Given the pandemic-created necessity to be on-line, service providers should consider not only providing internet access and devices but also digitally confident staff to set them up for successful technology use.

When implementing digital technologies that address social isolation, engaging with all stakeholders to consider these issues is an essential step as those who experience social isolation will have limited social networks. It is particularly important to bring together stakeholders that do not normally interact, such as product developers and older adults, or when there are power differentials, such as care staff speaking to service directors.³⁰ Co-production—where end-users work together with service providers to innovate new services—is increasingly being adopted in healthcare systems. The New Economics Foundation³¹ proposed five principles for successful co-production: (1) building and maintaining relationships, (2) reciprocity, (3) sharing of power, (4) including all perspectives and skills, and (5) respecting and valuing the knowledge of all.

Health leaders who consider implementing digital technologies and services to tackle social isolation should carefully design co-production sessions and use activities to create a safe environment where everyone's voice is heard. AGE-WELL has supported the development of TUNGSTEN tools, a set of interactive activities to foster co-production. TUNGSTEN tools have been used to explore the role of technology in late-life mental health,³² co-production of a self-management app for people newly diagnosed with dementia,³³ agile development of an on-line memory

intervention program for healthy older adults,³⁴ and a framework for evaluating technology to manage chronic pain.³⁵ These freely available tools plus case studies and guidance for organizing co-production sessions and workshops can be found on the TUNGSTEN website: <http://tungsten-training.com>.

The increased use of digital technologies is likely to remain after the pandemic. Post-COVID will see the necessity to continue to access services such as healthcare on-line as they remain remotely delivered potentially leading to more rather than less social isolation. As noted above, a focus on social isolation prevention and building protective factors using digital technologies is important along with tackling wider structural issues like technological disadvantages to increase digital participation. Digital technologies are one solution to tackle social isolation that has gained more attention and intensity as a result of the pandemic;³⁶⁻³⁹ however, it is doubtful that one method alone will tackle social isolation. Some have also suggested that despite the benefits of using digital technology and the emerging evidence it can help with social isolation, using it should not be at the expense of face-to-face contact as their use will not create meaningful contact for everyone.^{37,40}

Utilizing digital technologies will not meet everyone's need for social connectedness. A personalized framework for thinking about how digital technology can mitigate social isolation and loneliness is therefore required.⁴¹ An individual's journey into social isolation entails multiple factors and it is not easy to identify or differentiate one particular cause.² Research into the effectiveness of strategies and interventions to deal with social isolation, including digital technologies, is still in the early stages and it is not clear what the long-term impact of services moving on-line will have on social isolation compared to other times.^{2,42} Health leaders, therefore, need to remain proactive in contacting people in "traditional" ways to offer "digital support" as services change on-line to avoid greater isolation. Such interventions may wish to focus on specific groups who are more at risk of isolation and on protective factors such as good physical and mental health, good income/housing, safe neighbourhoods, communication and literacy skills, good support networks, and access to transport.

ORCID iD

Arlene Astell  <https://orcid.org/0000-0002-6822-9472>

References

1. National Seniors Council (NSC). *Who's at risk and what can be done about it? A review of the literature on the social isolation of different groups of seniors*. Arlington, VA: National Seniors Council; 2013. Available at: <https://www.canada.ca/en/national-seniors-council/programs/publications-reports/2017/review-social-isolation-seniors.html>
2. Menec VH, Newall NE, Mackenzie CS, Shooshtari S, Nowicki S. Examining social isolation and loneliness in combination in relation to social support and psychological distress using Canadian Longitudinal Study of Aging (CLSA) data. *PLoS One*. 2020;15(3):e0230673.
3. Government of Canada. *Social Isolation of Seniors – Volume 1: Understanding The Issue and Finding Solutions*. Ottawa, ON: Government of Canada; 2022a. Available at: <https://www.canada.ca/en/employment-social-development/corporate/partners/seniors-forum/social-isolation-toolkit-vol1.html#section5.2>
4. Cacioppo JT, Cacioppo S, Cole SW, Capitanio JP, Goossens L, Boomsma DI. Loneliness across phylogeny and a call for comparative studies and animal models. *Perspect Psychol Sci*. 2015;10(2):p202-p212.
5. Cornwell EY, Waite LJ. Measuring social isolation among older adults using multiple indicators from the NSHAP study. *J Gerontol B Psychol Sci Soc Sci*. 2009;64(Suppl 1):i38-i46. doi:10.1093/geronb/gbp037
6. Mental Health Commission of Canada (MHCC). *Applying the Guidelines for Comprehensive Mental Health Services for Older Adults in Canada during COVID-19*. Ottawa, ON: Mental Health Commission of Canada; 2021. Available at: <https://mentalhealthcommission.ca/resource/applying-the-guidelines-for-comprehensive-mental-health-services-for-older-adults-in-canada-during-covid-19>
7. Beutel ME, Klein EM, Brähler E, et al. Loneliness in the general population: prevalence, determinants, and relations to mental health. *BMC Psychiatry*. 2017;17:97. doi:10.1186/s12888-017-1262-x
8. Campaign to End Loneliness. *The Psychology of Loneliness: Why it Matters and What We Can do*. London, UK: Campaign to End Loneliness; 2020. https://www.campaigntoendloneliness.org/wp-content/uploads/Psychology_of_Loneliness_FINAL_REPORT.pdf
9. Mansfield L, Daykin N, Meads C, et al. A conceptual review of loneliness across the adult life course (16+ years): Synthesis of qualitative studies. What Works for Wellbeing. 2019. Available at: <https://whatworkswellbeing.org/resources/loneliness-conceptual-review/> <https://whatworkswellbeing.org/resources/loneliness-conceptual-review/>
10. Department for Digital, Culture Media, Sport. Department Community Life Survey: Focus on Loneliness 2017-18; 2019. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/949242/Community_Life_Survey_Focus_on_Loneliness_201718_V2.pdf
11. Menec VH, Newall NE, Mackenzie CS, Shooshtari S, Nowicki S. Examining individual and geographic factors associated with social isolation and loneliness using Canadian Longitudinal Study on Aging (CLSA) data. *PLoS one*. 2019;14(2):e0211143. doi:10.1371/journal.pone.0211143
12. Polenick CA, Perbix EA, Salwi SM, Maust DT, Birditt KS, Brooks JM. Loneliness during the COVID-19 pandemic among older adults with chronic conditions. *J Appl Gerontol*. 2021;40(8):804-813. doi:10.1177/0733464821996527
13. Giebel C, Cannon J, Hanna K, et al. Impact of COVID-19 related social support service closures on people with dementia and unpaid carers: A qualitative study. *Aging Ment Health*. 2021a;25:p1281-p1288. doi:10.1080/13607863.2020.1822292
14. Giebel C, Lord K, Cooper C, et al. A UK survey of COVID-19 related social support closures and their effects on older people, people with dementia, and carers. *Int J Geriatr Psychiatry*. 2021b;36(3):p393-p402. Epub 2020 Sep 25. PMID: 32946619; PMCID: PMC7536967. doi:10.1002/gps.5434

15. McAiney C, Conway E, Koch M, et al. In their own words: How COVID-19 has impacted the well-being of persons living with dementia in the community. *Can J Aging*. 2021;40(4):p543-p553.
16. Wickens CM, McDonald AJ, Elton-Marshall T, et al. Loneliness in the COVID-19 pandemic: Associations with age, gender and their interaction. *J Psychiatr Res*. 2021;136:p103-p108.
17. Savage RD, Wu W, Li J, et al. Loneliness among older adults in the community during COVID-19: A cross-sectional survey in Canada. *BMJ Open*. 2021;11:e044517. doi:10.1136/bmjopen-2020-044517.
18. Age UK. *Same as it ever was: 'Life during the pandemic was no different to normal... I'm always lonely' Loneliness and Covid-19*. London, UK: Age UK; 2021. Available at: <https://www.ageuk.org.uk/globalassets/age-uk/documents/reports-and-publications/consultation-responses-and-submissions/health-wellbeing/loneliness-and-covid-19---december-2021.pdf>
19. Smith BJ, Lim MH. How the COVID-19 pandemic is focusing attention on loneliness and social isolation. *Public Health Res Pract*. 2020;30(2):p302-308.
20. Herron RV, Newall NEG, Lawrence BC, Ramsey D, Waddell CM, Dauphinais J. Conversations in times of isolation: Exploring rural-dwelling older adults' experiences of isolation and loneliness during the COVID-19 pandemic in Manitoba, Canada. *Int J Environ Res Public Health*. 2021;18(6):3028. doi:10.3390/ijerph18063028
21. Masoud SS, Meyer KN, Sweet LM, Prado PJ, White CL. We don't feel so alone: A qualitative study of virtual memory cafés to support social connectedness among individuals living with dementia and care partners during COVID-19. *Front Public Health*. 2021;9:660144. doi:10.3389/fpubh.2021.660144
22. Dove E, Cotnam K, Gural P, Shearer T, Astell AJ. Using touchscreen tablets with people with dementia. *J Dementia Care*. 2020;28(2):p22-p24.
23. Government of Canada. *Government of Canada Announced Affordable High-Speed Internet to Help Low-Income Families and Seniors*. Ottawa, ON: Government of Canada; 2022b. Available at: <https://www.canada.ca/en/innovation-science-economic-development/news/2022/04/government-of-canada-announces-affordable-high-speed-internet-to-help-connect-low-income-families-and-seniors.html>.
24. Sixsmith A, Horst BR, Simeonov D, Mihailidis A. Older people's use of digital technology during the COVID-19 pandemic. *Bulletin of Science, Technology & Society*. 2022;42(1-2):p19-p24. doi:10.1177/02704676221094731
25. Litchfield I, Shukla D, Greenfield S. Impact of COVID-19 on the digital divide: a rapid review. *BMJ Open*. 2021;11:e053440. doi:10.1136/bmjopen-2021-053440
26. Astell A. J., Semple J. Can robots, apps and other technologies meet the future global demands of dementia? In: Elger B, Jotterand P, Wangmo T, Ienca M, eds, *Intelligent Assistive Technologies for Dementia Care*. Oxford, UK: Oxford University Press; 2019.
27. Hernandez AM, Jodrell P, Dove E, et al. Touch screen applications for people with dementia: Indicators of learning and engagement. *Canadian Geriatrics J*. 2015;18(4):p284.
28. Canadian Radio-television and Telecommunications Commission. *Broadband Fund*. Gatineau, QB: Canadian Radio-television and Telecommunications Commission; 2022. Available at: <https://crtc.gc.ca/eng/internet/internet.htm>.
29. Vaportzis E, Clausen MG, Gow AJ. Older adults perceptions of technology and barriers to interacting with tablet computers: A focus group study. *Front Psychol*. 2017;8:p1687. doi:10.3389/fpsyg.2017.01687
30. New Economics Foundation [NEF]. *Co-production in Mental Health. A Literature Review*. London, UK: Mind and New Economics Foundation; 2013.
31. Astell AJ, Fels DI. Co-production methods in health research. In: Sixsmith A, Sixsmith J, Mihailidis A, Fang ML, eds, *Knowledge, innovation, and impact in Health - A handbook for the engaged researcher*. New York, NY: Springer; 2021:p175-p182.
32. Astell AJ, Andrews JA, Bennion M, Clayton D. Technology for Healthy Ageing and Well-being (THAW): Co-producing solutions. *Frontiers in Psychology*. 2021;12:745947. Article 745947 published online 2nd December 2021.
33. Astell AJ, Dove E, Morland C, Donovan S. Using the TUNGSTEN approach to co-create DataDay: A self-management app for dementia. In: Kenning G, Brankaert R. eds, *HCI and Design in the context of dementia*. New York, NY: Springer; 2020.
34. Yusupov I, Rich JB, Plunkett C, Astell A, Vandermorris S, Troyer AK. An agile development cycle of an online memory intervention program for healthy older adults. *Canadian Journal on Aging/ La Revue Canadienne du Vieillessement*. 2022; Mar 8: 1-10. published online 9th March 2022.
35. Desai S, Gunaseelan T, Jeyapragash A, Astell A. Co-creating with TUNGSTEN: Feasibility study to understand role of technology in chronic pain management. *Canadian Journal of Pain*. 2021;5:2. doi:10.1080/24740527.2021.1906756
36. Morrow-Howell N, Galucia N, Swinford E. Recovering from the COVID-19 pandemic: A focus on older adults. *Journal of ageing & social policy*. 2020;32(4-5):p526-p535.
37. Age UK. Briefing Paper - Living in a digital world after Covid-19. 2021. Available at: <https://www.ageuk.org.uk/globalassets/age-uk/documents/reports-and-publications/reports-and-briefings/active-communities/policy-briefing-living-in-a-digital-world-after-covid-19-the-experience-of-older-people-who-dont-live-their-lives-online.pdf>
38. Age UK. Digital inclusion and older people – how have things changed in a Covid-19 world? 2021. Available at: <https://www.ageuk.org.uk/globalassets/age-uk/documents/reports-and-publications/reports-and-briefings/active-communities/digital-inclusion-in-the-pandemic-final-march-2021.pdf>
39. Rinderud R. Seniors and technology during Covid-19: The latest insights, Blog. 2021. Available at: <https://www.ericsson.com/en/blog/2021/1/seniors-and-technology-during-covid>
40. Jones D, Jopling K, Kharicha K. Campaign to end loneliness (CTEL): Loneliness beyond Covid19. Learning the lessons of the pandemic for a less lonely future. 2021. Available at: <https://www.campaigntoendloneliness.org/wp-content/uploads/Loneliness-beyond-Covid-19-July-2021.pdf>
41. Akhter-Khan SC, Au R. Why loneliness interventions are unsuccessful: A call for precision health. *Advances in Geriatric Medicine and Research*. 2020;4(3).
42. Dahlberg L. Loneliness during the COVID-19 pandemic. *Ageing & mental health*. 2021;25(7):p1161-p1164.