

# What do changing weather and climate shocks and stresses mean for the UK food system?

Article

Published Version

Creative Commons: Attribution 4.0 (CC-BY)

Open access

Falloon, P., Bebber, D. P., Dalin, C., Ingram, J., Mitchell, D., Hartley, T. N., Johnes, P. J., Newbold, T., Challinor, A. J., Finch, J., Galdos, M. V., Petty, C., Cornforth, R. ORCID: https://orcid.org/0000-0003-4379-9556, Bhunnoo, R., Pope, E., Enow, A., Borrion, A., Waterson, A., MacNeill, K. and Houldcroft, A. (2022) What do changing weather and climate shocks and stresses mean for the UK food system? Environmental Research Letters, 17 (5). 051001. ISSN 1748-9326 doi: 10.1088/1748-9326/ac68f9 Available at https://centaur.reading.ac.uk/107346/

It is advisable to refer to the publisher's version if you intend to cite from the work. See <u>Guidance on citing</u>.

To link to this article DOI: http://dx.doi.org/10.1088/1748-9326/ac68f9

Publisher: Institute of Physics

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in



the End User Agreement.

## www.reading.ac.uk/centaur

## CentAUR

Central Archive at the University of Reading

Reading's research outputs online

## ENVIRONMENTAL RESEARCH LETTERS

## **PERSPECTIVE • OPEN ACCESS**

# What do changing weather and climate shocks and stresses mean for the UK food system?

To cite this article: Pete Falloon et al 2022 Environ. Res. Lett. 17 051001

View the article online for updates and enhancements.

## You may also like

- <u>A methodology for study of in-service drift</u> of meteorological humidity sensors S A Bell, P A Carroll, S L Beardmore et al.
- <u>The asymmetric response of Yangtze river</u> <u>basin summer rainfall to El Niño/La Niña</u> Steven C Hardiman, Nick J Dunstone, Adam A Scaife et al.
- Attributing human influence on the July 2017 Chinese heatwave: the influence of sea-surface temperatures Sarah Sparrow, Qin Su, Fangxing Tian et al.

## ENVIRONMENTAL RESEARCH LETTERS

## PERSPECTIVE

CrossMark

#### **OPEN ACCESS**

RECEIVED 13 January 2022

REVISED 11 April 2022 ACCEPTED FOR PUBLICATION

21 April 2022

PUBLISHED 4 May 2022

Original content from this work may be used under the terms of the Creative Commons Attribution 4.0 licence.

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



## What do changing weather and climate shocks and stresses mean for the UK food system?

Pete Falloon<sup>1,\*</sup><sup>(D)</sup>, Daniel P Bebber<sup>2</sup><sup>(D)</sup>, Carole Dalin<sup>3</sup><sup>(D)</sup>, John Ingram<sup>4</sup><sup>(D)</sup>, Dann Mitchell<sup>5,7</sup><sup>(D)</sup>, Tom N Hartley<sup>6</sup>, Penny J Johnes<sup>5,7</sup><sup>(D)</sup>, Tim Newbold<sup>8</sup><sup>(D)</sup>, Andrew J Challinor<sup>9,10</sup><sup>(D)</sup>, Jessica Finch<sup>11</sup>, Marcelo V Galdos<sup>9</sup><sup>(D)</sup>, Celia Petty<sup>12,13</sup><sup>(D)</sup>, Ros Cornforth<sup>12</sup><sup>(D)</sup>, Riaz Bhunnoo<sup>14</sup><sup>(D)</sup>, Edward Pope<sup>1</sup><sup>(D)</sup>, Andrew Enow<sup>15</sup>, Aiduan Borrion<sup>16</sup><sup>(D)</sup>, Amy Waterson<sup>1</sup><sup>(D)</sup>, Katrina MacNeill<sup>1</sup> and Alice Houldcroft<sup>17</sup>

- <sup>1</sup> Met Office Hadley Centre, Met Office, Exeter, United Kingdom
- <sup>2</sup> Department of Biosciences, University of Exeter, Geoffrey Pope Building, Stocker Road, Exeter EX4 4QD, United Kingdom
- <sup>3</sup> Institute for Sustainable Resources, Bartlett School of Environment, Energy and Resources, University College London, London, United Kingdom
- <sup>4</sup> Environmental Change Institute, University of Oxford, South Parks Road, Oxford OX1 3QY, United Kingdom
- <sup>5</sup> Cabot Institute for the Environment, University Road, University of Bristol, Bristol BS8 1SS, United Kingdom
- <sup>6</sup> Strategic Surveillance, Food Standards Agency, Foss House, 1-2 Peasholme Green, York YO1 7PR, United Kingdom
- <sup>7</sup> School of Geographical Sciences, University of Bristol, University Road, Bristol BS8 1SS, United Kingdom
- <sup>8</sup> Centre for Biodiversity and Environment Research, Department of Genetics, Evolution and Environment, University College London, London, United Kingdom
- <sup>9</sup> Institute of Climate and Atmospheric Science (ICAS), School of Earth and Environment, University of Leeds, Leeds, United Kingdom
- <sup>10</sup> CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS), c/o CIAT, Cali, Colombia
- <sup>11</sup> Department for Environment, Food and Rural Affairs, Seacole Building, 2 Marsham Street, London SW1P 4DF, United Kingdom
- <sup>12</sup> Walker Institute, University of Reading, Reading RG6 6EU, United Kingdom
- <sup>13</sup> Evidence for Development, University of Reading, Reading RG6 6EU, United Kingdom
- <sup>14</sup> Global Food Security Programme, UK Research and Innovation, Swindon, United Kingdom
- <sup>15</sup> Biotechnology and Biological Sciences Research Council, UK Research and Innovation, Swindon, United Kingdom
   <sup>16</sup> Department of Civil, Environmental and Geomatic Engineering, University College London, Chadwick Building, Gower Street, Lon-
- don WC1E 6BT, United Kingdom
- <sup>17</sup> Communications Team, Met Office, Exeter, United Kingdom
- \* Author to whom any correspondence should be addressed.

E-mail: pete.falloon@metoffice.gov.uk

Keywords: UK, climate extremes, food system, food security, climate impacts, climate adaptation, climate change

Supplementary material for this article is available online

In light of the publication of Henry Dimbleby's National Food Strategy (www.nationalfoodstrategy. org/) and the COP26 climate meeting in Glasgow, it is timely to consider the impacts of weather and climate extremes on the UK food system.

Climate change-driven changes in extreme weather events are one of the highest-risk future shocks to the UK food system [1], underlining the importance of preparedness across the food chain [2]. Here, we identify major knowledge gaps in the primary impacts of extreme weather and climate change across the UK's food system, its functioning and their interactions to provide information to support adaptation and resilience planning. Research tends to focus on individual food system activities rather than taking a systematic approach [3, 4]. However, strong evidence exists about the impacts of long-term climate trends and extremes [5] on primary food production [6]. The major knowledge gaps therefore concern post-primary production dimensions [4],

notably food system activities between the 'farm-gate' and consumption—which are the core focus of this paper (supplementary material S1 available online at stacks.iop.org/ERL/17/051001/mmedia). These constitute major economic and social dimensions but are often the 'missing middle' in food system discussions. We use the UK food system as an illustrative case study, and consider both global and domestic risks and implications. We present methods, tools and frameworks for systemic analysis of climate impacts on food systems, consider the funding landscape, and highlight priorities for future research.

## 1. Impacts of changing weather and climate shocks on the UK food system

## 1.1. Risks to domestic and overseas primary production

Future changes in weather and climate extremes [5] (supplementary material S2.1) could have

wide-ranging impacts on the UK food system (figure 1 [7–15], supplementary tables S1(a) and (b)), including well-established impacts on domestic and overseas primary production (supplementary material S2), i.e. agriculture, horticulture and fisheries [14].

#### 1.2. Risks to other food system activities

Climate risks extend beyond primary production to other food systems activities that are critical for food security, including the processing, storage, transportation, and consumption of food [16]. While there is much less information available on the impact of weather and climate change shocks on post-primary production aspects (figure 1, supplementary tables S1(a) and (b)), there is sufficient evidence to raise concerns [16]. Consistent themes include:

- Increased variability in supply quantity and quality which can affect processing where it depends on a reliable input supply and quality standards that determine end use;
- Heat and cold health impacts on workforces across the food chain;
- Disruption to transport and infrastructure;
- High temperature and humidity impacts on storage and transport practices to avoid spoilage and issues from toxins—highly perishable foods (such as fruit, vegetables, meat, dairy and fish) are particularly vulnerable to climate hazards during storage and transport [4];
- Changes in consumer demand (for example during high temperatures, the demand for barbecue food, salads and fresh fruit increases but supply will also may be impacted through heat stress).

Increases in ambient temperature will strongly affect food dependent on the cold-chain, as it can increase food spoilage and food poisoning risks [13]—this will increase energy use leading to a positive feedback whereby changing climate increases energy consumption and hence greenhouse gas emissions, leading to further climate change. Impacts of extreme weather on food safety are currently highly uncertain: there are many pathways through which climate change may affect food safety but few have been rigorously examined. Examples include higher temperature and humidity increasing risks from algal blooms, plant and animal-based pathogens and toxigenic fungi, increased food contamination and water-borne diseases via heavy rainfall and flooding, and indirect impacts from infrastructure damage [4]. The high food standards controlled within the UK provide some food safety resilience to extreme weather impacts through regulatory limits for pathogens and chemicals, combined with detection, monitoring, surveillance and horizon scanning, but it is unknown whether these will be sufficient

in the context of a changing climate and increasing unpredictability [17]. Storm surges and flooding can disrupt port facilities and other transport infrastructure (rail and roads), causing delays, depreciation of goods and additional costs [15] if cargo is re-routed.

Even when considering only one type of meteorological extreme, impacts could potentially propagate through the food chain with complex, cumulative effects (supplementary figure S2). Given the relative lack of evidence on likely impacts on individual food chain activities beyond primary production, the cumulative impacts of weather and climate extremes across the whole food chain remain an uncertain, significant knowledge gap.

## 2. Tools, frameworks and case studies

The potential for extreme weather and climate change to impact every aspect of the UK food system (figure 1, supplementary tables S1(a) and (b)) highlights the need for systems approaches to adaptation and mitigation [18]. These include models and risk assessment frameworks that incorporate all stages of the supply chain and are capable of robustly assessing food system shocks, their interactions with shocks caused by other drivers (e.g. economic, political and pandemics [19]) and system-wide risk transmissions, interactions and cascades [20]. Potential candidates are discussed in supplementary material S3.1.

Achieving increased resilience of the UK food system requires significant improvements and standardisation in the collection, quality, synthesis and application of data and information to support decision-making. This will need to be both through capitalising on ongoing improvements in weather and climate information across temporal and spatial scales (figure 2) and in utilising a broad range of food chain data, particularly for post-primary production activities. Key emerging avenues are highlighted in figure 2, and expanded in supplementary material S3.2.

## 3. Research funding landscape—current and future

The broad, system-wide impacts of extreme weather and climate change on the food chain highlight the need for the research funding landscape to reflect that perspective. A key priority will be to support a stronger evidence base on the impacts of weather and climate shocks on post-primary production aspects of the UK food chain, given the knowledge gaps noted here. The UK's cross-government Global Food Security Programme (GFS: www.foodsecurity.ac.uk) is leading two major strategic research programmes funded by UK Research and Innovation (UKRI) in partnership with government departments that have

	Changing wea     Major knowlec	<ul> <li>Changing weather and climate extremes cause impacts across the UK food system</li> <li>Major knowledge gaps exist post-primary production - the 'missing middle between</li> </ul>	<ul> <li>Changing weather and climate extremes cause impacts across the UK tood system</li> <li>Major knowledge gaps exist post-primary production - the 'missing middle between' farm gate and retail</li> </ul>	n gate and retail
	Heatwaves and hot extremes	High rainfall and flooding	Low rainfall and drought	Wind, storm and storm surge
Producing	Increase in cop and grass heat stress, damage and failure, and the need for increased ivestock heat stress <sup>9,12</sup> Reduced ivestock heat stress <sup>9,12</sup> Vields <sup>2,06</sup> Increased food safety risks for shellfish	<ul> <li>Inundation of farmland and soil erosion<sup>14</sup></li> <li>Reduced solf fertibity<sup>14</sup></li> <li>Crop and grass damage<sup>5</sup></li> <li>Reduced access to farmland</li> <li>Increasing risk of disease in livestock</li> </ul>	<ul> <li>Reduced arable and livestock feed-crop productivity and increased risk of crop failures.</li> <li>Reduced grazing productivity and quality reduced supplies of livestock drinking water</li> <li>Increased need for irrigation</li> </ul>	<ul> <li>Arable and livestock feed-crop damage<sup>2</sup></li> <li>Soll erosion</li> <li>Soll erosion</li> <li>Inundation</li> <li>Inundation</li> <li>Inundation</li> <li>Fushing of accumulated nutrient stores from soils into nearby waters</li> </ul>
Processing & Packaging	• Workforce heat stress <sup>11</sup> • Increased risk of supply variability and delay	<ul> <li>Increased risk of supply variability and delay</li> </ul>	<ul> <li>Increased risk of supply variability and delay</li> </ul>	<ul> <li>Damage to buildings and infrastructure</li> <li>Increased risk of supply variability and delay</li> </ul>
Transporting	<ul> <li>Infrastructure damage<sup>®</sup></li> <li>Livestock heat stress during transit<sup>12</sup></li> </ul>	<ul> <li>Increased risk of delays</li> <li>Reduced access in flood-affected areas</li> </ul>		• Road and rail disruption and delays <sup>®</sup> • Port disruption and delays <sup>15</sup>
storing	Increased need for temperature-controlled 'cold chain' <sup>13</sup> Higher energy use and reduced efficiency	<ul> <li>Increased energy use and cost to dry grain</li> <li>Increased toxins in grain</li> </ul>		<ul> <li>Damage to buildings and infrastructure</li> <li>Inundation and spollage of exposed grain</li> </ul>
Retailing	Workforce heat stress and impacts on working conditions	<ul> <li>Increased risk of supply variability and delay</li> </ul>	<ul> <li>Increased risk of supply variability and delay</li> </ul>	<ul> <li>Damage to buildings and infrastructure</li> <li>Increased risk of supply variability and delay</li> </ul>
Consuming	Reduced nutritional quality of cop-based food types <sup>10</sup> Increased risk of oad damage with impacts for food deliveries     Increased demand for 'barbeque food'	Reduced access to food and deliveries     for flood-affected populations		<ul> <li>Delay and cancellation of deliveries</li> <li>Reduced access to food in storm, surge and inundated-affected areas</li> </ul>
Disposing	Increased volumes due to greater levels     of damage and wastage     Reduced shelf life of food types stored     at room temperature	<ul> <li>Increased volumes due to greater levels of damage and wastage</li> </ul>	<ul> <li>Increased volumes due to greater levels of damage and wastage</li> </ul>	<ul> <li>Increased volumes due to greater levels of damage and wastage</li> </ul>
			Produced by the Mat Office Mat Office and the Mat Office Jons are mediated in derivativ. A Crowel Crowells 2031 Mat Office 1033.	a na

3



4

made significant progress by taking an interdisciplinary approach across academia, government, business and civil society organisations. 'Resilience of the UK Food System in a Global Context' (GFS-FSR) [21] focuses on understanding major vulnerabilities in the UK food system and how resilience to shocks can be enhanced, while 'Transforming the UK food system for healthy people and a healthy environment' (TUKFS) [3] focuses on transformational change of the UK's food system for healthy people and environment.

The recent £1.2bn UK government investment in weather and climate supercomputing will provide a six-fold increase in computing capacity for the first 5 years alone (https://www.metoffice.gov.uk/aboutus/press-office/news/corporate/2021/met-office-and -microsoft-announce-supercomputer-project). This will provide significant opportunities to underpin the aim of increased weather, climate and food chain data application in support of improved decision-making and resilience.

The UK's Horticultural Quality and Food Loss Network, funded by the Biotechnology and Biological Sciences Research Council, aims to tackle food loss through research and promoting improved horticultural crop quality and could help address knowledge gaps in the post-harvest impacts of weather and climate extremes. The UK Government, through the Government Department for Environment, Food and Rural Affairs (Defra), is also funding international research on food system climate resilience through the Horizon 2020 ERA-NET cofund on Food Systems and Climate (www.foscera. net/en/foscera/About-FOSC.htm) which focuses on assessing climate change risks for food value chains, promoting innovative food technology deployment and resilience to climate change across Africa, Latin America and Europe. Given the need to build resilience across the food chain, there is also a need to consider potential links to private funding, including from the (re)insurance and risk sectors.

Developing an overall, holistic framework and understanding of the food system, and connecting individual strands of work remains a challenge beyond GFS-FSR. For both GFS-FSR and TUKFS the focus is not specifically on resilience to future climate shocks. A recent UKRI funding initiative in response to the COVID-19 pandemic (https://strategicfutures. org/TopicMaps/UKRI/research\_map.html) furthered knowledge around shorter-term UK resilience, including for the food system, but a gap remains in understanding longer-term resilience to system shocks. Challenge-led funding initiatives are key to making progress and ensuring fit to objectives in this area. It would be beneficial to consider different approaches to their design and funding such as a priori approaches to connecting individual projects across research domains and food system activities.

#### 4. Conclusion and recommendations

Future shocks and stresses due to changes in weather and climate extremes will have significant impacts on the UK food system. Key knowledge gaps remain in our understanding of their impacts on non-cereal crops, livestock and fisheries production, on the food chain beyond primary production, on the longerterm impacts, and in an integrated, full system view of impacts that accounts for cumulative impacts, interactions, feedbacks and the interplay between domestic and overseas elements of the UK food system. These knowledge gaps need to be urgently addressed to ensure future climate resilience of the UK food system.

There are several areas where research could better support decision-making towards increased resilience to weather and climate shocks in both food policy and business sectors. We note the need for a step change in the collection, quality, synthesis and application of a broad range of weather and food chain data and information across time and space. There is a need to develop tools to support the inclusion of the 'missing middle' of food chain and policy discussions that incorporate weather and climate impacts: processing/packaging, transport, storage, wholesale, retail and disposing/reusing. Such efforts should also aim to support decisionmaking to enhance climate resilience across policy domains, given the potential for interactions between policy objectives in different areas. Research is needed to provide evidence to address the challenge of decision-making to improve climate resilience under deep uncertainty, and in support of dynamic policy decision-making to reflect changing circumstances and avoid lock-ins. Effective integration of quantitative and qualitative information on the food chain impacts of meteorological shocks across researchers and stakeholders will be central to these efforts.

Greater integration of climate, biophysical, social, political and economic research is required to characterise geo-political influences on food system climate resilience. A key knowledge gap to be addressed is whether long-term climate change will drive countries, including the UK, towards greater selfsufficiency or greater dependence on global food supply systems [22].

As part of Defra's priorities to ensure a secure, environmentally sustainable and safe supply of food in the face of future challenges, Defra published a comprehensive assessment of UK Food Security in 2010, the UK Food Security Assessment (UKFSA: https://webarchive.nationalarchives. gov.uk/20130402160926tf\_/http://archive.defra.gov. uk/foodfarm/food/security/index.htm). The UKFSA analysed a wide range of indicators and evidence for assessing UK food security. As a statutory duty under the Agriculture Act 2020, Defra produced a UK Food Security Report (UKFSR: www.gov.uk/government/statistics/united-kingdomfood-security-report-2021) in December 2021 and updates will be produced at least every 3 years thereafter. The UKFSR presents data and case studies across five themes (global food availability, UK supply sources, UK supply chain resilience, household food security and food safety and consumer confidence), and includes case studies on the impacts of weather and climate shocks on food supply. There are opportunities to include future climate-related indicators in subsequent releases of the UK-FSR, which would help raise awareness of, and preparedness for weather and climate shocks.

Here, we have only considered the direct impacts of weather and climate extremes on the UK food chain. Further work is needed to assess adaptation actions needed in response, and their knockon trade-offs and consequences across sectors, and their interactions to lay the foundations for the next generation of research. For adaptation, there is a need for applied, industry-inclusive interdisciplinary approaches involving social, political and economic sciences to help address challenges in uptake of new approaches and tools. It is also needed to address the socio-cultural issues associated with this change [23] such as farming attitudes towards maintaining land in production, the rural economy and nature of the production base, dietary changes towards Net Zero goals [22, 24], and to understand the links with food poverty in low-income groups. Future changes in population, wealth and diet will indirectly affect exposure and vulnerability to domestic and international climate hazards through links to trading patterns, and these factors need to be robustly assessed.

There is also, potentially, a very wide range of trade-offs and consequences stemming from food chain adaptation to weather and climate extremes that need to be assessed, including for water and energy security and ecosystems/biodiversity. These will lead to, for example, conflicts with other policy goals and actions and off-site impacts of food production systems. Future changes in trade-offs and consequences should be assessed since they will differ for the UK itself, and in key international supply regions. There is also a need to account for changes in other sectors as they adapt to climate change and to meet targets set under the UK 25 year Environment Plan, with knock-on consequences for food systems. It is therefore critical that planned climate adaptation of the food system avoids unintended consequences on health and wellbeing, both for humans and ecosystems.

The challenges identified here suggest the need for challenge-led, connective, interdisciplinary approaches to future funding initiatives in support of achieving food system resilience to weather and climate shocks. In particular, further support is needed to underpin understanding of climate shocks on the 'missing middle' of the food chain, and towards developing a full systems view, along with the priority areas identified above.

### Data availability statement

No new data were created or analysed in this study.

### Acknowledgments

PF was supported by the Met Office Hadley Centre Climate Programme funded by BEIS and Defra. CD was supported by an Independent Research Fellowship from the Natural Environment Research Council (Grant No. NE/N01524X/1). TN was supported by grants from the Natural Environment Research Council (NE/R010811/1) and the Economic and Social Research Council (ES/S008160/1), and by a University Research Fellowship from the Royal Society (UF150526). PF would like to thank Sean Milton and Helen Mako-Yule (Met Office, UK) and the Global Food Security Programme's Programme Coordination Group (www.foodsecurity.ac. uk/about/governance/) for discussions that helped inform the development of this paper, along with comments from three anonymous reviewers. The discussions that led to this paper were part of a Met Office Academic Partnership (www.metoffice.gov.uk/ research/approach/collaboration/partnership) activity with logistical support from Shannon Jackson and Verity Payne (Met Office, UK).

## **Conflict of interest**

The authors declare no competing interests.

### Author contributions

PF led discussions that informed the initial development of the paper and took overall editorial and writing responsibility. PF, DB, CD, JI, DM, TH, PJ, TN, AC, JF, MG, CP, RC, RB, EP, AE and AB contributed both to discussions that informed the paper development, and to the drafting of the paper itself. AW and KMcN conceptualised the figures which were designed by AH.

#### **ORCID** iDs

Pete Falloon 
https://orcid.org/0000-0001-75678885

Daniel P Bebber () https://orcid.org/0000-0003-4440-1482

Carole Dalin () https://orcid.org/0000-0002-2123-9622

John Ingram https://orcid.org/0000-0001-9365-1889

Dann Mitchell 
https://orcid.org/0000-0002-0117-3486

**IOP** Publishing

Penny J Johnes Inters://orcid.org/0000-0003-1605-6896

Tim Newbold 
https://orcid.org/0000-0001-73610051

Andrew J Challinor 6 https://orcid.org/0000-0002-8551-6617

Marcelo V Galdos () https://orcid.org/0000-0002-6080-0726

Celia Petty <sup>®</sup> https://orcid.org/0000-0001-8178-2574

Ros Cornforth l https://orcid.org/0000-0003-4379-9556

Riaz Bhunnoo lo https://orcid.org/0000-0003-3646-0474

Edward Pope (b) https://orcid.org/0000-0002-8295-2667

Aiduan Borrion () https://orcid.org/0000-0002-9869-1887

Amy Waterson https://orcid.org/0000-0002-5620-0269

## References

- Betts R A, Haward A B and Pearson K V (eds) 2021 The Third UK Climate Change Risk Assessment Technical Report (London: Climate Change Committee)
- [2] Committee on Climate Change 2019 Progress in Preparing for Climate Change: 2019 Report to Parliament (London: Committee on Climate Change) (available at: www.theccc.org.uk/publication/progress-in-preparingfor-climate-change-2019-progress-report-to-parliament)
- [3] Bhunnoo R and Poppy G M 2020 A national approach for transformation of the UK food system *Nat. Food* 1 6–8
- [4] Bezner Kerr R et al 2022 Food, fibre, and other ecosystem products Climate Change 2022: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change ed H O Pörtner et al (Cambridge: Cambridge University Press) accepted (https://doi.org/10.1111/ gcb.16124)
- [5] IPCC 2012 Managing the risks of extreme events and disasters to advance climate change adaptation Special Report of the Intergovernmental Panel on Climate Change ed C B Field et al Intergovernmental Panel on Climate Change (Cambridge: Cambridge University Press)
- [6] The Global Food Security Programme 2015 Extreme weather and resilience of the global food system *Final Project Report* from the UK-US Taskforce on Extreme Weather and Global Food System Resilience (Swindon: The Global Food Security Programme)

- [7] Mbow C et al 2019 Climate Change and Land P R Shukla et al (Geneva: IPCC) ch 5
- [8] Hanlon H, Bernie D, Carigi G and Lowe J 2021 Future changes to high impact weather in the UK *Clim. Change* 166 50
- [9] Wreford A and Topp C F E 2020 Impacts of climate change on livestock and possible adaptations: a case study of the United Kingdom Agric. Syst. 178 102737
- [10] Macdiarmid J and Whybrow S 2019 Nutrition from a climate change perspective Proc. Nutr. Soc. 78 380–7
- [11] Watts N *et al* 2020 The 2020 report of The Lancet Countdown on health and climate change: responding to converging crises *Lancet* 397 129–70
- [12] Davie J C S, Garry F K and Pope E C D 2021 Analysis of Heat Stress for UK Livestock Using UKCP18 Climate Data (Exeter: Met Office Hadley Centre)
- [13] James S and James C 2010 The food cold-chain and climate change Food Res. Int. 43 1944–56
- [14] Berry P and Brown I 2021 The Third UK Climate Change Risk Assessment Technical Report ed R A Betts, A B Haward and K V Pearson (London: Climate Change Committee)
- [15] Verschuur J, Koks E E and Hall J W 2020 Port disruptions due to natural disasters: insights into port and logistics resilience *Transp. Res.* D 85 102393
- [16] Brown M E et al 2015 Climate change, global food security, and the US food system (USDA) (available at: www.usda. gov/oce/climate\_change/FoodSecurity2015Assessment/ FullAssessment.pdf)
- [17] Lake I R et al 2010 Food and Climate Change: A Review of the Effects of Climate Change on Food within the Remit of the Food Standards Agency (London: Food Standards Agency)
- [18] McGonigle D F et al 2021 A Primer for Integrating Systems Approaches into Defra. Report from the Defra Systems Research Programme (Defra, London: Department for Environment, Food and Rural Affairs) accepted
- [19] Garnett P, Doherty B and Heron T 2020 Vulnerability of the United Kingdom's food supply chains exposed by COVID-19 *Nat. Food* 1 315–8
- [20] Challinor A J et al 2018 Transmission of climate risks across sectors and borders Phil. Trans. R. Soc. A 376 3762017030120170301
- [21] GFS Project n.d. Exploring the resilience of the UK food system in a global context (available at: www.foodsecurity.ac.uk/ publications/exploring-the-resilience-of-the-uk-foodsystem-in-a-global-context.pdf)
- [22] Elliott M and Bhunnoo R 2021 Scenarios for transforming the UK food system to meet global agreements *Nat. Food* 2 310–2
- [23] The Global Food Security Programme 2020 Building Back Better for Increased Resilience of the UK Food System to Future Shocks—Workshop Report (Swindon: The Global Food Security Programme) (available at: www.food security.ac.uk/publications/building-back-better-forincreased-resilience-of-the-uk-food-system-to-futureshocks.pdf)
- [24] Committee on Climate Change 2018 Land use: reducing emissions and preparing for climate change (London: Committee on Climate Change)