

*Novel flavours paired with glutamate condition increased intake in older adults in the absence of changes in liking*

Article

Accepted Version

Dermiki, M., Prescott, J., Sargent, L. J., Willway, J., Gosney, M. A. and Methven, L. (2015) Novel flavours paired with glutamate condition increased intake in older adults in the absence of changes in liking. *Appetite*, 90. pp. 108-113. ISSN 0195-6663 doi: <https://doi.org/10.1016/j.appet.2015.03.002>  
Available at <https://centaur.reading.ac.uk/39482/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.appet.2015.03.002>

Publisher: Elsevier


All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)


Central Archive at the University of Reading

Reading's research outputs online


**Figure 1:** Mean (+/- standard error) change in liking of soup flavours from session 1 to session 8 in those previously exposed to the flavour with or without MSG (MSG+, MSG- respectively)



**Figure 2:** Mean ( $\pm$  standard error) change in familiarity ratings between session 1 and 8 for cumin and lemongrass in those previously exposed to the flavour with or without MSG (MSG+, MSG- respectively)



**Figure 3:** Mean (+/- standard error) ratings of hunger, desire to eat and mood, all pre-consumption, at sessions 1 and 8 (Ratings from Questions 4, 5 and 6 in Table 1)



**Figure 4:** Mean ( $\pm$  standard error) consumption of soup in session 1 and session 8 of those exposed to that flavour with MSG (MSG+) and those not exposed to that flavour with MSG (MSG-)

