

*Walking in a winter wonderland?
Strategies for Early and Middle
Pleistocene survival in mid-latitude Europe*

Article

Accepted Version

Hosfield, R. ORCID: <https://orcid.org/0000-0001-6357-2805>
(2016) Walking in a winter wonderland? Strategies for Early
and Middle Pleistocene survival in mid-latitude Europe.
Current Anthropology, 57 (5). pp. 653-682. ISSN 0011-3204
doi: 10.1086/688579 Available at
<https://centaur.reading.ac.uk/43354/>

It is advisable to refer to the publisher's version if you intend to cite from the
work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1086/688579>

Publisher: University of Chicago Press

All outputs in CentAUR are protected by Intellectual Property Rights law,
including copyright law. Copyright and IPR is retained by the creators or other
copyright holders. Terms and conditions for use of this material are defined in
the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

Location	Coordinates	Month											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Addis Ababa ¹	09°01'N, 38°44'E	15.4	16.6	17.9	17.9	18.0	17.0	15.9	15.8	16.2	15.7	14.8	14.9
Atapuerca	44°22'N, 03°31'W	2.6	3.7	6.3	8.0	11.4	15.2	18.3	18.5	15.6	10.9	6.0	3.3
Dmanisi ²	41°19'N, 44°21'E	-3.8	-2.6	1.6	7.2	12.1	15.6	18.2	18.1	14.1	9.2	3.4	-1.3
Erzurum ³	39°54'N, 41°16'E	-6.9	-5.6	-1.2	5.4	10.1	14.1	18.5	18.5	14.3	8.1	2.1	-3.7
Gesher Benot Ya'aqov ⁴	33°03'N, 35°36'E	12.7	13.3	15.4	18.7	23.0	26.0	28.0	28.6	26.9	23.9	19.4	14.8
Schöningen	52°08'N, 10°57'E	0.1	0.5	3.6	7.8	12.5	15.8	17.5	17.2	13.9	9.3	4.7	1.4
Swanscombe	51°26'N, 00°17'E	3.8	4.3	6.4	8.9	12.2	15.6	17.3	16.9	14.6	11.1	7.1	4.7

Table 1: Present day average temperatures (°C), by month, for selected locations (data source: Climate-Data.org [<http://en.climate-data.org/>]).

¹Addis Ababa elevation: 2,355m asl; ²Dmanisi elevation: 1,225m asl; ³Erzurum elevation: 1,904m asl; ⁴Estimates for Gesher Benot Ya'aqov based on data for Hulata.

Food	Weight (g)	Energy (kcal)	Energy (kj)	Fat (g)	Protein (g)	Calcium (mg)	Iron (mg)	Vitamin A (RE) ¹	Thiamin (mg)	Riboflavin (mg)	Niacin (NE) ²	Vitamin C (mg)
Caribou, roasted	90	170	711	4.5	30	20	6.3	0.0	.19	.82	8.3	0
Caribou, dried	90	293	1226	7.0	53	10	11.7	6.3	.29	.65	10.2	3

Table 2: Energy and nutrient values for dried and roasted caribou (Health Canada 1995:120). ¹RE: *retinol equivalents*; ²NE: niacin equivalents, where 1mg niacin equivalent is equal to 1mg niacin or 60mg tryptophan.




Figure 1: Present day average temperatures (°C), by month, for selected locations (data source: Climate-Data.org [<http://en.climate-data.org/>]).