

Do jumps matter for volatility forecasting? Evidence from energy markets

Article

Accepted Version

Prokopczuk, M., Symeonidis, L. and Wese Simen, C. (2016) Do jumps matter for volatility forecasting? Evidence from energy markets. *Journal of Futures Markets*, 36 (8). pp. 758-792. ISSN 1096-9934 doi: <https://doi.org/10.1002/fut.21759>
Available at <https://centaur.reading.ac.uk/48497/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

Published version at: <http://dx.doi.org/10.1002/fut.21759>

To link to this article DOI: <http://dx.doi.org/10.1002/fut.21759>

Publisher: Wiley

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

Do Jumps Matter for Volatility Forecasting? Evidence from Energy Markets*

Marcel Prokopczuk^{†,‡} Lazaros Symeonidis[§]

Chardin Wese Simen[¶]

Abstract

This paper characterizes the dynamics of jumps and analyzes their importance for volatility forecasting. Using high-frequency data on four prominent energy markets, we perform a model-free decomposition of realized variance into its continuous and discontinuous components. We find strong evidence of jumps in energy markets between 2007 and 2012. We then investigate the importance of jumps for volatility forecasting. To this end, we estimate and analyze the predictive ability of several Heterogenous Autoregressive (HAR) models that explicitly capture the dynamics of jumps. Conducting extensive in-sample and out-of-sample analyses, we establish that explicitly modeling jumps does not significantly improve forecast accuracy. Our results are broadly consistent across our four energy markets, forecasting horizons and loss functions.

JEL classification: C1, C53, C58, G1, G13.

Keywords: Realized volatility, jumps, high-frequency data, volatility forecasting, forecast evaluation.

*We thank Chris Brooks, Michael Clements, Richard Harris, an anonymous reviewer, participants at the 2015 FMA European Conference (Venice) and the 14th Conference on Research on Economic Theory and Econometrics (Chania) for helpful comments.

[†]Leibniz University Hannover, Koenigsworther Platz 1, 30167 Hannover, Germany. Contact: prokopczuk@fmt.uni-hannover.de

[‡]ICMA Centre, Henley Business School, University of Reading, RG6 6BA, UK.

[§]Norwich Business School, University of East Anglia, Norwich NR4 7TJ, United Kingdom. Contact: l.symeonidis@uea.ac.uk (corresponding author)

[¶]University of Liverpool, Chatham Street, Liverpool, L69 7ZH, United Kingdom. Contact: c.wese-simen@liverpool.ac.uk

I. Introduction

The theory of quadratic variation (QV) posits that the total variation of an asset return can be decomposed into continuous and discontinuous components. The aim of this paper is to advance our understanding of the dynamics of each of these components and investigate their importance for volatility forecasting.

We make three important contributions to the literature. First, we identify and characterize the dynamics of jumps in four leading energy markets, namely crude oil, gasoline, heating oil and natural gas. Using intraday transaction prices, we implement a non-parametric jump detection test to identify jumps. We then rigorously analyze the time-series behaviour of jumps, thus shedding more light on their dynamics. Our analysis shows that jumps are rare events that affect only a small proportion of our sample. Moreover, we find important asymmetries in the intensity of positive and negative jumps, suggesting that it may be important to separately model the dynamics of positive and negative jumps.

Second, we investigate the importance of disentangling continuous volatility from jumps for volatility forecasting. We present and thoroughly assess the predictive ability of several models of the Heterogenous Autoregressive (HAR) family that seek to explicitly capture the dynamics of jumps.¹ We begin by analyzing the in-sample predictive power of all models, which we compare to our benchmark HAR–RV model, which does not account for the impact of jumps. To this end, we perform simple ordinary least squares (OLS) regressions of realized volatility on the in-sample forecasts obtained from the various HAR models. We find that all models yield adjusted R^2 that are very close to each other, indicating that the benefits of explicitly modeling jumps are likely to be small. This is true for all forecast horizons, i.e. 1-, 5- and 22-day ahead.

Third, we go beyond the in-sample analysis and rigorously analyze the out-of-sample performance of competing models. We use a rolling window of 600 days to estimate the parameters of forecasting models. Equipped with these, we then forecast the volatility of the next period, which we compare to realized volatility (observed ex-post). We employ six distinct loss functions to analyze the accuracy

¹See Corsi (2009) for an excellent treatment of the HAR model.

of competing forecasts. Our results establish that all models yield forecast errors that are of the same order of magnitude, indicating that explicitly modeling jumps does not noticeably improve forecast accuracy. We analyze the question of statistical significance by implementing the test of Giacomini and White (2006), hereafter GW. This analysis suggests that explicitly modeling jumps does not significantly improve forecast accuracy. This result generally holds for all horizons, loss functions and markets.

We conduct several robustness checks. First, one may wonder whether our conclusions change depending on whether we forecast variance and log variance rather than volatility. Focusing on the task of forecasting realized variance and log realized variance, we repeat our analyses and obtain broadly similar conclusions. Second, we investigate the robustness of our findings to the jump detection methodology. In particular, we draw on recent theoretical results by Andersen et al. (2012), who introduce novel jump-robust estimators of integrated variance. Repeating our analysis with the new estimator does not change our main insights. Third, one may argue that the width of the rolling window may impact our analysis. We consider alternative windows of 400, 800 and 1,000 observations. Our core message is the same: explicitly modeling jumps does not significantly improve volatility forecasts. Finally, we assess the robustness of our results to the estimation methodology. Because our dependent variable, i.e. volatility, varies substantially over time, our OLS estimates may be driven by a highly volatile pocket of data. To address this concern, we repeat our analyses by estimating all models using a weighted least squares (WLS) approach (rather than OLS) and reach similar conclusions.

Our study relates to the literature on the econometrics of jumps. Barndorff-Nielsen and Shephard (2004), Barndorff-Nielsen et al. (2004), Barndorff-Nielsen and Shephard (2006), Tauchen and Zhou (2011) and Andersen et al. (2012) propose a number of non-parametric tests to identify jumps. Eraker et al. (2003) and Eraker (2004) rely on tightly parameterized continuous-time models to estimate jumps. Aït-Sahalia et al. (2014) and Maneesoonthorn et al. (2014) model jumps as processes that are self-exciting and explore the implications of this modeling framework for

derivatives prices.² We contribute to this literature by presenting a thorough and comprehensive model-free study on the dynamics of jumps in four leading energy markets. Furthermore, our finding that explicitly modeling jumps does not significantly improve volatility forecasts may have important implications for continuous-time models that are needed for energy prices. If jumps are self-exciting then historical jump returns should contain information about the discontinuous component of the realized variation of asset prices. Hence, we would expect to obtain more accurate volatility forecasts by explicitly modeling the dynamics of jumps. Our results reveal that this is not the case, thus indicating that models with self-exciting jumps are unlikely to successfully match the dynamics of energy prices.

Our paper also connects with the growing literature that uses intraday data to obtain more accurate volatility forecasts (Andersen and Bollerslev, 1998; Areal and Taylor, 2002; Martens and Zein, 2004; Giot and Laurent, 2007; Corsi and Reno, 2009; Corsi et al., 2010; Chung et al., 2011; Patton and Sheppard, 2015; Sévi, 2014). Our paper relates to the important works of Andersen et al. (2007) and Andersen et al. (2011), who study the importance of jumps for volatility forecasting in the equity, fixed-income and foreign exchange markets. We complement these studies by presenting fresh evidence from energy markets. Different from the evidence from the other asset classes, we find that modeling jumps does not noticeably improve the accuracy of volatility forecasts in commodity markets. Thus, our results suggest that findings from other asset classes do not necessarily extend to commodities. We conjecture that the different results may be due to the underlying determinants of jumps in commodity prices. It is possible that the unpredictable nature of important events, such as political unrest in major oil producing countries and natural disasters, that trigger jumps in energy prices explains why past jumps are not necessarily informative about future volatility.

The remainder of the paper is organized as follows. Section II introduces our methodology and the dataset. Section III presents our empirical results. Section IV discusses various robustness checks. Finally, Section V concludes.

²By “self-exciting” jumps, the financial modeling literature typically refers to the clustering of extreme events: a jump event tends to trigger another jump event in the same market.

II. Methodology and Data

This section begins with a brief overview of jump detection tests. We then introduce the competing models. Finally, we present our dataset of intraday transaction prices.

A. Jump Detection Test

Consider the logarithmic price process, p_t , defined on the probability space $(\Omega, \mathcal{F}, (\mathcal{F}_t)_{0 \leq t \leq T}, P)$, where \mathcal{F}_t is the information set available up to time t , such that p_t is \mathcal{F}_t -measurable and evolves in continuous-time as a jump-diffusion process:

$$dp_t = \mu_t dt + \sigma_t dW_t + \eta_t dN_t \quad (1)$$

where dp_t denotes the change in log price. μ_t is the drift, which is a locally bounded and predictable process of finite variance. dt is an increment of time. σ_t is the instantaneous (or spot) volatility, which is a càdlàg process. W_t refers to the Brownian motion. η_t is a random variable capturing the jump size. Finally, N_t is a Poisson jump process. If a jump occurs during the increment dt , then $dN_t = 1$. Otherwise, $dN_t = 0$. The probability of a jump occurring in the time interval dt is $P[dN_t = 1] = \lambda_t dt$, where λ_t is the (time-varying) jump intensity.

The quadratic variation, QV_t , of the above return process can then be expressed as the sum of a continuous and a discontinuous component (Barndorff-Nielsen and Shephard, 2004, 2006). More formally, we have:

$$QV_t = \underbrace{\int_{t-1}^t \sigma_s^2 ds}_{\text{continuous}} + \underbrace{\sum_{t-1 \leq \tau_i \leq t} \eta_{\tau_i}^2}_{\text{discontinuous}} \quad (2)$$

where τ_i are the times corresponding to jump occurrences (with $i = 1, 2, \dots, N_t$) and all other variables are as previously defined. The first term on the right hand side of the equality sign is the “integrated variance”; it is the continuous component of the quadratic variation. The second term is the discontinuous component of the quadratic variation.

We now explain in detail how to empirically compute each of the quantities

shown in Equation (2). Suppose that on a trading day t we observe $M + 1$ prices at times: t_0, t_1, \dots, t_M . If p_{t_j} is the logarithmic price at time t_j , then the corresponding return, r_{t_j} , for the j^{th} intraday interval of day t is defined as follows:

$$r_{t_j} = p_{t_j} - p_{t_{j-1}} \quad (3)$$

Andersen et al. (2001, 2003) and Barndorff-Nielsen and Shephard (2002a,b) propose the “realized variance” estimator, defined as the sum of squared intraday returns:

$$RV_t = \sum_{j=1}^M r_{t_j}^2 \quad (4)$$

The authors show that, as the sampling frequency increases ($M \rightarrow \infty$), realized variance is a consistent estimator of daily quadratic variation:

$$\lim_{M \rightarrow \infty} RV_t \equiv QV_t \quad (5)$$

Barndorff-Nielsen and Shephard (2004, 2006) introduce the “bipower variation” (BPV), which is a consistent estimator of the continuous component of QV_t :³

$$BPV_t = \mu_1^{-2} \left(\frac{M}{M-2} \right) \sum_{j=2}^M |r_{t_{j-1}}| \cdot |r_{t_j}| \quad (6)$$

where $\mu_1 = \mathbb{E}(|Z|) = \sqrt{2/\pi}$ is the first moment of the absolute value of a standard normal random variable. The term $M/(M-2)$ corresponds to a finite sample bias correction. BPV_t consistently estimates the continuous sample path of quadratic variation as $M \rightarrow \infty$ (Barndorff-Nielsen and Shephard, 2004, 2006; Barndorff-Nielsen et al., 2006):

$$\lim_{M \rightarrow \infty} BPV_t \equiv \int_{t-1}^t \sigma_s^2 ds \quad (7)$$

where all variables are as previously defined.

³Andersen et al. (2012) point out that because of microstructure effects, the contribution of jumps does not vanish asymptotically, leading to an upward bias in the BPV estimator. We address this issue in our robustness analysis by replacing the BPV estimator with the MedRV estimator based on nearest neighbor truncation (Andersen et al., 2012).

Huang and Tauchen (2005), Andersen et al. (2007) and others document that using staggered returns alleviates many of the microstructure biases inherent in high-frequency data. Instead of computing the product of adjacent returns, i.e. $|r_{t_{j-1}}| \cdot |r_{t_j}|$, they consider $|r_{t_{j-(k+1)}}| \cdot |r_{t_j}|$, where k is a positive integer indicating the number of returns to skip. When staggered returns are employed, the realized bipower variation of Equation (6) is modified as follows:

$$BPV_t = \mu_1^{-2} \left(\frac{M}{M - (k + 1)} \right) \sum_{j=k+2}^M |r_{t_{j-(k+1)}}| \cdot |r_{t_j}| \quad (8)$$

Throughout our study, we work with staggered returns to allay concerns related to the microstructure noise. We always skip 1 return observation, i.e. setting $k = 1$.

Since the quadratic variation is the sum of continuous and discontinuous components (see Equation (2)), one can express the discontinuous component as the difference between the quadratic variation and the continuous component. A direct implication of this is that we can infer the discontinuous component from the realized variance and the bipower variation:

$$RV_t - BPV_t \xrightarrow{p} \sum_{t-1 \leq \tau_i \leq t} \eta_{\tau_i}^2 \quad (9)$$

This intuition lies at the heart of most jump detection tests. Huang and Tauchen (2005) show that the ratio statistic with a maximum adjustment (Barndorff-Nielsen and Shephard, 2006) has good size and power properties. This result motivates us to use the following test to detect significant jumps:

$$z_{TQ,t} = \Delta^{-1/2} \frac{(RV_t - BPV_t) / RV_t}{\sqrt{\left(\left(\frac{\pi}{2}\right)^2 + \pi - 5\right) \max\left(1, \frac{TQ_t}{BPV_t^2}\right)}} \quad (10)$$

TQ_t above is the realized tripower quarticity:

$$TQ_t = M \left(\frac{M}{M - 2(k + 1)} \right) \mu_{4/3}^{-3} \sum_{j=3}^M |r_{t_{j-2(k+1)}}|^{4/3} \cdot |r_{t_{j-k-1}}|^{4/3} \cdot |r_{t_j}|^{4/3} \quad (11)$$

where $\mu_{4/3} = 2^{2/3}[\Gamma(7/6)/\Gamma(1/2)]$.

Using the test statistic of Equation (10) and a significance level α , which we set

equal to 0.1 %, we extract the significant jumps, J_t , as follows:⁴

$$J_t = \mathbb{I}_{\{Z_{TQ,t} > \Phi_{1-\alpha}\}} \cdot (RV_t - BPV_t) \quad (12)$$

where $\mathbb{I}_{\{Z_{TQ,t} > \Phi_{1-\alpha}\}}$ is an indicator function which is equal to 1 when a significant jump occurs and zero otherwise, $\Phi_{1-\alpha}$ is the corresponding critical value from the cumulative standard normal distribution at confidence level $1 - \alpha$. Since RV_t is equal to the sum of the continuous component (C_t) plus jumps (J_t), the continuous path of realized variance can be identified as follows:

$$C_t = \mathbb{I}_{\{Z_{TQ,t} > \Phi_{1-\alpha}\}} \cdot BPV_t + \mathbb{I}_{\{Z_{TQ,t} \leq \Phi_{1-\alpha}\}} \cdot RV_t \quad (13)$$

where all variables are as previously defined.

B. Volatility Forecasting Models

1. **HAR-RV**: Our benchmark econometric model is the HAR-RV recently implemented in Patton and Sheppard (2015). The simple structure of this model enables it to parsimoniously capture the long-memory behaviour of realized volatility. This is achieved by combining historical estimates of realized volatility computed over various non-overlapping horizons. Patton and Sheppard (2015) emphasize that non-overlapping horizons are important to (i) allay any concerns about the strong correlation between the components of the model and (ii) facilitate the interpretation of the coefficient estimates.

We follow their recommendation and estimate the following volatility

⁴This stringent choice is mainly motivated by the theoretical results of Bajgrowicz et al. (2014), who forcefully show that multiple testing issues could result in spurious jumps. The authors recommend using stringent significance levels such as 0.1 % to allay concerns that the results of jump tests may be driven by any false positives. We follow their recommendation. As a further robustness check, we also consider a significance level of 1 % and reach very similar conclusions (see Tables A.1–A.5 of the online Appendix). We are very grateful to the reviewer for suggesting this analysis.

forecasting model:^{5,6}

$$RV_{t:t+h}^{1/2} = \omega + \beta_d RV_t^{1/2} + \beta_w RV_{t-5:t-1}^{1/2} + \beta_m RV_{t-22:t-5}^{1/2} + e_{t+h} \quad (14)$$

As mentioned above, each component in the HAR-RV model is computed over different horizons. Therefore, if RV_t is the realized variance of day t (from time $t-1$ to t), then the h -day annualized realized variance is expressed as:⁷

$$RV_{t:t+h} = \frac{252}{h} (RV_{t+1} + RV_{t+2} + \dots + RV_{t+h}) \quad (15)$$

In a similar manner, the weekly and monthly components are computed as:

$$RV_{t-5:t-1} = \frac{252}{4} \sum_{i=2}^5 RV_{t-i+1} \quad (16)$$

$$RV_{t-22:t-5} = \frac{252}{17} \sum_{i=6}^{22} RV_{t-i+1} \quad (17)$$

2. **HAR-J**: Andersen et al. (2007) propose the HAR-J, which is a simple extension of the HAR-RV model that seeks to capture the dynamics of jumps. The main feature of the HAR-J model is that it replaces the most recent realized volatility ($RV_{t-1}^{1/2}$) with two components: $C_{t-1}^{1/2}$ and $J_{t-1}^{1/2}$. Each of these components has its own coefficient estimate:

$$RV_{t:t+h}^{1/2} = \omega + \beta_d C_t^{1/2} + \beta_w RV_{t-5:t-1}^{1/2} + \beta_m RV_{t-22:t-5}^{1/2} + \gamma_J J_t^{1/2} + e_{t+h} \quad (18)$$

where all variables are as previously defined.

3. **HAR-RJ**: The previous model can be criticized on the grounds that it ignores

⁵We focus on the task of forecasting volatility (rather than variance) because volatility plays a key role in modern finance theory. For instance, it is a key variable for option pricing and asset allocation. We also consider the task of forecasting variance and log variance. See Section IV. for further results.

⁶Strictly speaking, the daily realized volatility should be written as $RV_{t-1:t}$. However, to simplify our notation, we write it as RV_t .

⁷Similar to Busch et al. (2011), among others, we focus on *annualized* variance. This explains the presence of the factor 252 in Equation (15). Naturally, this multiplicative factor does not affect the statistical and economic interpretation of our findings.

the sign of jumps. The HAR-RJ addresses this limitation (Tauchen and Zhou, 2011). We identify significant realized jumps as follows:

$$RJ_t = \text{sign}(r_t) \cdot \sqrt{J_t} \quad (19)$$

where RJ_t is the realized jump on day t , $\text{sign}(\cdot)$ is the sign operator. The HAR-RJ model is then defined as:

$$\begin{aligned} RV_{t:t+h}^{1/2} &= \omega + \beta_d C_t^{1/2} + \beta_w RV_{t-5:t-1}^{1/2} + \beta_m RV_{t-22:t-5}^{1/2} \\ &\quad + \gamma_{RJ} RJ_t + e_{t+h} \end{aligned} \quad (20)$$

where all components are as previously defined.⁸

4. **HAR-ARJ**: It may be that positive and negative observations of RJ exert an asymmetric impact on volatility. As a result, it is interesting to investigate which of positive and negative jumps is more important for volatility forecasting. We advance in this direction by further decomposing RJ_t into components due to positive and negative jumps:

$$RJ_t^+ = \max(RJ_t; 0) \quad (21)$$

$$RJ_t^- = \min(RJ_t; 0) \quad (22)$$

The HAR-ARJ specification is employed to test whether the variation from negative jumps has a more pronounced impact on future volatility than that of positive jumps:

$$\begin{aligned} RV_{t:t+h}^{1/2} &= \omega + \beta_d C_t^{1/2} + \beta_w RV_{t-5:t-1}^{1/2} + \beta_m RV_{t-22:t-5}^{1/2} \\ &\quad + \gamma_{RJ+} RJ_t^+ + \gamma_{RJ-} RJ_t^- + e_{t+h} \end{aligned} \quad (23)$$

5. **HAR-C-J**: Finally, we consider a more general specification, similar to that of Andersen et al. (2007), which fully decomposes each realized variance

⁸Notice that the superscript $1/2$ is omitted from RJ_t , since it is already expressed in volatility form (see Equation (19)).

component (i.e. daily, weekly, monthly) into its continuous and jump parts:

$$\begin{aligned}
RV_{t:t+h}^{1/2} &= \omega + \beta_d C_t^{1/2} + \beta_w C_{t-5:t-1}^{1/2} + \beta_m C_{t-22:t-5}^{1/2} + \gamma_{Jd} J_t^{1/2} \\
&\quad + \gamma_{Jw} J_{t-5:t-1}^{1/2} + \gamma_{Jm} J_{t-22:t-5}^{1/2} + e_{t+h}
\end{aligned} \tag{24}$$

C. Data

Our dataset consists of tick-by-tick transaction prices on four energy futures contracts traded at NYMEX, namely WTI crude oil, gasoline (RBOB), heating oil and natural gas. The data comes from TickData and spans the period from January 2, 2007 to June 29, 2012.⁹ Energy futures contracts trade on two venues: pit and electronic. Trading hours on both platforms have no overlap and collectively span 22:45 hours. Pit trading takes place between 9:30 AM (ET) and 4:15 PM (ET). Electronic trading starts at 4:30 PM (ET), pauses at 5:15 PM (ET) for 45 minutes, resumes at 6:00 PM (ET) and stops the following day at 9:15 AM (ET).

We use both pit and electronic transaction records and process the dataset as follows. First, we discard all transactions with prices lower than or equal to zero. Second, we expunge all trades with time-stamps that are inconsistent with the exchange's trading hours. Third, we retain the futures contract with the highest number of transactions only (usually the first or second nearest contract). Following existing studies, e.g. Lee and Mykland (2008) and Bradley et al. (2014), we sample our data at the 15-min frequency.¹⁰

Table 1 presents summary statistics for the different (annualized) measures of variance. Columns 2 to 4 relate to realized variance (RV), bipower variation (BPV) and significant jumps (J_t), i.e. RV - BPV , respectively. Columns 5 to 7 present results for the square root of RV , BPV and J_t , respectively. A comparison of \sqrt{RV} across the four energy futures markets reveals that on average natural gas exhibits the highest volatility (44.3% per year), followed by crude oil (34.4%), gasoline (34.3%)

⁹The Gasoline RBOB futures contracts started trading in October 2005. This means that we can only have a common sample period from that point onwards. While we could consider the sample period from 2005 onwards, we feel that it is important to allow for about a year to elapse to ensure that the gasoline futures contracts are actively traded.

¹⁰We also analyze the volatility signature plot, which plots realized volatility as a function of sampling frequency (Andersen et al., 1999). The plots support the choice of the 15-min sampling frequency.

and heating oil (30.7%). These numbers are broadly consistent with the results of Thomakos and Wang (2003) and Wang et al. (2008).

III. Empirical Results

This section presents our main results. We begin by characterizing the dynamics of jumps. Next, we compare the predictive ability of these models in an in-sample setting. Finally, we present a comprehensive and rigorous analysis of the performance of these models.

A. The Dynamics of Jumps

Table 2 displays summary statistics of significant jumps. We use a conservative significance level of 0.1%. We observe that the proportion of jump days (*Intensity*) is highest for gasoline (11.5%), followed by natural gas (10%), heating oil (8.5%) and crude oil (6.3%).

Following Andersen et al. (2007) and Tauchen and Zhou (2011), we compute the geometric average of monthly jump intensity to obtain a smoothed time-series. We define the jump intensity of a specific month as the number of jump days in that month over the total number of trading days in that particular month. Figure 1 reveals important time variations in the intensity of jumps, which peaks between 2008 and 2009. We also observe interesting differences across markets. While the jump intensities of heating oil and gasoline both steadily decline post-2010, the jump intensity of crude oil displays much more variation.

The second and third rows of Table 2 present some evidence of asymmetries in the time-series of jumps. This is particularly visible by looking at the intensities of positive and negative jumps, reported under $Intensity^+$ and $Intensity^-$, respectively. For example, the proportion of positive jumps (4.1%) is almost twice as high as that of negative jumps in the crude oil market. Another interesting observation is that the average positive jump return ($Mean^+$) is very similar in magnitude to that of negative jumps ($Mean^-$). Remarkably, this pattern holds for all markets.

B. In-sample Analysis

We begin by analyzing the in-sample predictive power of the competing models introduced in the previous section. To this end, we use all daily observations to estimate the models using OLS.¹¹ We consider 3 forecasting horizons, namely 1-, 5- and 22-day. Tables 3 to 6 report our results. We report in brackets, the Newey–West corrected t-statistics with 5, 10 and 44 lags for the 1, 5 and 22 day forecasting horizons, respectively. We highlight in bold, all significant estimates at the 5% level. Looking first at the benchmark HAR–RV model, we see that this model predicts realized volatility with adjusted R^2 up to 76% in the crude oil market.

Turning to the HAR–J specification, we observe that the coefficient of the jump component is generally positive and statistically significant. This is true for all forecast horizons. This result indicates that volatility increases following a jump event. The magnitude of the jump component differs across markets. In particular, the coefficient estimate of the jump component at the 22-day horizon takes the value 0.098, 0.074 and 0.038 in the crude oil, heating oil and natural gas markets, respectively.

Focusing on the HAR–ARJ model, we see that the negative jump component generally dominates its positive counterpart. This is true in terms of both economic magnitude and statistical significance. Interestingly, the negative jump component enters the regression with a negative loading, indicating that negative jumps predict increases in future volatility. These results generally hold across all horizons.

The finding that only the negative jump component of the HAR–ARJ model is statistically significant helps understand why the HAR–RJ typically yields an insignificant jump component. Since positive and negative jumps are mixed together, this blurs the information content of jumps and buries any evidence of predictability.

The last row of each panel reveals that the jump components of the HAR–C–J model are generally significant. In spite of the statistical significance of the jump components exhibited by the more sophisticated models, we can see that there is very little to distinguish between the explanatory power of all models. This is true

¹¹One may argue that volatility itself fluctuates significantly over time, raising concerns that the OLS estimation may be driven by a small pocket of data. To address this concern, we also use a weighted least squares (WLS) estimation. See Section IV. for further details.

for all markets and forecast horizons. For instance, in the crude oil market, all models yield adjusted R^2 roughly equal to 82%. The upshot of this is that the benefits of explicitly modeling the dynamics of jumps are small.

C. Out-of-Sample Analysis

We now turn our attention to the out-of-sample performance of the competing models. To do this, we adopt a simple procedure that allows us to generate forecasts using parameters estimated on a rolling windows basis. Each day, we use the most recent 600 observations to estimate the forecasting models.¹² Equipped with the parameter estimates, we generate out-of-sample volatility forecasts for a given horizon, e.g. 22-day, which we then compare with realized volatility (computed ex-post). We roll our window forward by one day and repeat all the steps above, yielding a time-series of volatility forecasts that are compared with the corresponding realized volatility. We do this for each market, model and forecasting horizon.

We consider the following 6 loss functions: the mean squared error (MSE), the mean squared percentage error ($MSPE$), the mean absolute error (MAE), the mean absolute percentage error ($MAPE$), the logarithmic loss (LL) and the quasi-likelihood loss ($QLIKE$). These loss functions are defined as follows:

$$\begin{aligned}
 MSE &= \frac{1}{N} \sum_{t=1}^N (RV_{t:t+h}^{1/2} - F_{t:t+h}^{1/2})^2 & MSPE &= \frac{1}{N} \sum_{t=1}^N \left(\frac{RV_{t:t+h}^{1/2} - F_{t:t+h}^{1/2}}{F_{t:t+h}^{1/2}} \right)^2 \\
 MAE &= \frac{1}{N} \sum_{t=1}^N |RV_{t:t+h}^{1/2} - F_{t:t+h}^{1/2}| & MAPE &= \frac{1}{N} \sum_{t=1}^N \left| \frac{RV_{t:t+h}^{1/2} - F_{t:t+h}^{1/2}}{F_{t:t+h}^{1/2}} \right| \\
 LL &= \frac{1}{N} \sum_{t=1}^N \left[\log(RV_{t:t+h}^{1/2}) - \log(F_{t:t+h}^{1/2}) \right] & QLIKE &= \frac{1}{N} \sum_{t=1}^N \left[\log(F_{t:t+h}^{1/2}) + \frac{RV_{t:t+h}^{1/2}}{F_{t:t+h}^{1/2}} \right]
 \end{aligned}$$

where N is the number of out-of-sample forecasts, $RV_{t:t+h}^{1/2}$ is the ex-post realized volatility and $F_{t:t+h}^{1/2}$ is the volatility forecast from each of the five forecasting models.

Table 7 presents the forecasting errors. Each panel focuses on a specific loss function. While each row corresponds to a specific market, each column represents a specific forecasting model. We present the results for each forecasting horizon.

¹²Section IV. considers other window sizes such as 400, 800 and 1,000. Our main conclusions are robust to the width of the rolling window.

We observe that the forecast errors of the more complex models are of the same order of magnitude as those of the baseline HAR–RV, indicating that modeling jumps does not noticeably improve forecast accuracy. For instance, the *MSEs* of natural gas (monthly horizon) vary within a tight range from 0.837 (HAR–ARJ) to 0.847 (HAR–C–J). Clearly, there is very little to distinguish between all competing models. This example also reveals that the most elaborated model, i.e. HAR–C–J, often produces the worst forecast, thus strengthening our main conclusion.

Up to this point, we only analyze the magnitudes of the loss functions and do not formally investigate whether the economically small differences are statistically significant. We rigorously address this question by implementing the statistical test of Giacomini and White (2006), which accounts for parameter uncertainty and allows for comparison of nested models.

The GW test is based on the expected difference in forecast errors between two competing models. Let h and $\Delta L_{i,j}$ denote the forecast horizon and the vector of the loss differences between models i and j , respectively. The null hypothesis of the GW test is:

$$H_0 : E[\Delta L_{i,j}] = 0 \quad (25)$$

The test follows a chi-squared distribution with one degree of freedom and the null is evaluated on the basis of the following test statistic:

$$GW = P \left(P^{-1} \sum_{t=1}^{T-h} \Delta L_{t+h,i,j} \right)' \hat{V}_h^{-1} \left(P^{-1} \sum_{t=1}^{T-h} \Delta L_{t+h,i,j} \right) \sim \chi_1^2 \quad (26)$$

where P is the total number of out-of-sample forecasts, $\Delta L_{t+h,i,j}$ is the loss difference at time $t+h$ and \hat{V}_h is a heteroskedasticity and autocorrelation consistent (HAC) estimator of the asymptotic variance of $P^{-1} \sum_t \Delta L_{t+h}$. Following Giacomini and White (2006), we employ the Newey-West (1987) estimator with $h-1$ lags to account for the serial dependence in multistep-ahead forecasts. Using a significance level α , the null of equal predictive ability is rejected if $|GW| > \chi_{1,1-\alpha}^2$, where $\chi_{1,1-\alpha}^2$ is the critical value from a chi-squared distribution with one degree of freedom.

Tables 8 to 11 summarize our results. The test statistics presented in the table are based on the mean difference between the model [name in row] and the model [name in column]. Hence, a negative test statistics means that the model [name in

row] yields more accurate forecasts than the model [name in column]. We highlight in bold statistically significant test statistics at the 5 % significance level.

Comparing our baseline model (HAR–RV) to its more sophisticated rivals, we find very little evidence to suggest that explicitly modeling jumps significantly improves the accuracy of volatility forecasts. To quickly see this, notice that very few entries in the column headed “HAR–RV” are boldfaced, suggesting that the more elaborated models yield forecasts that are not statistically distinguishable from those of the simple and parsimonious HAR–RV. This is true, irrespective of the forecasting horizon, the market and the loss function. Moreover, the most complex model, i.e. HAR–C–J, significantly underperforms all other models (including the benchmark HAR–RV). This is particularly noticeable in the crude oil and gasoline markets, where significantly positive entries are often reported in the last row. This result echoes our core finding: the simpler the model, the better.

In sum, our out-of-sample analysis reveals that models that explicitly seek to capture the dynamics of jumps do not significantly improve the accuracy of volatility forecasts: there is virtually no gain in modeling the dynamics of jumps in energy markets.

IV. Robustness Checks

In this section, we conduct several additional tests to investigate the robustness of our findings. We begin by analyzing whether our main findings hold if we consider the task of predicting variance and log variance, rather than volatility. We then explore the robustness of our results with respect to the jump detection procedure by using the nearest neighbor estimator of Andersen et al. (2012). Additionally, we show that our results are robust to the width of the window used to obtain rolling forecasts. Finally, we consider a WLS (rather than OLS) estimation to establish that our findings are not affected by the method of estimation.

A. Variance and Log Variance Forecasts

Up to this point, our analysis focuses on the task of forecasting volatility. As previously discussed, we focus on volatility instead of variance because of the key

role it plays in modern finance. For instance, volatility (not variance) is a key input in option pricing and modern portfolio theories. Nonetheless, one may argue that the jump detection tests identify jumps in variance not in volatility, and this subtle difference may matter for our analysis.

Tables B.6–B.10 of the complementary appendix investigate whether modeling jumps can improve the accuracy of *variance* forecasts. Similarly, Tables C.11–C.15 of the appendix focuses on the task of forecasting *log variance*. Consistent with our main findings, these tables establish that more sophisticated models do not generally outperform the baseline specification. The upshot of this is that our results are the same, irrespective of whether we look at volatility, variance or log variance forecasting.

B. Alternative Jump-Robust Estimators

Andersen et al. (2012) point out that the standard multipower variations may be biased in finite samples. The authors then propose jump-robust volatility estimators that use the nearest neighbor truncation. They forcefully show that the “median realized variance estimator” ($MedRV_t$) is more efficient and robust to jumps than its main rivals. As a robustness check, we repeat our analysis replacing BPV with the $MedRV$ variation estimator. This estimator, using staggered (skip-1) returns, is defined as follows:

$$MedRV_t = \frac{\pi}{6 - 4\sqrt{3} + \pi} \left(\frac{M}{M - 2(k+1)} \right) \sum_{j=2k+3}^M med \left(|r_{t_{j-2(k+1)}}|, |r_{t_{j-(k+1)}}|, |r_{t_j}| \right)^2 \quad (27)$$

where $med(\cdot)$ stands for the median operator. As in our main analysis, we set $k=1$ (skip-1 return). The corresponding jump test statistic is as follows:

$$z_{Med,t} = \Delta^{-1/2} \frac{(RV_t - MedRV_t) / RV_t}{\sqrt{0.96 \max(1, \frac{MedRQ_t}{MedRV_t^2})}} \quad (28)$$

The number 0.96 comes from the asymptotic distribution of the $MedRV$ estimator.¹³ Notice also that the tripower quarticity in the test statistic of Equation (10) is

¹³For further details, we refer the interested reader to Propositions 1–3 in Andersen et al. (2012).

replaced with the median realized quarticity given by:

$$MedRQ_t = \frac{3\pi N}{9\pi + 72 - 52\sqrt{3}} \left(\frac{M}{M-2(k+1)} \right) \cdot \sum_{j=2k+3}^M med \left(|r_{t_{j-2(k+1)}}|, |r_{t_{j-(k+1)}}|, |r_{t_j}| \right)^4 \quad (29)$$

Finally, the decomposition of realized variance into its continuous and jump components is done exactly as in Equations (12) and (13) replacing, BPV with $MedRV$. Tables D.16–D.20 of the online appendix confirm our main findings: specifically accounting for jumps in volatility forecasting does not significantly improve forecasting accuracy.

C. Alternative Estimation Periods

Our out-of-sample analysis rests on a rolling window of 600 observations. One may argue that this choice is somewhat arbitrary and wonder what effect, if any, it may have on our results. To investigate this point, we consider windows of 400, 800 and 1,000 observations. Tables E.21 through E.35 of the supplementary appendix clearly show that changing the width of the rolling window has very little impact on our main conclusions.

D. Alternative Estimation Methods

Patton and Sheppard (2015) argue that because the dependent variable in the models is volatility, the OLS estimation may put too much weight on highly volatile periods. To address the concern that this may be the driving force behind our results, we estimate each model with WLS (rather than OLS). To be more specific, we first estimate each model using OLS and then employ the inverse of the fitted values as weights for the WLS estimations. Equipped with the parameter estimates, we repeat our main analyses (both in- and out-of-sample) and obtain very similar conclusions (See Tables F.36–F.40) of the appendix.

V. Conclusions

This paper uses high-frequency data on four deep and liquid commodity futures markets, namely crude oil, heating oil, natural gas and gasoline, to identify jumps and analyze their impact on future volatility.

Our analysis establishes that jumps are rare events and their intensity substantially varies over time. We then investigate the importance of jumps for forecasts of realized volatility over horizons ranging from 1 to 22 days. To this end, we estimate and empirically analyze several extensions of the HAR–RV model that explicitly seek to capture the dynamics of jumps. We employ six distinct loss functions and the GW test to carefully assess the predictive ability of these models. Analyzing the magnitude of the error metrics, we find very little to distinguish between the benchmark model and its more complex competitors. Moreover, our rigorous econometric analysis establishes that the differences in forecast errors are not only economically small but also statistically insignificant. Collectively, our results suggest that explicitly modeling jumps does not significantly improve the accuracy of volatility forecasts in energy markets.

References

- Aït-Sahalia, Y., R. J. Laeven, and L. Pelizzon (2014). Mutual excitation in eurozone sovereign CDS. *Forthcoming in Journal of Econometrics*.
- Andersen, T. G. and T. Bollerslev (1998). Answering the skeptics: Yes, standard volatility models do provide accurate forecasts. *International Economic Review* 39(4), 885–905.
- Andersen, T. G., T. Bollerslev, and F. X. Diebold (2007). Roughing it up: Including jump components in the measurement, modeling, and forecasting of return volatility. *Review of Economics and Statistics* 89(4), 701–720.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and P. Labys (1999). Realized volatility and correlation. *Duke University Working Paper*.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and P. Labys (2001). The distribution of realized exchange rate volatility. *Journal of the American Statistical Association* 96(453), 42–55.
- Andersen, T. G., T. Bollerslev, F. X. Diebold, and P. Labys (2003). Modeling and forecasting realized volatility. *Econometrica* 71(2), 579–625.
- Andersen, T. G., T. Bollerslev, and X. Huang (2011). A reduced form framework for modeling volatility of speculative prices based on realized variation measures. *Journal of Econometrics* 160(1), 176–189.
- Andersen, T. G., D. Dobrev, and E. Schaumburg (2012). Jump-robust volatility estimation using nearest neighbor truncation. *Journal of Econometrics* 169(1), 75–93.
- Areal, N. M. and S. J. Taylor (2002). The realized volatility of FTSE-100 futures prices. *Journal of Futures Markets* 22(7), 627–648.
- Bajgrowicz, P., O. Scaillet, and A. Treccani (2014). Jumps in high-frequency data: Spurious detections, dynamics, and news. *Swiss Finance Institute Research Paper*.
- Barndorff-Nielsen, O. E., S. E. Graversen, and N. Shephard (2004). Power variation and stochastic volatility: A review and some new results. *Journal of Applied Probability* 41(A), 133–143.
- Barndorff-Nielsen, O. E. and N. Shephard (2002a). Econometric analysis of realized volatility and its use in estimating stochastic volatility models. *Journal of the Royal Statistical Society: Series B* 64(2), 253–280.

- Barndorff-Nielsen, O. E. and N. Shephard (2002b). Estimating quadratic variation using realized variance. *Journal of Applied Econometrics* 17(5), 457–477.
- Barndorff-Nielsen, O. E. and N. Shephard (2004). Power and bipower variation with stochastic volatility and jumps. *Journal of Financial Econometrics* 2(1), 1–37.
- Barndorff-Nielsen, O. E. and N. Shephard (2006). Econometrics of testing for jumps in financial economics using bipower variation. *Journal of Financial Econometrics* 4(1), 1–30.
- Barndorff-Nielsen, O. E., N. Shephard, and M. Winkel (2006). Limit theorems for multipower variation in the presence of jumps. *Stochastic Processes and their Applications* 116(5), 796–806.
- Bradley, D., J. Clarke, S. Lee, and C. Ornathanalai (2014). Are analysts recommendations informative? Intraday evidence on the impact of time stamp delays. *Journal of Finance* 69(2), 645–673.
- Busch, T., B. J. Christensen, and M. Ø. Nielsen (2011). The role of implied volatility in forecasting future realized volatility and jumps in foreign exchange, stock, and bond markets. *Journal of Econometrics* 160(1), 48–57.
- Chung, S.-L., W.-C. Tsai, Y.-H. Wang, and P.-S. Weng (2011). The information content of the s&p 500 index and vix options on the dynamics of the s&p 500 index. *Journal of Futures Markets* 31(12), 1170–1201.
- Corsi, F. (2009). A simple approximate long-memory model of realized volatility. *Journal of Financial Econometrics* 7(2), 174–196.
- Corsi, F., D. Pirino, and R. Reno (2010). Threshold bipower variation and the impact of jumps on volatility forecasting. *Journal of Econometrics* 159(2), 276–288.
- Corsi, F. and R. Reno (2009). HAR volatility modelling with heterogeneous leverage and jumps. *Working paper*.
- Eraker, B. (2004). Do stock prices and volatility jump? Reconciling evidence from spot and option prices. *Journal of Finance* 59(3), 1367–1404.
- Eraker, B., M. Johannes, and N. Polson (2003). The impact of jumps in volatility and returns. *Journal of Finance* 58(3), 1269–1300.
- Giacomini, R. and H. White (2006). Tests of conditional predictive ability. *Econometrica* 74(6), 1545–1578.

- Giot, P. and S. Laurent (2007). The information content of implied volatility in light of the jump/continuous decomposition of realized volatility. *Journal of Futures Markets* 27(4), 337–359.
- Huang, X. and G. Tauchen (2005). The relative contribution of jumps to total price variance. *Journal of Financial Econometrics* 3(4), 456–499.
- Lee, S. S. and P. A. Mykland (2008). Jumps in financial markets: A new nonparametric test and jump dynamics. *Review of Financial Studies* 21(6), 2535–2563.
- Maneesoonthorn, W., C. S. Forbes, and G. M. Martin (2014). Inference on self-exciting jumps in prices and volatility using high frequency measures. *Working Paper*.
- Martens, M. and J. Zein (2004). Predicting financial volatility: High-frequency time-series forecasts vis-à-vis implied volatility. *Journal of Futures Markets* 24(11), 1005–1028.
- Newey, W. K. and K. D. West (1987). A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica* 55(3), 703–708.
- Patton, A. J. and K. Sheppard (2015). Good volatility, bad volatility: Signed jumps and the persistence of volatility. *Review of Economics and Statistics* 97(3), 683–697.
- Sévi, B. (2014). Forecasting the volatility of crude oil futures using intraday data. *European Journal of Operational Research* 235(3), 643–659.
- Tauchen, G. and H. Zhou (2011). Realized jumps on financial markets and predicting credit spreads. *Journal of Econometrics* 160(1), 102–118.
- Thomakos, D. D. and T. Wang (2003). Realized volatility in the futures markets. *Journal of Empirical Finance* 10(3), 321–353.
- Wang, T., J. Wu, and J. Yang (2008). Realized volatility and correlation in energy futures markets. *Journal of Futures Markets* 28(10), 993–1011.




Figure 1: **Time-Varying Jump Intensity**

This figure presents the series of monthly jump intensities for the four energy markets. Monthly jump intensity is the ratio of the number of days associated with jumps in a given month over the total number of days in that particular month. The series of monthly intensities are smoothed by taking a rolling 12-month geometric average.

Table 1: **Summary Statistics for Variation Measures**

This table presents summary statistics of realized variance (RV), bipower variation (BPV), significant jumps (J_t) and their square root (volatility) counterparts (\sqrt{RV} , \sqrt{BPV} , $\sqrt{J_t}$). Panels A to D report statistics for crude oil, heating oil, natural gas and gasoline, respectively. The dataset covers the period from January 2, 2007 to June 29, 2012. Daily variance (volatility) series are computed using 15-min returns and are annualized by multiplying by (the square root of) 252. Each panel reports the mean, standard deviation, skewness, kurtosis, minimum and maximum, respectively.

	<i>RV</i>	<i>BPV</i>	J_t	\sqrt{RV}	\sqrt{BPV}	$\sqrt{J_t}$
<i>A. Crude oil</i>						
Mean	0.150	0.137	0.092	0.344	0.328	0.250
St. dev.	0.200	0.185	0.156	0.178	0.171	0.169
Skewness	3.885	3.770	3.751	2.187	2.224	2.138
Kurtosis	23.395	20.217	19.279	8.786	8.875	8.132
Min	0.010	0.008	0.004	0.101	0.091	0.059
Max	2.288	1.655	1.027	1.513	1.286	1.014
<i>B. Heating oil</i>						
Mean	0.114	0.098	0.069	0.307	0.285	0.225
St. dev.	0.125	0.103	0.093	0.141	0.128	0.134
Skewness	3.230	2.802	2.806	1.732	1.615	1.532
Kurtosis	17.444	12.079	11.709	6.682	5.937	5.345
Min	0.006	0.005	0.004	0.079	0.070	0.064
Max	1.273	0.752	0.540	1.128	0.867	0.735
<i>C. Natural gas</i>						
Mean	0.224	0.189	0.152	0.443	0.408	0.337
St. dev.	0.204	0.164	0.202	0.167	0.152	0.189
Skewness	4.264	4.227	3.515	1.669	1.433	1.820
Kurtosis	32.985	37.412	17.786	8.576	7.758	7.287
Min	0.013	0.002	0.005	0.116	0.047	0.070
Max	2.295	2.164	1.331	1.515	1.471	1.154
<i>D. Gasoline</i>						
Mean	0.151	0.123	0.109	0.343	0.311	0.271
St. dev.	0.221	0.169	0.209	0.183	0.160	0.188
Skewness	4.991	4.556	5.613	2.540	2.392	2.615
Kurtosis	37.737	30.949	42.919	11.745	10.714	12.661
Min	0.003	0.001	0.003	0.055	0.023	0.050
Max	2.559	1.831	1.946	1.600	1.353	1.395

Table 2: Summary Statistics of Significant Daily Jumps

This table presents summary statistics for the series of significant daily jumps. The first row of the table presents the total number of jump days. We detect statistically significant jumps by using the $z_{TQ,t}$ statistic shown in Equation (10) and a confidence level of 99.9%. The second and third rows show the total number of jumps positive and negative jumps, respectively. The row labeled “Intensity” shows the jump intensity, that is the ratio of jump days over the total number of days. The next two rows further decompose jump intensity into its positive and negative parts following Tauchen and Zhou (2011). The table also reports the mean (“Mean”) and standard deviation (“St.Dev.”) of the series of significant jumps, as well as the corresponding statistics for positive and negative jumps.

	Crude oil	Heating oil	Natural gas	Gasoline
#Jumps	90	122	142	163
#Positive	58	65	61	88
#Negative	32	57	81	75
Intensity	0.063	0.085	0.100	0.115
Intensity ⁺	0.041	0.045	0.043	0.062
Intensity ⁻	0.022	0.040	0.057	0.053
Mean	0.250	0.225	0.337	0.271
Mean ⁺	0.254	0.227	0.338	0.281
Mean ⁻	-0.243	-0.225	-0.337	-0.260
St. Dev.	0.169	0.134	0.189	0.188
St.Dev. ⁺	0.180	0.142	0.224	0.190
St.Dev. ⁻	0.149	0.127	0.160	0.186

Table 3: In-Sample Predictability: Crude Oil

This table assesses the predictive ability of several models in the crude oil market. Each of the three panels shows results for a different forecasting horizon (1-, 5- and 22-day horizon). The jump components are computed based on Equation (12) using the test statistic of Equation (10) and a significance level of 0.1%. All regressions are estimated using Newey–West (1987) corrected standard errors with 5, 10 and 44 lags for the 1-, 5- and 22-day horizon, respectively. T-statistics are reported in parentheses. The intercepts are not reported to save space. Significant coefficients at the 5% level are highlighted in bold. The second last column reports the adjusted R^2 of each regression. The last column shows the number of observations. The sample period is from January 2, 2007 to June 29, 2012.

	β_d	β_w	β_m	β_{C_d}	β_{C_w}	β_{C_m}	γ_{J_d}	γ_{J_w}	γ_{J_m}	γ_{RJ}	γ_{RJ+}	γ_{RJ-}	\bar{R}^2	Obs.
<i>Panel A: 1-Day Horizon</i>														
HAR–RV	0.334 (7.115)	0.396 (7.560)	0.226 (4.561)	-	-	-	-	-	-	-	-	-	0.758	1392
HAR–J	-	0.397 (7.396)	0.230 (4.506)	0.334 (6.222)	-	-	0.053 (0.916)	-	-	-	-	-	0.757	1392
HAR–RJ	-	0.397 (7.401)	0.234 (4.362)	0.331 (6.055)	-	-	-	-	-	0.037 (0.780)	-	-	0.757	1392
HAR–ARJ	-	0.396 (7.377)	0.231 (4.480)	0.334 (6.174)	-	-	-	-	-	-	0.069 (0.925)	-0.022 (-0.359)	0.757	1392
HAR–C–J	-	-	-	0.326 (6.164)	0.409 (7.531)	0.220 (4.194)	0.053 (0.935)	0.041 (1.905)	0.018 (1.361)	-	-	-	0.759	1392
<i>Panel B: 5-Day Horizon</i>														
HAR–RV	0.264 (7.896)	0.431 (8.683)	0.257 (5.446)	-	-	-	-	-	-	-	-	-	0.852	1388
HAR–J	-	0.433 (8.635)	0.258 (5.416)	0.261 (6.846)	-	-	0.080 (2.178)	-	-	-	-	-	0.851	1388
HAR–RJ	-	0.437 (8.580)	0.263 (5.275)	0.256 (6.737)	-	-	-	-	-	-0.031 (-1.207)	-	-	0.850	1388
HAR–ARJ	-	0.435 (8.638)	0.256 (5.384)	0.261 (6.946)	-	-	-	-	-	-	0.039 (1.103)	-0.160 (-2.610)	0.852	1388
HAR–C–J	-	-	-	0.250 (6.780)	0.446 (8.682)	0.245 (4.905)	0.082 (2.133)	0.038 (2.011)	0.030 (1.665)	-	-	-	0.854	1388
<i>Panel C: 22-Day Horizon</i>														
HAR–RV	0.233 (7.501)	0.395 (4.604)	0.270 (3.559)	-	-	-	-	-	-	-	-	-	0.817	1371
HAR–J	-	0.399 (4.577)	0.271 (3.587)	0.227 (7.030)	-	-	0.098 (4.027)	-	-	-	-	-	0.817	1371
HAR–RJ	-	0.403 (4.538)	0.278 (3.597)	0.222 (7.092)	-	-	-	-	-	-0.010 (-0.567)	-	-	0.815	1371
HAR–ARJ	-	0.400 (4.554)	0.270 (3.544)	0.228 (7.054)	-	-	-	-	-	-	0.068 (3.156)	-0.154 (-3.365)	0.817	1371
HAR–C–J	-	-	-	0.213 (7.461)	0.401 (4.662)	0.239 (3.131)	0.097 (4.459)	0.071 (2.382)	0.064 (1.671)	-	-	-	0.825	1371

Table 4: In-Sample Predictability: Heating Oil

This table assesses the predictive ability of several models in the heating oil market. Each of the three panels shows results for a different forecasting horizon (1-, 5- and 22-day horizon). The jump components are computed based on Equation (12) using the test statistic of Equation (10) and a significance level of 0.1%. All regressions are estimated using Newey–West (1987) corrected standard errors with 5, 10 and 44 lags for the 1-, 5- and 22-day horizon, respectively. T-statistics are reported in parentheses. The intercepts are not reported to save space. Significant coefficients at the 5% level are highlighted in bold. The second last column reports the adjusted R^2 of each regression. The last column shows the number of observations. The sample period is from January 2, 2007 to June 29, 2012.

	β_d	β_w	β_m	β_{C_d}	β_{C_w}	β_{C_m}	γ_{J_d}	γ_{J_w}	γ_{J_m}	γ_{RJ}	γ_{RJ+}	γ_{RJ-}	\bar{R}^2	Obs.
<u>Panel A: 1-Day Horizon</u>														
HAR–RV	0.296 (5.952)	0.394 (7.608)	0.265 (5.558)	-	-	-	-	-	-	-	-	-	0.711	1395
HAR–J	-	0.396 (7.265)	0.267 (5.492)	0.294 (5.137)	-	-	0.097 (2.590)	-	-	-	-	-	0.710	1395
HAR–RJ	-	0.406 (7.359)	0.276 (5.422)	0.283 (4.825)	-	-	-	-	-	0.018 (0.443)	-	-	0.708	1395
HAR–ARJ	-	0.396 (7.285)	0.267 (5.508)	0.294 (5.117)	-	-	-	-	-	-	0.107 (2.151)	-0.086 (-1.462)	0.710	1395
HAR–C–J	-	-	-	0.291 (5.168)	0.399 (7.768)	0.250 (5.057)	0.096 (2.591)	0.039 (1.866)	0.027 (1.758)	-	-	-	0.710	1395
<u>Panel B: 5-Day Horizon</u>														
HAR–RV	0.240 (8.999)	0.377 (7.694)	0.331 (7.460)	-	-	-	-	-	-	-	-	-	0.823	1391
HAR–J	-	0.377 (7.508)	0.332 (7.478)	0.239 (7.616)	-	-	0.085 (3.444)	-	-	-	-	-	0.823	1391
HAR–RJ	-	0.385 (7.558)	0.341 (7.513)	0.230 (7.040)	-	-	-	-	-	-0.020 (-0.719)	-	-	0.821	1391
HAR–ARJ	-	0.376 (7.549)	0.332 (7.534)	0.240 (7.729)	-	-	-	-	-	-	0.061 (2.184)	-0.114 (-2.887)	0.823	1391
HAR–C–J	-	-	-	0.233 (7.558)	0.395 (7.822)	0.303 (6.496)	0.083 (3.261)	0.026 (1.464)	0.033 (1.823)	-	-	-	0.825	1391
<u>Panel C: 22-Day Horizon</u>														
HAR–RV	0.180 (9.561)	0.304 (5.443)	0.425 (6.593)	-	-	-	-	-	-	-	-	-	0.821	1374
HAR–J	-	0.306 (5.474)	0.425 (6.577)	0.178 (8.980)	-	-	0.074 (4.167)	-	-	-	-	-	0.821	1374
HAR–RJ	-	0.312 (5.364)	0.433 (6.531)	0.170 (8.806)	-	-	-	-	-	-0.034 (-0.966)	-	-	0.819	1374
HAR–ARJ	-	0.304 (5.433)	0.426 (6.566)	0.179 (9.123)	-	-	-	-	-	-	0.038 (1.521)	-0.118 (-2.543)	0.821	1374
HAR–C–J	-	-	-	0.173 (8.705)	0.307 (5.096)	0.405 (5.769)	0.072 (4.196)	0.041 (2.597)	0.035 (1.245)	-	-	-	0.823	1374

Table 5: In-Sample Predictability: Natural Gas

This table assesses the predictive ability of several models in the natural gas market. Each of the three panels shows results for a different forecasting horizon (1-, 5- and 22-day horizon). The jump components are computed based on Equation (12) using the test statistic of Equation (10) and a significance level of 0.1%. All regressions are estimated using Newey–West (1987) corrected standard errors with 5, 10 and 44 lags for the 1-, 5- and 22-day horizon, respectively. T-statistics are reported in parentheses. The intercepts are not reported to save space. Significant coefficients at the 5% level are highlighted in bold. The second last column reports the adjusted R^2 of each regression. The last column shows the number of observations. The sample period is from January 2, 2007 to June 29, 2012.

	β_d	β_w	β_m	β_{C_d}	β_{C_w}	β_{C_m}	γ_{J_d}	γ_{J_w}	γ_{J_m}	γ_{RJ}	γ_{RJ+}	γ_{RJ-}	\bar{R}^2	Obs.
<i>Panel A: 1-Day Horizon</i>														
HAR–RV	0.253 (6.970)	0.438 (9.440)	0.174 (3.771)	-	-	-	-	-	-	-	-	-	0.444	1396
HAR–J	-	0.419 (8.988)	0.169 (3.686)	0.284 (6.494)	-	-	0.053 (1.990)	-	-	-	-	-	0.447	1396
HAR–RJ	-	0.418 (8.923)	0.171 (3.670)	0.286 (6.444)	-	-	-	-	-	-0.002 (-0.088)	-	-	0.446	1396
HAR–ARJ	-	0.419 (9.021)	0.169 (3.682)	0.284 (6.417)	-	-	-	-	-	-	0.054 (1.571)	-0.052 (-1.353)	0.447	1396
HAR–C–J	-	-	-	0.269 (6.334)	0.439 (8.434)	0.181 (3.632)	0.054 (2.029)	0.057 (2.998)	-0.009 (-0.873)	-	-	-	0.451	1396
<i>Panel B: 5-Day Horizon</i>														
HAR–RV	0.237 (7.202)	0.400 (9.344)	0.200 (3.947)	-	-	-	-	-	-	-	-	-	0.602	1392
HAR–J	-	0.390 (8.971)	0.198 (3.927)	0.252 (6.669)	-	-	0.079 (3.005)	-	-	-	-	-	0.604	1392
HAR–RJ	-	0.388 (8.854)	0.201 (3.880)	0.256 (6.575)	-	-	-	-	-	-0.015 (-0.640)	-	-	0.600	1392
HAR–ARJ	-	0.390 (9.006)	0.198 (3.917)	0.253 (6.514)	-	-	-	-	-	-	0.068 (1.850)	-0.089 (-2.390)	0.604	1392
HAR–C–J	-	-	-	0.236 (6.664)	0.423 (7.902)	0.198 (3.655)	0.080 (2.993)	0.040 (2.001)	-0.004 (-0.282)	-	-	-	0.611	1392
<i>Panel C: 22-Day Horizon</i>														
HAR–RV	0.170 (8.527)	0.291 (8.189)	0.266 (3.075)	-	-	-	-	-	-	-	-	-	0.540	1375
HAR–J	-	0.278 (7.383)	0.263 (3.033)	0.191 (7.796)	-	-	0.038 (2.110)	-	-	-	-	-	0.542	1375
HAR–RJ	-	0.276 (7.210)	0.264 (3.019)	0.195 (7.526)	-	-	-	-	-	-0.043 (-2.218)	-	-	0.543	1375
HAR–ARJ	-	0.276 (7.333)	0.262 (3.034)	0.194 (7.626)	-	-	-	-	-	-	-0.006 (-0.249)	-0.076 (-2.414)	0.543	1375
HAR–C–J	-	-	-	0.177 (7.825)	0.315 (7.015)	0.245 (2.998)	0.038 (2.129)	0.022 (1.421)	0.011 (0.419)	-	-	-	0.547	1375

Table 6: In-Sample Predictability: Gasoline

This table assesses the predictive ability of several models in the gasoline market. Each of the three panels shows results for a different forecasting horizon (1-, 5- and 22-day horizon). The jump components are computed based on Equation (12) using the test statistic of Equation (10) and a significance level of 0.1%. All regressions are estimated using Newey–West (1987) corrected standard errors with 5, 10 and 44 lags for the 1-, 5- and 22-day horizon, respectively. T-statistics are reported in parentheses. The intercepts are not reported to save space. Significant coefficients at the 5% level are highlighted in bold. The second last column reports the adjusted R^2 of each regression. The last column shows the number of observations. The sample period is from January 2, 2007 to June 29, 2012.

	β_d	β_w	β_m	β_{C_d}	β_{C_w}	β_{C_m}	γ_{J_d}	γ_{J_w}	γ_{J_m}	γ_{RJ}	γ_{RJ+}	γ_{RJ-}	\bar{R}^2	Obs.
<i>Panel A: 1-Day Horizon</i>														
HAR–RV	0.210 (3.463)	0.475 (7.898)	0.265 (4.687)	-	-	-	-	-	-	-	-	-	0.730	1394
HAR–J	-	0.476 (7.665)	0.267 (4.645)	0.222 (3.361)	-	-	0.021 (0.431)	-	-	-	-	-	0.731	1394
HAR–RJ	-	0.490 (7.687)	0.266 (4.686)	0.213 (3.216)	-	-	-	-	-	-0.049 (-1.533)	-	-	0.732	1394
HAR–ARJ	-	0.484 (7.629)	0.261 (4.532)	0.220 (3.362)	-	-	-	-	-	-	-0.023 (-0.433)	-0.080 (-1.166)	0.732	1394
HAR–C–J	-	-	-	0.204 (2.979)	0.491 (6.821)	0.332 (4.893)	0.023 (0.474)	0.032 (1.453)	-0.011 (-0.674)	-	-	-	0.734	1394
<i>Panel B: 5-Day Horizon</i>														
HAR–RV	0.215 (7.984)	0.458 (8.558)	0.285 (5.616)	-	-	-	-	-	-	-	-	-	0.858	1390
HAR–J	-	0.459 (8.495)	0.286 (5.466)	0.227 (8.145)	-	-	0.034 (1.222)	-	-	-	-	-	0.859	1390
HAR–RJ	-	0.473 (8.576)	0.289 (5.446)	0.216 (7.475)	-	-	-	-	-	-0.031 (-1.522)	-	-	0.859	1390
HAR–ARJ	-	0.464 (8.437)	0.282 (5.344)	0.226 (8.183)	-	-	-	-	-	-	0.004 (0.105)	-0.073 (-2.231)	0.859	1390
HAR–C–J	-	-	-	0.206 (7.050)	0.493 (8.918)	0.323 (6.165)	0.038 (1.479)	0.020 (1.141)	0.000 (0.005)	-	-	-	0.864	1390
<i>Panel C: 22-Day Horizon</i>														
HAR–RV	0.198 (6.142)	0.420 (4.621)	0.296 (3.081)	-	-	-	-	-	-	-	-	-	0.835	1373
HAR–J	-	0.421 (4.611)	0.297 (3.049)	0.209 (6.113)	-	-	0.029 (1.195)	-	-	-	-	-	0.836	1373
HAR–RJ	-	0.432 (4.683)	0.300 (3.018)	0.200 (5.627)	-	-	-	-	-	-0.020 (-1.054)	-	-	0.836	1373
HAR–ARJ	-	0.424 (4.602)	0.295 (3.018)	0.208 (6.079)	-	-	-	-	-	-	0.009 (0.281)	-0.056 (-1.869)	0.836	1373
HAR–C–J	-	-	-	0.191 (6.784)	0.444 (4.815)	0.329 (3.895)	0.032 (1.346)	0.025 (1.324)	0.005 (0.133)	-	-	-	0.840	1373

Table 7: Forecasting Errors

This table presents out-of-sample forecasting errors for the five volatility models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5 and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day Horizon					5-Day Horizon					22-Day Horizon				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.535	0.533	0.530	0.533	0.538	0.376	0.375	0.373	0.374	0.381	0.401	0.401	0.400	0.403	0.419
Heating oil	0.399	0.400	0.396	0.400	0.400	0.247	0.247	0.247	0.247	0.248	0.244	0.245	0.247	0.245	0.249
Natural gas	1.494	1.487	1.491	1.493	1.483	0.842	0.836	0.849	0.841	0.848	0.841	0.838	0.838	0.837	0.847
Gasoline	0.484	0.483	0.484	0.483	0.499	0.297	0.299	0.299	0.299	0.314	0.289	0.291	0.293	0.292	0.309
B. MSPE															
Crude oil	7.339	7.342	7.275	7.351	7.511	3.540	3.543	3.480	3.504	3.718	4.320	4.348	4.303	4.354	4.721
Heating oil	7.488	7.513	7.422	7.502	7.501	3.525	3.532	3.511	3.529	3.502	4.054	4.060	4.072	4.063	4.067
Natural gas	8.250	8.209	8.241	8.253	8.204	3.079	3.044	3.104	3.087	3.065	3.128	3.111	3.130	3.128	3.138
Gasoline	7.740	7.733	7.766	7.744	7.950	3.663	3.668	3.682	3.677	3.830	4.197	4.217	4.227	4.226	4.379
C. MAE															
Crude oil	5.150	5.165	5.144	5.169	5.214	4.206	4.205	4.196	4.199	4.303	5.012	5.010	5.005	5.011	5.119
Heating oil	4.505	4.511	4.491	4.511	4.510	3.649	3.650	3.653	3.644	3.650	4.102	4.103	4.117	4.100	4.147
Natural gas	8.721	8.715	8.739	8.731	8.721	6.229	6.212	6.290	6.224	6.287	6.632	6.629	6.631	6.616	6.589
Gasoline	5.142	5.148	5.134	5.132	5.233	4.003	4.015	4.011	4.004	4.136	4.360	4.376	4.390	4.379	4.547
D. MAPE															
Crude oil	18.872	18.921	18.839	18.935	19.157	14.226	14.220	14.161	14.179	14.676	17.047	17.050	17.011	17.039	17.626
Heating oil	18.976	18.991	18.906	18.988	19.001	14.474	14.472	14.458	14.448	14.432	16.410	16.412	16.441	16.386	16.497
Natural gas	21.150	21.136	21.205	21.179	21.141	13.646	13.603	13.789	13.641	13.718	14.174	14.162	14.181	14.147	14.059
Gasoline	19.832	19.847	19.812	19.797	20.134	14.616	14.632	14.615	14.591	15.004	16.239	16.273	16.321	16.290	16.776
E. LL															
Crude oil	5.633	5.634	5.597	5.645	5.708	3.593	3.577	3.549	3.551	3.676	4.238	4.239	4.228	4.242	4.456
Heating oil	5.610	5.615	5.561	5.614	5.626	3.321	3.323	3.318	3.321	3.315	3.539	3.541	3.560	3.546	3.544
Natural gas	6.615	6.597	6.621	6.629	6.562	3.104	3.079	3.132	3.102	3.080	3.250	3.237	3.244	3.241	3.239
Gasoline	5.914	5.901	5.915	5.909	6.072	3.459	3.475	3.482	3.476	3.641	3.658	3.680	3.696	3.691	3.851
F. QLIKE															
Crude oil	-25.534	-25.536	-25.552	-25.530	-25.507	-23.233	-23.245	-23.255	-23.258	-23.209	-21.189	-21.192	-21.193	-21.191	-21.103
Heating oil	-37.243	-37.242	-37.266	-37.242	-37.236	-35.058	-35.058	-35.059	-35.059	-35.059	-33.582	-33.581	-33.570	-33.577	-33.580
Natural gas	14.556	14.548	14.557	14.563	14.523	16.996	16.984	17.010	16.994	16.980	18.177	18.170	18.172	18.171	18.167
Gasoline	-29.255	-29.263	-29.255	-29.258	-29.171	-27.032	-27.021	-27.019	-27.022	-26.931	-25.457	-25.444	-25.435	-25.438	-25.355

Table 8: **Out-of-Sample Forecast Comparisons for Crude Oil**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
A. SE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.60	-			HAR-J	-0.31	-			HAR-J	0.06	-		
HAR-RJ	-2.75	-2.25	-		HAR-RJ	-1.61	-0.70	-		HAR-RJ	-0.17	-0.23	-	
HAR-ARJ	-0.35	0.53	4.98	-	HAR-ARJ	-1.11	-0.90	0.10	-	HAR-ARJ	0.40	0.59	0.57	-
HAR-C-J	0.38	4.30	6.30	3.04	HAR-C-J	0.58	1.05	1.67	1.50	HAR-C-J	1.01	1.06	1.09	0.95
B. SPE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	0.00	-			HAR-J	0.01	-			HAR-J	1.98	-		
HAR-RJ	-1.35	-3.36	-		HAR-RJ	-1.98	-2.54	-		HAR-RJ	-0.61	-1.90	-	
HAR-ARJ	0.05	0.24	7.43	-	HAR-ARJ	-0.79	-2.90	0.80	-	HAR-ARJ	1.05	0.05	1.62	-
HAR-C-J	4.33	6.73	8.96	5.53	HAR-C-J	3.79	3.76	6.73	5.28	HAR-C-J	2.76	2.54	3.00	2.59
C. AE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	0.53	-			HAR-J	0.00	-			HAR-J	-0.03	-		
HAR-RJ	-0.12	-2.97	-		HAR-RJ	-0.46	-0.45	-		HAR-RJ	-0.34	-0.09	-	
HAR-ARJ	0.79	0.71	5.33	-	HAR-ARJ	-0.21	-0.35	0.06	-	HAR-ARJ	-0.01	0.02	0.11	-
HAR-C-J	5.00	6.44	8.97	5.17	HAR-C-J	3.76	4.37	4.74	4.70	HAR-C-J	0.57	0.65	0.64	0.63
D. APE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	0.34	-			HAR-J	-0.01	-			HAR-J	0.00	-		
HAR-RJ	-0.26	-3.05	-		HAR-RJ	-1.04	-1.10	-		HAR-RJ	-0.75	-0.49	-	
HAR-ARJ	0.55	0.65	4.93	-	HAR-ARJ	-0.62	-1.11	0.14	-	HAR-ARJ	-0.02	-0.12	0.25	-
HAR-C-J	6.42	10.22	13.10	8.49	HAR-C-J	5.90	6.80	8.00	7.67	HAR-C-J	1.33	1.41	1.50	1.45
E. LL														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	0.00	-			HAR-J	-0.57	-			HAR-J	0.00	-		
HAR-RJ	-1.36	-2.42	-		HAR-RJ	-2.54	-1.42	-		HAR-RJ	-0.39	-0.26	-	
HAR-ARJ	0.08	1.45	4.58	-	HAR-ARJ	-2.39	-3.26	0.01	-	HAR-ARJ	0.03	0.06	0.34	-
HAR-C-J	2.15	5.81	7.99	3.70	HAR-C-J	1.48	2.35	3.59	3.64	HAR-C-J	1.44	1.56	1.57	1.54
F. QLIKE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.01	-			HAR-J	-1.33	-			HAR-J	-0.16	-		
HAR-RJ	-1.34	-1.72	-		HAR-RJ	-2.86	-0.84	-		HAR-RJ	-0.28	-0.01	-	
HAR-ARJ	0.03	1.79	3.31	-	HAR-ARJ	-3.31	-3.12	-0.07	-	HAR-ARJ	-0.03	0.08	0.05	-
HAR-C-J	1.07	3.78	5.37	2.09	HAR-C-J	0.48	1.29	1.88	2.22	HAR-C-J	0.95	1.14	1.05	1.11

Table 9: **Out-of-Sample Forecast Comparisons for Heating Oil**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
A. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.11	-			HAR-J	0.44	-		HAR-J	0.84	-			
HAR-RJ	-2.23	-2.65	-		HAR-RJ	0.23	0.01	-	HAR-RJ	2.02	1.07	-		
HAR-ARJ	0.08	0.00	2.73	-	HAR-ARJ	0.19	-0.01	-0.02	-	HAR-ARJ	0.34	0.06	-1.06	-
HAR-C-J	0.34	0.20	2.61	0.20	HAR-C-J	0.29	0.08	0.04	0.10	HAR-C-J	0.61	0.51	0.16	0.38
B. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.27	-			HAR-J	0.13	-		HAR-J	0.32	-			
HAR-RJ	-1.50	-2.94	-		HAR-RJ	-0.26	-0.54	-	HAR-RJ	0.77	0.30	-		
HAR-ARJ	0.07	-0.33	2.66	-	HAR-ARJ	0.03	-0.05	0.33	-	HAR-ARJ	0.18	0.03	-0.24	-
HAR-C-J	0.03	-0.04	0.93	0.00	HAR-C-J	-0.29	-0.49	-0.04	-0.34	HAR-C-J	0.03	0.01	0.00	0.00
C. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.14	-			HAR-J	0.02	-		HAR-J	0.10	-			
HAR-RJ	-0.87	-1.55	-		HAR-RJ	0.09	0.04	-	HAR-RJ	1.20	0.92	-		
HAR-ARJ	0.12	-0.01	1.54	-	HAR-ARJ	-0.25	-0.77	-0.45	-	HAR-ARJ	-0.02	-0.10	-2.50	-
HAR-C-J	0.07	-0.01	0.99	-0.01	HAR-C-J	0.00	0.00	-0.02	0.06	HAR-C-J	0.65	0.63	0.31	0.70
D. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.04	-			HAR-J	0.00	-		HAR-J	0.01	-			
HAR-RJ	-1.06	-1.56	-		HAR-RJ	-0.08	-0.07	-	HAR-RJ	0.34	0.29	-		
HAR-ARJ	0.02	-0.04	1.57	-	HAR-ARJ	-0.40	-0.81	-0.05	-	HAR-ARJ	-0.25	-0.37	-2.07	-
HAR-C-J	0.07	0.04	1.34	0.07	HAR-C-J	-0.19	-0.19	-0.07	-0.03	HAR-C-J	0.21	0.21	0.09	0.33
E. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.03	-			HAR-J	0.01	-		HAR-J	0.06	-			
HAR-RJ	-2.63	-3.37	-		HAR-RJ	-0.03	-0.06	-	HAR-RJ	0.96	0.66	-		
HAR-ARJ	0.02	-0.01	3.53	-	HAR-ARJ	0.00	-0.06	0.03	-	HAR-ARJ	0.24	0.15	-0.76	-
HAR-C-J	0.18	0.25	3.09	0.27	HAR-C-J	-0.04	-0.07	-0.01	-0.03	HAR-C-J	0.01	0.00	-0.07	0.00
F. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.00	-		HAR-J	0.02	-			
HAR-RJ	-2.93	-3.26	-		HAR-RJ	0.00	0.00	-	HAR-RJ	0.96	0.72	-		
HAR-ARJ	0.01	0.01	3.53	-	HAR-ARJ	-0.01	-0.02	0.00	-	HAR-ARJ	0.35	0.26	-0.77	-
HAR-C-J	0.16	0.31	2.95	0.25	HAR-C-J	0.00	0.00	0.00	0.00	HAR-C-J	0.00	0.00	-0.11	-0.01

Table 10: Out-of-Sample Forecast Comparisons for Natural Gas

This table presents test statistics from pairwise comparisons of equal predictive accuracy of the forecasting models for natural gas volatility. Three forecast horizons are considered: daily, weekly and monthly. Entries correspond to test statistics from comparing the mean difference between the forecast errors of model [name in row] and those of the model [name in column]. We report in the lower triangular matrix the Giacomini and White test statistic. The statistic is asymptotically distributed as a chi-squared random variable with 1 degree of freedom. Panels 1 to 6 contain results for the different loss functions. Significant mean differences (rejection of the null) at the 5% level are highlighted in bold. Out-of-sample forecasts are generated using a rolling sample of 600 observations.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
A. SE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-1.19	-			HAR-J	-1.57	-			HAR-J	-0.47	-		
HAR-RJ	-0.08	0.66	-		HAR-RJ	1.01	7.76	-		HAR-RJ	-0.33	-0.03	-	
HAR-ARJ	-0.03	3.55	0.18	-	HAR-ARJ	-0.03	2.45	-2.09	-	HAR-ARJ	-0.57	-0.10	-0.15	-
HAR-C-J	-1.11	-0.23	-0.79	-1.39	HAR-C-J	0.13	0.56	0.00	0.18	HAR-C-J	0.16	0.33	0.33	0.37
B. SPE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.39	-			HAR-J	-1.47	-			HAR-J	-0.52	-		
HAR-RJ	-0.01	0.37	-		HAR-RJ	0.50	10.53	-		HAR-RJ	0.01	0.45	-	
HAR-ARJ	0.00	1.36	0.06	-	HAR-ARJ	0.19	1.79	-0.23	-	HAR-ARJ	0.00	0.23	-0.05	-
HAR-C-J	-0.31	-0.01	-0.32	-0.69	HAR-C-J	-0.05	0.23	-0.78	-0.13	HAR-C-J	0.01	0.10	0.01	0.01
C. AE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.07	-			HAR-J	-1.14	-			HAR-J	-0.03	-		
HAR-RJ	0.26	1.53	-		HAR-RJ	3.11	9.21	-		HAR-RJ	0.00	0.02	-	
HAR-ARJ	0.16	1.41	-0.23	-	HAR-ARJ	-0.09	1.10	-6.01	-	HAR-ARJ	-0.47	-0.51	-1.80	-
HAR-C-J	0.00	0.06	-0.36	-0.14	HAR-C-J	1.26	2.86	-0.01	1.75	HAR-C-J	-0.21	-0.19	-0.21	-0.09
D. APE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.05	-			HAR-J	-1.10	-			HAR-J	-0.09	-		
HAR-RJ	0.35	1.78	-		HAR-RJ	3.16	10.06	-		HAR-RJ	0.01	0.15	-	
HAR-ARJ	0.20	1.07	-0.35	-	HAR-ARJ	-0.02	1.09	-5.61	-	HAR-ARJ	-0.27	-0.09	-1.61	-
HAR-C-J	-0.01	0.01	-0.71	-0.30	HAR-C-J	0.49	1.99	-0.56	0.66	HAR-C-J	-0.26	-0.20	-0.27	-0.14
E. LL														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.30	-			HAR-J	-2.19	-			HAR-J	-0.76	-		
HAR-RJ	0.02	0.86	-		HAR-RJ	1.01	8.91	-		HAR-RJ	-0.09	0.17	-	
HAR-ARJ	0.19	2.13	0.13	-	HAR-ARJ	-0.03	2.06	-1.58	-	HAR-ARJ	-0.25	0.04	-0.17	-
HAR-C-J	-1.51	-1.69	-2.61	-3.61	HAR-C-J	-0.32	0.00	-2.27	-0.31	HAR-C-J	-0.03	0.00	-0.01	0.00
F. QLIKE														
HAR-RV	-				HAR-RV	-				HAR-RV	-			
HAR-J	-0.28	-			HAR-J	-2.66	-			HAR-J	-0.92	-		
HAR-RJ	0.00	0.60	-		HAR-RJ	0.99	7.52	-		HAR-RJ	-0.24	0.07	-	
HAR-ARJ	0.19	2.25	0.29	-	HAR-ARJ	-0.18	2.21	-2.02	-	HAR-ARJ	-0.49	0.01	-0.16	-
HAR-C-J	-2.36	-3.01	-3.32	-4.94	HAR-C-J	-0.64	-0.07	-2.97	-0.55	HAR-C-J	-0.12	-0.01	-0.03	-0.02

Table 11: Out-of-Sample Forecast Comparisons for Gasoline

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 5% significance level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
A. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.64	-			HAR-J	1.74	-		HAR-J	4.15	-			
HAR-RJ	-0.11	0.55	-		HAR-RJ	1.31	0.09	-	HAR-RJ	5.62	2.00	-		
HAR-ARJ	-0.32	0.09	-0.64	-	HAR-ARJ	0.71	-0.01	-1.16	-	HAR-ARJ	4.99	0.62	-1.00	-
HAR-C-J	9.28	13.57	12.06	13.10	HAR-C-J	13.14	12.94	10.73	11.09	HAR-C-J	4.78	4.40	3.84	3.92
B. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.03	-			HAR-J	0.06	-		HAR-J	1.46	-			
HAR-RJ	0.49	0.77	-		HAR-RJ	0.28	0.20	-	HAR-RJ	1.83	0.36	-		
HAR-ARJ	0.01	0.15	-1.24	-	HAR-ARJ	0.16	0.07	-0.15	-	HAR-ARJ	1.86	0.34	-0.02	-
HAR-C-J	3.69	4.77	3.39	4.35	HAR-C-J	7.70	9.79	6.13	5.68	HAR-C-J	2.81	2.79	2.41	2.44
C. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.11	-			HAR-J	0.98	-		HAR-J	1.44	-			
HAR-RJ	-0.28	-1.32	-		HAR-RJ	0.15	-0.05	-	HAR-RJ	2.64	1.49	-		
HAR-ARJ	-0.34	-1.62	-0.09	-	HAR-ARJ	0.00	-0.44	-2.11	-	HAR-ARJ	1.43	0.09	-3.65	-
HAR-C-J	6.85	7.92	9.66	10.11	HAR-C-J	8.82	8.42	8.42	9.05	HAR-C-J	4.35	4.33	3.92	4.27
D. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.05	-			HAR-J	0.13	-		HAR-J	0.55	-			
HAR-RJ	-0.11	-0.58	-		HAR-RJ	0.00	-0.07	-	HAR-RJ	1.60	1.11	-		
HAR-ARJ	-0.25	-1.14	-0.39	-	HAR-ARJ	-0.09	-0.34	-1.61	-	HAR-ARJ	0.77	0.15	-2.62	-
HAR-C-J	5.40	6.69	7.57	8.45	HAR-C-J	6.06	6.62	6.46	6.88	HAR-C-J	3.18	3.40	2.99	3.26
E. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.29	-			HAR-J	0.88	-		HAR-J	2.40	-			
HAR-RJ	0.00	0.64	-		HAR-RJ	0.77	0.09	-	HAR-RJ	3.47	1.44	-		
HAR-ARJ	-0.04	0.20	-0.54	-	HAR-ARJ	0.47	0.00	-0.56	-	HAR-ARJ	3.14	0.77	-0.75	-
HAR-C-J	8.45	12.33	9.73	10.90	HAR-C-J	11.78	13.47	10.33	10.20	HAR-C-J	3.79	3.62	3.18	3.31
F. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.56	-			HAR-J	1.34	-		HAR-J	2.77	-			
HAR-RJ	0.00	0.86	-		HAR-RJ	1.02	0.03	-	HAR-RJ	3.89	1.91	-		
HAR-ARJ	-0.07	0.35	-0.53	-	HAR-ARJ	0.67	-0.01	-0.72	-	HAR-ARJ	3.55	0.96	-1.17	-
HAR-C-J	9.60	13.84	11.12	12.11	HAR-C-J	12.40	14.14	11.40	11.49	HAR-C-J	3.88	3.61	3.20	3.35

Appendix to

**“Do Jumps Matter for
Volatility Forecasting? Evidence
from Energy Markets”**

Not Intended for Publication!

Will be Provided as Online Appendix

**A. Different Significance Level for Jump
Detection**

Table A.1: Volatility Forecasting Errors

This table presents out-of-sample forecasting errors for the five volatility forecasting models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. A significance level of 1% is employed for the detection of significant jumps. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	<u>1-Day Horizon</u>					<u>5-Day Horizon</u>					<u>22-Day Horizon</u>				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
Panel A. MSE															
Crude Oil	0.535	0.533	0.533	0.534	0.535	0.376	0.377	0.373	0.375	0.376	0.401	0.401	0.398	0.400	0.406
Heating Oil	0.399	0.399	0.397	0.398	0.400	0.247	0.247	0.248	0.246	0.248	0.244	0.245	0.247	0.246	0.255
Natural Gas	1.494	1.481	1.481	1.485	1.470	0.842	0.834	0.847	0.841	0.848	0.841	0.838	0.839	0.838	0.825
Gasoline	0.484	0.481	0.486	0.481	0.496	0.297	0.299	0.301	0.299	0.312	0.289	0.291	0.293	0.291	0.309
Panel B. MSPE															
Crude Oil	7.339	7.331	7.332	7.339	7.349	3.540	3.560	3.487	3.524	3.509	4.320	4.319	4.269	4.305	4.442
Heating Oil	7.488	7.476	7.495	7.476	7.521	3.525	3.526	3.540	3.520	3.555	4.054	4.064	4.086	4.079	4.204
Natural Gas	8.250	8.230	8.245	8.249	8.192	3.079	3.049	3.113	3.094	3.048	3.128	3.117	3.150	3.151	3.096
Gasoline	7.740	7.698	7.852	7.759	7.947	3.663	3.663	3.710	3.696	3.781	4.197	4.208	4.234	4.217	4.381
Panel C. MAE															
Crude Oil	5.150	5.156	5.171	5.164	5.163	4.206	4.221	4.194	4.210	4.230	5.012	5.011	4.988	5.003	5.056
Heating Oil	4.505	4.501	4.499	4.497	4.503	3.649	3.653	3.671	3.642	3.670	4.102	4.110	4.130	4.115	4.209
Natural Gas	8.721	8.704	8.701	8.714	8.680	6.229	6.215	6.278	6.229	6.275	6.632	6.629	6.643	6.632	6.540
Gasoline	5.142	5.130	5.143	5.118	5.194	4.003	4.017	4.021	4.012	4.105	4.360	4.374	4.392	4.381	4.543
Panel D. MAPE															
Crude Oil	18.872	18.880	18.934	18.905	18.897	14.226	14.270	14.166	14.222	14.281	17.047	17.038	16.946	16.992	17.255
Heating Oil	18.976	18.947	18.954	18.934	18.977	14.474	14.484	14.536	14.447	14.561	16.410	16.437	16.494	16.446	16.792
Natural Gas	21.150	21.136	21.145	21.158	21.074	13.646	13.625	13.778	13.665	13.688	14.174	14.167	14.228	14.199	14.017
Gasoline	19.832	19.776	19.867	19.755	20.036	14.616	14.638	14.657	14.630	14.877	16.239	16.263	16.329	16.290	16.758
Panel E. LL															
Crude Oil	5.633	5.614	5.617	5.621	5.621	3.593	3.606	3.554	3.578	3.603	4.238	4.233	4.201	4.226	4.377
Heating Oil	5.610	5.588	5.576	5.584	5.605	3.321	3.320	3.328	3.300	3.339	3.539	3.544	3.568	3.555	3.640
Natural Gas	6.615	6.583	6.584	6.599	6.528	3.104	3.075	3.127	3.104	3.050	3.250	3.236	3.252	3.248	3.203
Gasoline	5.914	5.875	5.950	5.894	6.022	3.459	3.474	3.500	3.482	3.578	3.658	3.673	3.693	3.680	3.829
Panel F. QLIKE															
Crude Oil	-25.534	-25.547	-25.544	-25.544	-25.542	-23.233	-23.229	-23.253	-23.242	-23.221	-21.189	-21.192	-21.206	-21.194	-21.110
Heating Oil	-37.243	-37.255	-37.263	-37.257	-37.252	-35.058	-35.060	-35.057	-35.073	-35.052	-33.582	-33.580	-33.567	-33.574	-33.538
Natural Gas	14.556	14.534	14.533	14.543	14.499	16.996	16.980	17.006	16.994	16.961	18.177	18.169	18.174	18.172	18.149
Gasoline	-29.255	-29.275	-29.242	-29.271	-29.204	-27.032	-27.020	-27.011	-27.020	-26.967	-25.457	-25.448	-25.439	-25.444	-25.371

Table A.2: Comparisons of Out-of-Sample Volatility Forecasts for Crude Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. A significance level of 1% is employed for the detection of significant jumps. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
Panel A. SE														
HAR-J	-0.46	-			HAR-J	0.11	-			HAR-J	-0.01	-		
HAR-RJ	-0.51	-0.06	-		HAR-RJ	-1.67	-3.14	-		HAR-RJ	-1.72	-1.58	-	
HAR-ARJ	-0.24	0.51	0.39	-	HAR-ARJ	-0.36	-3.47	1.25	-	HAR-ARJ	-0.07	-0.09	1.24	-
HAR-C-J	0.00	0.40	0.42	0.15	HAR-C-J	-0.01	-0.04	0.20	0.02	HAR-C-J	0.13	0.15	0.38	0.19
Panel B. SPE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.06	-			HAR-J	0.62	-			HAR-J	0.00	-		
HAR-RJ	-0.01	0.00	-		HAR-RJ	-1.64	-4.27	-		HAR-RJ	-2.66	-2.90	-	
HAR-ARJ	0.00	0.46	0.04	-	HAR-ARJ	-0.21	-4.52	2.18	-	HAR-ARJ	-0.35	-1.09	1.95	-
HAR-C-J	0.02	0.09	0.05	0.03	HAR-C-J	-0.07	-0.19	0.04	-0.02	HAR-C-J	0.56	0.62	1.26	0.79
Panel C. AE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	0.22	-			HAR-J	0.99	-			HAR-J	-0.01	-		
HAR-RJ	1.12	1.19	-		HAR-RJ	-0.39	-2.28	-		HAR-RJ	-2.32	-2.25	-	
HAR-ARJ	0.95	1.62	-0.41	-	HAR-ARJ	0.05	-1.21	1.06	-	HAR-ARJ	-0.38	-1.48	0.77	-
HAR-C-J	0.38	0.13	-0.16	-0.01	HAR-C-J	0.28	0.05	0.66	0.20	HAR-C-J	0.32	0.38	0.86	0.55
Panel D. APE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	0.03	-			HAR-J	0.66	-			HAR-J	-0.04	-		
HAR-RJ	0.64	1.21	-		HAR-RJ	-0.63	-2.71	-		HAR-RJ	-3.09	-2.93	-	
HAR-ARJ	0.35	1.20	-0.48	-	HAR-ARJ	0.00	-1.69	1.15	-	HAR-ARJ	-0.86	-3.32	0.72	-
HAR-C-J	0.09	0.06	-0.19	-0.01	HAR-C-J	0.09	0.00	0.42	0.11	HAR-C-J	0.57	0.70	1.39	1.02
Panel E. LL														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.68	-			HAR-J	0.32	-			HAR-J	-0.09	-		
HAR-RJ	-0.22	0.03	-		HAR-RJ	-1.78	-4.37	-		HAR-RJ	-2.70	-2.10	-	
HAR-ARJ	-0.25	0.56	0.04	-	HAR-ARJ	-0.31	-4.03	1.78	-	HAR-ARJ	-0.32	-0.37	1.60	-
HAR-C-J	-0.11	0.06	0.01	0.00	HAR-C-J	0.02	0.00	0.43	0.11	HAR-C-J	0.68	0.76	1.20	0.90
Panel F. QLIKE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-1.14	-			HAR-J	0.12	-			HAR-J	-0.10	-		
HAR-RJ	-0.37	0.09	-		HAR-RJ	-1.81	-3.82	-		HAR-RJ	-2.31	-1.62	-	
HAR-ARJ	-0.58	0.59	0.00	-	HAR-ARJ	-0.41	-3.43	1.41	-	HAR-ARJ	-0.21	-0.14	1.45	-
HAR-C-J	-0.21	0.15	0.02	0.02	HAR-C-J	0.10	0.04	0.69	0.29	HAR-C-J	0.65	0.72	1.06	0.82

Table A.3: Comparisons of Out-of-Sample Volatility Forecasts for Heating Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. A significance level of 1% is employed for the detection of significant jumps. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
Panel A. SE														
HAR-J	-0.23	-			HAR-J	0.35	-			HAR-J	3.20	-		
HAR-RJ	-0.61	-0.37	-		HAR-RJ	0.76	0.57	-		HAR-RJ	1.41	0.59	-	
HAR-ARJ	-0.32	-0.09	0.29	-	HAR-ARJ	-0.30	-0.66	-2.55	-	HAR-ARJ	0.63	0.13	-0.46	
HAR-C-J	0.19	0.71	0.92	0.81	HAR-C-J	0.50	0.35	0.00	1.25	HAR-C-J	5.45	5.12	2.62	
Panel B. SPE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.11	-			HAR-J	0.01	-			HAR-J	1.22	-		
HAR-RJ	0.01	0.14	-		HAR-RJ	0.13	0.14	-		HAR-RJ	1.53	0.80	-	
HAR-ARJ	-0.11	0.00	-0.15	-	HAR-ARJ	-0.02	-0.03	-0.40	-	HAR-ARJ	0.83	0.36	-0.14	-
HAR-C-J	0.22	0.57	0.08	0.53	HAR-C-J	0.57	0.56	0.08	0.73	HAR-C-J	6.89	6.65	4.09	4.89
Panel C. AE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.11	-			HAR-J	0.74	-			HAR-J	2.39	-		
HAR-RJ	-0.12	-0.02	-		HAR-RJ	1.36	1.04	-		HAR-RJ	2.13	1.16	-	
HAR-ARJ	-0.46	-0.81	-0.02	-	HAR-ARJ	-0.35	-1.02	-4.78	-	HAR-ARJ	0.62	0.10	-1.36	-
HAR-C-J	-0.02	0.02	0.04	0.20	HAR-C-J	0.85	0.54	0.00	1.38	HAR-C-J	5.38	4.94	3.59	4.51
Panel D. APE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.20	-			HAR-J	0.21	-			HAR-J	1.31	-		
HAR-RJ	-0.08	0.01	-		HAR-RJ	0.62	0.54	-		HAR-RJ	1.57	0.88	-	
HAR-ARJ	-0.43	-0.40	-0.13	-	HAR-ARJ	-0.29	-0.63	-2.94	-	HAR-ARJ	0.34	0.03	-1.29	-
HAR-C-J	0.00	0.30	0.08	0.55	HAR-C-J	0.98	0.78	0.05	1.49	HAR-C-J	5.89	5.54	4.17	5.39
Panel E. LL														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.84	-			HAR-J	-0.02	-			HAR-J	0.65	-		
HAR-RJ	-1.07	-0.21	-		HAR-RJ	0.05	0.08	-		HAR-RJ	1.27	0.77	-	
HAR-ARJ	-1.12	-0.30	0.09	-	HAR-ARJ	-0.95	-1.05	-1.86	-	HAR-ARJ	0.68	0.33	-0.52	-
HAR-C-J	-0.02	0.47	0.58	0.66	HAR-C-J	0.39	0.46	0.08	1.59	HAR-C-J	5.49	5.39	2.35	3.70
Panel F. QLIKE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-1.20	-			HAR-J	-0.09	-			HAR-J	0.45	-		
HAR-RJ	-1.78	-0.46	-		HAR-RJ	0.01	0.03	-		HAR-RJ	1.12	0.71	-	
HAR-ARJ	-1.57	-0.41	0.25	-	HAR-ARJ	-1.53	-1.65	-2.11	-	HAR-ARJ	0.67	0.35	-0.53	-
HAR-C-J	-0.32	0.09	0.44	0.23	HAR-C-J	0.25	0.37	0.09	1.81	HAR-C-J	4.76	4.70	1.62	3.03

Table A.4: Comparisons of Out-of-Sample Volatility Forecasts for Natural Gas

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. A significance level of 1% is employed for the detection of significant jumps. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
Panel A. SE														
HAR-J	-1.39	-			HAR-J	-0.88	-			HAR-J	-0.29	-		
HAR-RJ	-1.01	0.00	-		HAR-RJ	0.29	9.18	-		HAR-RJ	-0.08	0.01	-	
HAR-ARJ	-0.72	1.40	1.57	-	HAR-ARJ	-0.03	4.51	-2.13	-	HAR-ARJ	-0.16	0.00	-0.04	-
HAR-C-J	-2.08	-1.04	-0.86	-1.54	HAR-C-J	0.03	0.24	0.00	0.06	HAR-C-J	-0.93	-0.82	-1.05	-0.95
Panel B. SPE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.04	-			HAR-J	-0.66	-			HAR-J	-0.29	-		
HAR-RJ	0.00	0.45	-		HAR-RJ	0.71	16.81	-		HAR-RJ	0.61	0.95	-	
HAR-ARJ	0.00	1.14	0.04	-	HAR-ARJ	0.43	2.59	-0.51	-	HAR-ARJ	0.37	0.46	0.00	-
HAR-C-J	-0.32	-0.43	-0.64	-0.85	HAR-C-J	-0.12	0.00	-0.95	-0.34	HAR-C-J	-0.11	-0.04	-0.34	-0.37
Panel C. AE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.21	-			HAR-J	-0.26	-			HAR-J	-0.02	-		
HAR-RJ	-0.24	-0.05	-		HAR-RJ	1.54	9.29	-		HAR-RJ	0.11	0.32	-	
HAR-ARJ	-0.04	0.72	1.56	-	HAR-ARJ	0.00	1.41	-5.75	-	HAR-ARJ	0.00	0.01	-0.51	-
HAR-C-J	-0.66	-0.51	-0.34	-0.89	HAR-C-J	0.34	0.81	0.00	0.45	HAR-C-J	-0.85	-0.79	-1.19	-0.99
Panel D. APE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.02	-			HAR-J	-0.12	-			HAR-J	-0.03	-		
HAR-RJ	0.00	0.07	-		HAR-RJ	2.13	9.83	-		HAR-RJ	0.47	0.78	-	
HAR-ARJ	0.01	0.69	0.32	-	HAR-ARJ	0.10	1.26	-5.39	-	HAR-ARJ	0.11	0.16	-0.56	-
HAR-C-J	-0.41	-0.78	-0.83	-1.23	HAR-C-J	0.08	0.31	-0.56	0.04	HAR-C-J	-0.39	-0.33	-0.74	-0.59
Panel E. LL														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.46	-			HAR-J	-1.44	-			HAR-J	-0.87	-		
HAR-RJ	-0.35	0.00	-		HAR-RJ	0.54	10.06	-		HAR-RJ	0.00	0.48	-	
HAR-ARJ	-0.12	1.66	1.85	-	HAR-ARJ	0.00	3.80	-1.37	-	HAR-ARJ	0.00	0.17	-0.06	-
HAR-C-J	-2.18	-2.84	-2.26	-3.77	HAR-C-J	-0.78	-0.30	-2.45	-1.07	HAR-C-J	-0.36	-0.17	-0.44	-0.41
Panel F. QLIKE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.87	-			HAR-J	-2.01	-			HAR-J	-1.26	-		
HAR-RJ	-0.79	-0.02	-		HAR-RJ	0.38	7.48	-		HAR-RJ	-0.05	0.28	-	
HAR-ARJ	-0.32	1.87	3.12	-	HAR-ARJ	-0.06	4.52	-1.48	-	HAR-ARJ	-0.15	0.07	-0.11	-
HAR-C-J	-3.58	-4.16	-2.93	-5.13	HAR-C-J	-1.40	-0.70	-3.17	-1.65	HAR-C-J	-0.54	-0.27	-0.52	-0.46

Table A.5: Comparisons of Out-of-Sample Volatility Forecasts for Gasoline

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. A significance level of 1% is employed for the detection of significant jumps. We highlight in bold all the significant test statistics based on the 95% confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
Panel A. SE														
HAR-J	-4.57	-			HAR-J	2.58	-			HAR-J	3.67	-		
HAR-RJ	0.25	1.82	-		HAR-RJ	2.46	0.89	-		HAR-RJ	5.71	3.86	-	
HAR-ARJ	-0.89	-0.03	-4.87	-	HAR-ARJ	1.04	0.00	-1.95	-	HAR-ARJ	4.06	0.19	-4.13	
HAR-C-J	7.42	12.71	4.10	7.44	HAR-C-J	8.97	7.95	4.87	6.38	HAR-C-J	6.68	6.57	5.55	
Panel B. SPE														
HAR-J	-1.92	-			HAR-J	0.00	-			HAR-J	0.54	-		
HAR-RJ	2.76	6.11	-		HAR-RJ	1.29	1.53	-		HAR-RJ	2.66	2.26	-	
HAR-ARJ	0.13	1.37	-5.61	-	HAR-ARJ	0.63	0.62	-0.33	-	HAR-ARJ	1.23	0.31	-3.33	
HAR-C-J	5.78	9.35	1.15	4.71	HAR-C-J	3.79	4.26	0.91	1.16	HAR-C-J	3.76	4.26	3.01	
Panel C. AE														
HAR-J	-1.41	-			HAR-J	1.97	-			HAR-J	1.19	-		
HAR-RJ	0.00	0.37	-		HAR-RJ	0.65	0.05	-		HAR-RJ	2.58	2.43	-	
HAR-ARJ	-1.24	-0.37	-5.25	-	HAR-ARJ	0.23	-0.11	-0.71	-	HAR-ARJ	1.90	0.47	-2.36	
HAR-C-J	3.10	5.42	2.30	5.19	HAR-C-J	5.22	4.18	3.24	4.14	HAR-C-J	4.94	5.31	4.59	
Panel D. APE														
HAR-J	-1.88	-			HAR-J	0.45	-			HAR-J	0.30	-		
HAR-RJ	0.15	1.28	-		HAR-RJ	0.22	0.06	-		HAR-RJ	1.83	2.38	-	
HAR-ARJ	-0.78	-0.07	-7.04	-	HAR-ARJ	0.04	-0.01	-0.38	-	HAR-ARJ	1.08	0.64	-2.21	
HAR-C-J	3.68	7.07	1.91	5.23	HAR-C-J	2.70	2.43	1.54	2.06	HAR-C-J	3.55	4.13	3.25	
Panel E. LL														
HAR-J	-5.64	-			HAR-J	0.94	-			HAR-J	1.28	-		
HAR-RJ	0.87	4.42	-		HAR-RJ	1.66	0.85	-		HAR-RJ	3.32	2.53	-	
HAR-ARJ	-0.30	0.33	-6.40	-	HAR-ARJ	0.70	0.08	-1.13	-	HAR-ARJ	2.12	0.42	-2.72	
HAR-C-J	5.60	11.75	1.86	5.58	HAR-C-J	5.51	5.21	2.06	2.92	HAR-C-J	4.58	4.74	3.73	
Panel F. QLIKE														
HAR-J	-6.92	-			HAR-J	1.36	-			HAR-J	1.62	-		
HAR-RJ	0.40	3.15	-		HAR-RJ	1.73	0.51	-		HAR-RJ	3.37	2.41	-	
HAR-ARJ	-0.73	0.04	-4.84	-	HAR-ARJ	0.76	0.00	-1.32	-	HAR-ARJ	2.43	0.44	-2.24	
HAR-C-J	4.85	10.39	1.90	4.85	HAR-C-J	5.81	5.55	2.75	3.74	HAR-C-J	4.64	4.56	3.71	

B. Variance Forecasting

Table B.6: Variance Forecasting Errors

This table presents out-of-sample forecasting errors for the five variance forecasting models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day Horizon					5-Day Horizon					22-Day Horizon				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.362	0.364	0.363	0.365	0.366	0.222	0.223	0.222	0.222	0.224	0.183	0.185	0.184	0.186	0.187
Heating oil	0.180	0.179	0.178	0.179	0.181	0.098	0.098	0.098	0.098	0.099	0.088	0.088	0.089	0.088	0.095
Natural gas	2.605	2.549	2.551	2.555	2.575	1.565	1.530	1.539	1.534	1.619	1.312	1.300	1.294	1.296	1.316
Gasoline	0.245	0.240	0.239	0.241	0.272	0.136	0.136	0.137	0.137	0.149	0.123	0.122	0.122	0.122	0.138
B. MSPE															
Crude oil	65.340	66.748	65.670	67.147	70.838	21.986	22.605	21.751	22.198	24.286	24.924	25.556	24.833	25.538	27.643
Heating oil	69.661	69.234	68.625	68.489	68.372	22.767	22.754	22.352	22.737	22.262	25.579	25.564	25.374	25.549	24.967
Natural gas	75.707	74.884	75.266	75.298	77.036	19.246	18.281	18.886	18.886	18.968	20.182	19.784	20.029	19.996	19.695
Gasoline	75.069	72.879	73.976	72.955	72.952	24.044	23.466	23.470	23.601	23.155	27.841	27.000	26.916	26.980	25.962
C. MAE															
Crude oil	3.491	3.522	3.514	3.532	3.563	2.897	2.908	2.897	2.905	2.957	3.377	3.384	3.383	3.383	3.446
Heating oil	2.671	2.669	2.661	2.667	2.675	2.188	2.188	2.186	2.180	2.196	2.479	2.480	2.485	2.476	2.533
Natural gas	9.034	9.022	9.017	9.027	9.111	6.870	6.854	6.894	6.858	7.055	7.693	7.684	7.669	7.673	7.568
Gasoline	3.344	3.304	3.294	3.302	3.484	2.609	2.590	2.592	2.597	2.686	2.924	2.878	2.876	2.876	2.977
D. MAPE															
Crude oil	48.033	48.543	48.355	48.736	49.842	33.995	34.205	33.900	34.072	35.290	40.636	40.840	40.628	40.752	42.349
Heating oil	48.758	48.549	48.284	48.474	48.833	35.316	35.276	35.061	35.131	35.040	40.351	40.324	40.230	40.217	40.008
Natural gas	54.133	54.115	54.178	54.200	54.794	32.929	32.852	33.150	32.974	33.474	36.294	36.209	36.234	36.218	35.344
Gasoline	52.172	51.123	51.248	50.970	50.638	36.004	35.395	35.360	35.405	35.286	41.377	40.471	40.433	40.425	39.805
E. LL															
Crude oil	24.778	25.105	24.937	25.291	25.698	15.885	15.952	15.816	15.854	16.449	18.441	18.532	18.452	18.521	18.966
Heating oil	24.626	24.471	24.252	24.424	24.646	15.172	15.147	15.050	15.107	15.058	16.150	16.138	16.118	16.121	16.068
Natural gas	29.166	29.036	29.116	29.138	29.306	14.236	14.045	14.251	14.147	14.265	16.029	15.884	15.912	15.900	15.629
Gasoline	27.004	26.360	26.373	26.343	32.301	15.690	15.564	15.557	15.631	17.703	16.833	16.534	16.510	16.544	18.722
F. QLIKE															
Crude oil	-145.047	-144.948	-145.016	-144.846	-144.836	-141.645	-141.678	-141.685	-141.713	-141.566	-137.461	-137.462	-137.443	-137.457	-137.467
Heating oil	-168.706	-168.762	-168.859	-168.778	-168.702	-165.888	-165.901	-165.923	-165.914	-165.896	-163.174	-163.179	-163.168	-163.178	-163.143
Natural gas	-63.339	-63.427	-63.397	-63.385	-63.379	-61.758	-61.855	-61.758	-61.817	-61.813	-58.635	-58.712	-58.707	-58.713	-58.863
Gasoline	-151.813	-152.086	-152.121	-152.060	-146.202	-149.751	-149.720	-149.738	-149.682	-147.868	-146.850	-146.926	-146.936	-146.916	-144.998

Table B.7: Comparisons of Out-of-Sample Variance Forecasts for Crude Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil variance. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.09	–			HAR-J	0.42	–		HAR-J	1.20	–			
HAR-RJ	0.06	-0.09	–		HAR-RJ	0.01	-0.36	–	HAR-RJ	0.25	-0.22	–		
HAR-ARJ	0.27	0.87	1.58	–	HAR-ARJ	0.24	-0.09	0.18	–	HAR-ARJ	1.26	0.44	0.45	–
HAR-C-J	0.72	4.43	2.81	0.18	HAR-C-J	0.85	0.54	0.89	0.61	HAR-C-J	0.93	0.53	0.58	0.16
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	5.49	–			HAR-J	1.16	–		HAR-J	2.70	–			
HAR-RJ	0.13	-1.29	–		HAR-RJ	-0.81	-2.09	–	HAR-RJ	-0.61	-2.77	–		
HAR-ARJ	3.33	0.34	5.24	–	HAR-ARJ	0.20	-2.94	1.16	–	HAR-ARJ	2.37	0.00	2.30	–
HAR-C-J	15.53	10.29	9.30	6.40	HAR-C-J	11.74	7.84	10.95	10.23	HAR-C-J	9.67	10.09	9.26	9.29
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	5.03	–			HAR-J	1.21	–		HAR-J	0.65	–			
HAR-RJ	2.79	-0.49	–		HAR-RJ	0.00	-0.70	–	HAR-RJ	0.47	0.00	–		
HAR-ARJ	5.06	1.26	3.74	–	HAR-ARJ	0.46	-0.12	0.28	–	HAR-ARJ	0.26	-0.02	0.00	–
HAR-C-J	19.90	23.31	11.73	6.40	HAR-C-J	7.33	6.75	6.95	6.24	HAR-C-J	2.66	2.73	1.92	2.56
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	5.02	–			HAR-J	1.37	–		HAR-J	2.32	–			
HAR-RJ	2.50	-0.93	–		HAR-RJ	-0.59	-2.20	–	HAR-RJ	-0.01	-1.43	–		
HAR-ARJ	5.51	1.90	5.10	–	HAR-ARJ	0.20	-1.40	0.97	–	HAR-ARJ	0.61	-0.72	0.44	–
HAR-C-J	40.73	51.31	31.29	22.58	HAR-C-J	14.58	11.96	15.40	13.21	HAR-C-J	9.03	9.17	8.17	9.10
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	2.49	–			HAR-J	0.28	–		HAR-J	0.80	–			
HAR-RJ	1.22	-0.92	–		HAR-RJ	-0.68	-0.93	–	HAR-RJ	0.02	-0.40	–		
HAR-ARJ	3.23	2.61	2.75	–	HAR-ARJ	-0.07	-2.29	0.10	–	HAR-ARJ	0.48	-0.03	0.27	–
HAR-C-J	19.12	21.76	16.63	4.57	HAR-C-J	6.40	5.91	7.34	7.67	HAR-C-J	1.66	1.49	1.40	1.39
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.63	–			HAR-J	-0.33	–		HAR-J	0.00	–			
HAR-RJ	0.21	-0.44	–		HAR-RJ	-0.89	-0.02	–	HAR-RJ	0.18	0.10	–		
HAR-ARJ	1.27	2.23	1.24	–	HAR-ARJ	-1.34	-1.76	-0.28	–	HAR-ARJ	0.01	0.02	-0.06	–
HAR-C-J	4.12	3.34	4.40	0.01	HAR-C-J	0.40	1.25	1.11	2.00	HAR-C-J	0.00	0.00	-0.01	0.00

Table B.8: Comparisons of Out-of-Sample Variance Forecasts for Heating Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil variance. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.96	–			HAR-J	0.39	–		HAR-J	0.51	–			
HAR-RJ	-3.01	-1.87	–		HAR-RJ	0.00	-0.04	–	HAR-RJ	0.44	0.33	–		
HAR-ARJ	-1.53	-0.80	1.16	–	HAR-ARJ	0.16	0.04	0.08	–	HAR-ARJ	0.07	0.01	-0.10	–
HAR-C-J	0.19	1.76	3.34	2.61	HAR-C-J	1.14	0.88	0.99	0.47	HAR-C-J	1.36	1.32	1.26	1.14
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-1.13	–			HAR-J	0.00	–		HAR-J	-0.04	–			
HAR-RJ	-3.62	-1.80	–		HAR-RJ	-3.94	-2.43	–	HAR-RJ	-2.14	-2.22	–		
HAR-ARJ	-2.30	-1.52	-0.03	–	HAR-ARJ	-0.01	-0.01	1.18	–	HAR-ARJ	-0.03	-0.01	1.05	–
HAR-C-J	-0.34	-0.17	-0.01	-0.01	HAR-C-J	-1.80	-2.21	-0.06	-1.74	HAR-C-J	-0.65	-0.64	-0.34	-0.57
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.08	–			HAR-J	-0.01	–		HAR-J	0.05	–			
HAR-RJ	-1.45	-1.22	–		HAR-RJ	-0.09	-0.07	–	HAR-RJ	0.41	0.43	–		
HAR-ARJ	-0.26	-0.55	0.80	–	HAR-ARJ	-1.26	-2.03	-0.30	–	HAR-ARJ	-0.18	-0.36	-1.50	–
HAR-C-J	0.12	0.92	2.24	1.57	HAR-C-J	0.18	0.22	0.41	0.83	HAR-C-J	0.72	0.72	0.69	0.82
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.98	–			HAR-J	-0.14	–		HAR-J	-0.26	–			
HAR-RJ	-6.17	-2.94	–		HAR-RJ	-3.09	-2.28	–	HAR-RJ	-0.76	-0.58	–		
HAR-ARJ	-1.55	-0.85	2.01	–	HAR-ARJ	-2.00	-3.67	0.27	–	HAR-ARJ	-1.48	-1.45	-0.02	–
HAR-C-J	0.08	3.74	6.76	6.56	HAR-C-J	-1.02	-0.90	-0.01	-0.13	HAR-C-J	-0.19	-0.17	-0.10	-0.08
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-1.17	–			HAR-J	-0.13	–		HAR-J	-0.15	–			
HAR-RJ	-8.66	-4.06	–		HAR-RJ	-1.95	-1.22	–	HAR-RJ	-0.13	-0.06	–		
HAR-ARJ	-1.64	-0.65	3.28	–	HAR-ARJ	-0.61	-0.69	0.44	–	HAR-ARJ	-0.18	-0.08	0.00	–
HAR-C-J	0.01	3.93	8.30	5.82	HAR-C-J	-0.53	-0.39	0.00	-0.12	HAR-C-J	-0.04	-0.03	-0.02	-0.02
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.84	–			HAR-J	-0.18	–		HAR-J	-0.13	–			
HAR-RJ	-10.47	-4.13	–		HAR-RJ	-0.59	-0.22	–	HAR-RJ	0.02	0.05	–		
HAR-ARJ	-1.17	-0.52	3.14	–	HAR-ARJ	-0.55	-0.34	0.05	–	HAR-ARJ	-0.02	0.00	-0.12	–
HAR-C-J	0.00	1.72	5.22	2.33	HAR-C-J	-0.01	0.01	0.13	0.07	HAR-C-J	0.02	0.03	0.02	0.03

Table B.9: Comparisons of Out-of-Sample Variance Forecasts for Natural Gas

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas variance. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.67	-			HAR-J	-1.14	-		HAR-J	-1.37	-			
HAR-RJ	-1.59	0.23	-		HAR-RJ	-0.72	4.57	-	HAR-RJ	-2.26	-0.96	-		
HAR-ARJ	-1.35	1.86	1.93	-	HAR-ARJ	-1.03	0.47	-2.36	-	HAR-ARJ	-1.94	-0.89	0.55	-
HAR-C-J	-0.39	2.00	1.66	1.15	HAR-C-J	0.35	1.32	1.05	1.19	HAR-C-J	0.01	0.22	0.34	0.31
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.16	-			HAR-J	-0.83	-		HAR-J	-0.70	-			
HAR-RJ	-0.05	0.75	-		HAR-RJ	-0.28	2.12	-	HAR-RJ	-0.58	0.51	-		
HAR-ARJ	-0.05	0.70	0.07	-	HAR-ARJ	-0.44	1.16	0.00	-	HAR-ARJ	-0.77	0.44	-0.86	-
HAR-C-J	0.29	7.36	4.06	3.41	HAR-C-J	-0.07	4.71	0.03	0.02	HAR-C-J	-0.25	-0.01	-0.12	-0.10
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.05	-			HAR-J	-0.10	-		HAR-J	-0.07	-			
HAR-RJ	-0.12	-0.14	-		HAR-RJ	0.21	9.05	-	HAR-RJ	-0.60	-0.78	-		
HAR-ARJ	-0.02	0.18	1.05	-	HAR-ARJ	-0.07	0.07	-9.29	-	HAR-ARJ	-0.44	-0.67	0.37	-
HAR-C-J	1.62	7.95	7.62	6.31	HAR-C-J	2.83	4.83	2.99	4.24	HAR-C-J	-0.93	-0.91	-0.67	-0.73
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	-0.06	-		HAR-J	-0.17	-			
HAR-RJ	0.02	0.27	-		HAR-RJ	0.68	6.96	-	HAR-RJ	-0.17	0.04	-		
HAR-ARJ	0.04	0.40	0.26	-	HAR-ARJ	0.04	0.74	-9.25	-	HAR-ARJ	-0.29	0.01	-0.43	-
HAR-C-J	2.49	28.21	12.42	10.63	HAR-C-J	1.72	6.80	1.45	3.11	HAR-C-J	-1.34	-1.08	-1.14	-1.10
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.22	-			HAR-J	-0.78	-		HAR-J	-1.10	-			
HAR-RJ	-0.04	0.81	-		HAR-RJ	0.01	6.66	-	HAR-RJ	-1.63	0.10	-		
HAR-ARJ	-0.01	1.12	0.53	-	HAR-ARJ	-0.36	1.07	-5.49	-	HAR-ARJ	-1.97	0.04	-0.67	-
HAR-C-J	0.24	9.30	2.31	1.66	HAR-C-J	0.01	2.19	0.01	0.42	HAR-C-J	-0.91	-0.35	-0.45	-0.41
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.53	-			HAR-J	-1.35	-		HAR-J	-1.82	-			
HAR-RJ	-0.26	0.81	-		HAR-RJ	0.00	8.55	-	HAR-RJ	-2.46	0.02	-		
HAR-ARJ	-0.16	1.50	0.82	-	HAR-ARJ	-0.76	1.39	-6.00	-	HAR-ARJ	-2.76	0.00	-0.70	-
HAR-C-J	-0.11	0.74	0.08	0.01	HAR-C-J	-0.18	0.28	-0.40	0.00	HAR-C-J	-1.75	-0.78	-0.85	-0.78

Table B.10: Comparisons of Out-of-Sample Variance Forecasts for Gasoline

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline variance. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-7.72	-			HAR-J	0.01	-		HAR-J	-0.61	-			
HAR-RJ	-11.07	-1.08	-		HAR-RJ	0.20	0.33	-	HAR-RJ	-0.62	0.00	-		
HAR-ARJ	-5.11	3.63	4.49	-	HAR-ARJ	0.97	1.91	4.05	-	HAR-ARJ	-0.26	0.51	2.67	-
HAR-C-J	21.28	28.95	27.28	27.62	HAR-C-J	6.50	7.04	6.41	5.86	HAR-C-J	0.96	1.25	1.20	1.18
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-8.95	-			HAR-J	-5.02	-		HAR-J	-5.56	-			
HAR-RJ	-1.07	1.07	-		HAR-RJ	-3.12	0.00	-	HAR-RJ	-5.82	-0.40	-		
HAR-ARJ	-10.24	0.05	-1.08	-	HAR-ARJ	-1.37	0.16	1.22	-	HAR-ARJ	-4.51	-0.03	1.24	-
HAR-C-J	-0.25	0.00	-0.05	0.00	HAR-C-J	-0.80	-0.14	-0.14	-0.27	HAR-C-J	-0.84	-0.35	-0.29	-0.34
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-6.46	-			HAR-J	-2.29	-		HAR-J	-3.92	-			
HAR-RJ	-11.96	-1.03	-		HAR-RJ	-1.25	0.04	-	HAR-RJ	-3.80	-0.14	-		
HAR-ARJ	-8.05	-0.11	0.64	-	HAR-ARJ	-0.58	0.44	2.91	-	HAR-ARJ	-3.31	-0.11	0.00	-
HAR-C-J	6.85	12.65	12.75	12.78	HAR-C-J	1.41	2.54	2.44	2.22	HAR-C-J	0.10	0.39	0.41	0.42
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-18.42	-			HAR-J	-10.17	-		HAR-J	-7.77	-			
HAR-RJ	-20.90	0.55	-		HAR-RJ	-6.79	-0.05	-	HAR-RJ	-7.21	-0.16	-		
HAR-ARJ	-20.66	-1.53	-2.44	-	HAR-ARJ	-5.17	0.00	0.88	-	HAR-ARJ	-6.40	-0.20	-0.04	-
HAR-C-J	-2.52	-0.30	-0.43	-0.14	HAR-C-J	-0.63	-0.02	-0.01	-0.02	HAR-C-J	-0.52	-0.12	-0.11	-0.11
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-15.88	-			HAR-J	-0.88	-		HAR-J	-2.59	-			
HAR-RJ	-19.39	0.02	-		HAR-RJ	-0.82	-0.01	-	HAR-RJ	-2.66	-0.19	-		
HAR-ARJ	-13.75	-0.05	-0.07	-	HAR-ARJ	-0.12	0.38	2.77	-	HAR-ARJ	-1.84	0.04	1.95	-
HAR-C-J	19.18	25.13	24.07	25.73	HAR-C-J	4.57	6.02	6.12	5.80	HAR-C-J	0.71	1.06	1.09	1.07
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-9.88	-			HAR-J	0.11	-		HAR-J	-0.76	-			
HAR-RJ	-12.82	-0.68	-		HAR-RJ	0.02	-0.14	-	HAR-RJ	-0.91	-0.23	-		
HAR-ARJ	-7.96	0.46	1.36	-	HAR-ARJ	0.41	0.74	2.36	-	HAR-ARJ	-0.45	0.19	2.60	-
HAR-C-J	30.48	33.29	32.77	33.65	HAR-C-J	7.42	8.33	8.54	8.30	HAR-C-J	1.47	1.70	1.73	1.71

C. Logarithmic Variance Forecasting

Table C.11: Forecasting Errors: Logarithmic Variance

This table presents out-of-sample errors for the five models employed for forecasting logarithmic variance. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	<i>1-Day Horizon</i>					<i>5- Day Horizon</i>					<i>22-Day Horizon</i>				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
Panel A. MSE															
Crude Oil	22.409	22.172	22.113	22.195	22.073	14.170	14.025	14.013	13.993	13.850	16.562	16.471	16.506	16.471	16.134
Heating Oil	22.029	21.923	21.880	21.947	21.841	12.612	12.613	12.628	12.612	12.586	13.172	13.203	13.244	13.217	13.312
Natural Gas	25.784	25.745	25.825	25.794	25.763	12.008	12.124	12.199	12.119	12.241	12.275	12.363	12.326	12.326	12.303
Gasoline	22.870	23.100	23.081	23.127	23.263	13.091	13.272	13.293	13.313	13.450	14.043	14.151	14.181	14.177	14.419
Panel B. MSPE															
Crude Oil	0.359	0.354	0.354	0.355	0.352	0.244	0.242	0.242	0.241	0.238	0.272	0.270	0.271	0.270	0.264
Heating Oil	0.327	0.325	0.325	0.325	0.323	0.195	0.196	0.196	0.195	0.195	0.193	0.193	0.194	0.194	0.195
Natural Gas	0.538	0.538	0.540	0.539	0.538	0.266	0.270	0.271	0.270	0.273	0.270	0.272	0.271	0.270	
Gasoline	0.356	0.358	0.358	0.359	0.361	0.211	0.214	0.214	0.214	0.217	0.213	0.215	0.215	0.215	0.219
Panel C. MAE															
Crude Oil	35.193	35.109	35.037	35.129	34.954	27.501	27.414	27.413	27.382	27.316	32.746	32.692	32.712	32.685	32.596
Heating Oil	34.826	34.681	34.664	34.698	34.591	26.725	26.722	26.737	26.720	26.883	29.798	29.853	29.889	29.852	30.423
Natural Gas	39.261	39.265	39.338	39.292	39.418	26.214	26.287	26.435	26.263	26.739	26.885	27.056	27.026	27.028	26.810
Gasoline	36.127	36.386	36.311	36.394	36.578	27.199	27.375	27.353	27.382	27.713	29.932	30.092	30.131	30.105	30.732
Panel D. MAPE															
Crude Oil	4.384	4.372	4.364	4.375	4.350	3.476	3.464	3.465	3.461	3.449	4.129	4.121	4.125	4.120	4.104
Heating Oil	4.193	4.175	4.173	4.177	4.161	3.248	3.249	3.251	3.248	3.268	3.604	3.611	3.616	3.611	3.683
Natural Gas	5.478	5.480	5.490	5.484	5.498	3.722	3.733	3.754	3.729	3.802	3.839	3.864	3.859	3.860	3.832
Gasoline	4.451	4.481	4.471	4.482	4.503	3.374	3.396	3.393	3.396	3.439	3.685	3.705	3.709	3.706	3.787
Panel E. LL															
Crude Oil	0.349	0.345	0.344	0.345	0.344	0.229	0.226	0.226	0.226	0.224	0.264	0.262	0.263	0.262	0.257
Heating Oil	0.321	0.319	0.319	0.320	0.318	0.188	0.189	0.189	0.189	0.189	0.194	0.195	0.196	0.195	0.197
Natural Gas	0.505	0.505	0.506	0.506	0.505	0.249	0.252	0.254	0.252	0.256	0.254	0.256	0.255	0.255	0.256
Gasoline	0.347	0.350	0.350	0.351	0.353	0.203	0.206	0.206	0.206	0.209	0.214	0.216	0.216	0.216	0.221
Panel F. QLIKE															
Crude Oil	308.995	308.993	308.992	308.993	308.992	308.250	308.249	308.249	308.249	308.248	307.882	307.881	307.882	307.881	307.879
Heating Oil	311.841	311.840	311.840	311.841	311.840	311.095	311.095	311.095	311.095	311.095	310.802	310.802	310.803	310.802	310.804
Natural Gas	298.631	298.631	298.632	298.631	298.632	297.520	297.522	297.523	297.522	297.524	297.278	297.279	297.278	297.278	297.279
Gasoline	309.975	309.976	309.976	309.977	309.978	309.184	309.185	309.185	309.185	309.187	308.862	308.863	308.863	308.863	308.866

Table C.12: Comparisons of Out-of-Sample Logarithmic Variance Forecasts for Crude Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for the logarithmic variance of crude oil. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
Panel A. SE														
HAR-J	-3.30	-			HAR-J	-1.15	-			HAR-J	-0.44	-		
HAR-RJ	-2.93	-0.01	-		HAR-RJ	-1.54	-0.24	-		HAR-RJ	-0.59	0.00	-	
HAR-ARJ	-3.77	-0.31	-2.27	-	HAR-ARJ	-2.26	-1.77	-4.16	-	HAR-ARJ	-0.72	-0.13	-0.23	-
HAR-C-J	-3.07	-0.45	-0.33	-0.13	HAR-C-J	-0.19	0.00	0.01	0.06	HAR-C-J	-0.07	-0.01	-0.01	0.00
Panel B. SPE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-2.67	-			HAR-J	-0.88	-			HAR-J	-0.39	-		
HAR-RJ	-2.21	0.01	-		HAR-RJ	-1.28	-0.16	-		HAR-RJ	-0.65	-0.01	-	
HAR-ARJ	-3.05	-0.15	-2.21	-	HAR-ARJ	-2.20	-1.72	-5.58	-	HAR-ARJ	-0.86	-0.43	-0.42	-
HAR-C-J	-1.81	-0.09	-0.10	-0.01	HAR-C-J	0.00	0.11	0.16	0.30	HAR-C-J	-0.04	0.00	0.00	0.00
Panel C. AE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-1.66	-			HAR-J	-1.46	-			HAR-J	-0.32	-		
HAR-RJ	-1.09	0.07	-		HAR-RJ	-1.06	0.01	-		HAR-RJ	-0.36	0.00	-	
HAR-ARJ	-1.53	-0.02	-1.48	-	HAR-ARJ	-2.38	-1.14	-5.76	-	HAR-ARJ	-0.49	-0.16	-0.35	-
HAR-C-J	-3.80	-2.22	-2.04	-1.44	HAR-C-J	-2.61	-2.03	-1.93	-1.30	HAR-C-J	0.00	0.03	0.03	0.04
Panel D. APE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-1.47	-			HAR-J	-1.29	-			HAR-J	-0.32	-		
HAR-RJ	-0.87	0.10	-		HAR-RJ	-0.86	0.03	-		HAR-RJ	-0.35	0.00	-	
HAR-ARJ	-1.32	-0.01	-1.43	-	HAR-ARJ	-2.29	-1.21	-6.33	-	HAR-ARJ	-0.51	-0.19	-0.46	-
HAR-C-J	-3.59	-2.19	-2.06	-1.45	HAR-C-J	-2.37	-1.81	-1.76	-1.12	HAR-C-J	0.00	0.04	0.03	0.06
Panel E. LL														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-2.77	-			HAR-J	-1.17	-			HAR-J	-0.42	-		
HAR-RJ	-2.24	0.00	-		HAR-RJ	-1.51	-0.18	-		HAR-RJ	-0.55	0.00	-	
HAR-ARJ	-3.11	-0.27	-2.50	-	HAR-ARJ	-2.45	-1.82	-4.80	-	HAR-ARJ	-0.75	-0.21	-0.32	-
HAR-C-J	-2.10	-0.19	-0.15	-0.03	HAR-C-J	-0.13	0.00	0.02	0.08	HAR-C-J	-0.13	-0.05	-0.04	-0.03
Panel F. QLIKE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-2.75	-			HAR-J	-1.27	-			HAR-J	-0.42	-		
HAR-RJ	-2.21	0.00	-		HAR-RJ	-1.59	-0.18	-		HAR-RJ	-0.52	0.00	-	
HAR-ARJ	-3.07	-0.31	-2.61	-	HAR-ARJ	-2.53	-1.84	-4.51	-	HAR-ARJ	-0.71	-0.16	-0.29	-
HAR-C-J	-2.08	-0.20	-0.14	-0.03	HAR-C-J	-0.21	0.00	0.00	0.04	HAR-C-J	-0.17	-0.08	-0.08	-0.06

Table C.13: Comparisons of Out-of-Sample Logarithmic Variance Forecasts for Heating Oil

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for the logarithmic variance of heating oil. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
Panel A. SE														
HAR-J	2.08	-		HAR-J	3.76	-		HAR-J	1.67	-				
HAR-RJ	2.81	7.54	-	HAR-RJ	5.27	7.62	-	HAR-RJ	3.36	1.89	-			
HAR-ARJ	2.67	2.71	-0.81	HAR-ARJ	4.25	0.37	-2.68	HAR-ARJ	1.95	0.29	-1.20	-		
HAR-C-J	0.99	-0.02	-0.30	-0.15	HAR-C-J	0.66	0.02	-0.03	0.01	HAR-C-J	0.32	0.12	0.06	0.11
Panel B. SPE														
HAR-J	1.61	-		HAR-J	3.32	-		HAR-J	1.43	-				
HAR-RJ	2.27	6.36	-	HAR-RJ	5.14	9.15	-	HAR-RJ	3.44	2.62	-			
HAR-ARJ	2.12	3.27	-0.65	-	HAR-ARJ	3.75	0.42	-3.88	-	HAR-ARJ	1.68	0.32	-1.82	-
HAR-C-J	0.45	-0.24	-0.80	-0.55	HAR-C-J	0.84	0.13	0.00	0.10	HAR-C-J	0.34	0.16	0.07	0.14
Panel C. AE														
HAR-J	1.46	-		HAR-J	4.51	-		HAR-J	0.92	-				
HAR-RJ	2.21	6.77	-	HAR-RJ	6.04	8.26	-	HAR-RJ	1.48	0.91	-			
HAR-ARJ	1.81	2.08	-2.67	-	HAR-ARJ	4.33	-0.04	-7.35	-	HAR-ARJ	1.21	0.43	-0.44	-
HAR-C-J	0.80	0.00	-0.19	-0.03	HAR-C-J	1.38	0.16	0.00	0.16	HAR-C-J	1.99	1.80	1.65	1.72
Panel D. APE														
HAR-J	1.20	-		HAR-J	4.69	-		HAR-J	0.94	-				
HAR-RJ	1.89	6.39	-	HAR-RJ	6.36	8.94	-	HAR-RJ	1.57	1.18	-			
HAR-ARJ	1.54	2.22	-2.38	-	HAR-ARJ	4.54	-0.03	-7.88	-	HAR-ARJ	1.21	0.41	-0.67	-
HAR-C-J	0.45	-0.04	-0.40	-0.15	HAR-C-J	1.50	0.19	0.01	0.20	HAR-C-J	2.05	1.87	1.70	1.79
Panel E. LL														
HAR-J	1.76	-		HAR-J	4.06	-		HAR-J	1.88	-				
HAR-RJ	2.48	7.80	-	HAR-RJ	5.76	8.11	-	HAR-RJ	3.56	2.09	-			
HAR-ARJ	2.36	3.19	-0.71	-	HAR-ARJ	4.68	0.44	-2.68	-	HAR-ARJ	2.19	0.30	-1.27	-
HAR-C-J	0.83	-0.03	-0.33	-0.18	HAR-C-J	0.92	0.10	0.00	0.07	HAR-C-J	0.48	0.23	0.14	0.21
Panel F. QLIK														
HAR-J	1.81	-		HAR-J	4.28	-		HAR-J	2.03	-				
HAR-RJ	2.56	8.27	-	HAR-RJ	5.90	7.67	-	HAR-RJ	3.57	1.91	-			
HAR-ARJ	2.44	3.15	-0.74	-	HAR-ARJ	4.98	0.45	-2.32	-	HAR-ARJ	2.36	0.29	-1.11	-
HAR-C-J	0.99	0.00	-0.21	-0.09	HAR-C-J	0.93	0.10	0.00	0.06	HAR-C-J	0.52	0.26	0.16	0.23

Table C.14: Comparisons of Out-of-Sample Logarithmic Variance Forecasts for Natural Gas

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for the logarithmic variance of natural gas. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
Panel A. SE														
HAR-J	-0.09	-			HAR-J	0.08	-		HAR-J	-1.13	-			
HAR-RJ	-0.01	0.17	-		HAR-RJ	1.71	5.56	-	HAR-RJ	-0.28	3.37	-		
HAR-ARJ	-0.02	0.15	-0.02	-	HAR-ARJ	1.40	7.26	-1.01	HAR-ARJ	-0.20	4.76	0.32		
HAR-C-J	-0.34	-0.29	-0.41	-0.39	HAR-C-J	-0.70	-1.18	-3.04	-1.99	HAR-C-J	-1.80	-1.82	-2.28	
												-2.29		
Panel B. SPE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.54	-			HAR-J	0.20	-		HAR-J	-1.20	-			
HAR-RJ	-0.18	0.23	-		HAR-RJ	2.05	4.77	-	HAR-RJ	-0.29	2.84	-		
HAR-ARJ	-0.18	0.33	0.01	-	HAR-ARJ	1.77	6.01	-1.26	-	HAR-ARJ	-0.20	4.88	0.39	-
HAR-C-J	-0.62	-0.18	-0.32	-0.35	HAR-C-J	-0.60	-1.18	-3.13	-2.11	HAR-C-J	-1.79	-1.81	-2.25	-2.31
Panel C. AE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.09	-			HAR-J	0.56	-		HAR-J	-2.69	-			
HAR-RJ	-0.20	-0.35	-		HAR-RJ	3.58	10.04	-	HAR-RJ	-1.56	3.39	-		
HAR-ARJ	-0.18	-0.33	0.05	-	HAR-ARJ	1.76	3.49	-2.81	-	HAR-ARJ	-1.50	4.84	0.33	-
HAR-C-J	-0.33	-0.27	-0.06	-0.10	HAR-C-J	-0.01	-0.26	-1.78	-0.63	HAR-C-J	-1.97	-1.22	-1.54	-1.58
Panel D. APE														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.14	-			HAR-J	0.60	-		HAR-J	-2.60	-			
HAR-RJ	-0.25	-0.33	-		HAR-RJ	3.90	10.23	-	HAR-RJ	-1.46	3.41	-		
HAR-ARJ	-0.22	-0.24	0.07	-	HAR-ARJ	1.90	3.42	-2.83	-	HAR-ARJ	-1.36	5.23	0.44	-
HAR-C-J	-0.40	-0.29	-0.07	-0.12	HAR-C-J	0.00	-0.18	-1.69	-0.54	HAR-C-J	-1.89	-1.21	-1.54	-1.60
Panel E. LL														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.21	-			HAR-J	0.24	-		HAR-J	-0.70	-			
HAR-RJ	-0.04	0.27	-		HAR-RJ	2.37	6.06	-	HAR-RJ	-0.11	3.55	-		
HAR-ARJ	-0.05	0.30	0.00	-	HAR-ARJ	2.06	6.79	-1.18	-	HAR-ARJ	-0.05	5.12	0.43	-
HAR-C-J	-0.35	-0.16	-0.31	-0.31	HAR-C-J	-0.30	-0.69	-2.37	-1.44	HAR-C-J	-1.15	-1.20	-1.60	-1.66
Panel F. QLIK														
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
HAR-J	-0.13	-			HAR-J	0.25	-		HAR-J	-0.55	-			
HAR-RJ	-0.02	0.29	-		HAR-RJ	2.45	6.46	-	HAR-RJ	-0.06	3.83	-		
HAR-ARJ	-0.02	0.30	-0.01	-	HAR-ARJ	2.14	6.95	-1.15	-	HAR-ARJ	-0.02	5.13	0.43	-
HAR-C-J	-0.27	-0.15	-0.30	-0.28	HAR-C-J	-0.23	-0.57	-2.12	-1.25	HAR-C-J	-0.95	-1.01	-1.39	-1.44

Table C.15: Comparisons of Out-of-Sample Logarithmic Variance Forecasts for Gasoline

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for the logarithmic variance of gasoline. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample variance forecasts. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
Panel A. SE														
HAR-J	0.23	-		HAR-J	4.14	-		HAR-J	1.26	-				
HAR-RJ	1.56	1.53	-	HAR-RJ	4.81	1.56	-	HAR-RJ	2.70	4.64	-			
HAR-ARJ	0.54	0.28	-2.63	HAR-ARJ	6.81	1.08	0.00	HAR-ARJ	2.40	1.03	-0.45	-		
HAR-C-J	1.33	1.20	0.04	0.75	HAR-C-J	1.15	0.20	0.00	0.01	HAR-C-J	-0.11	-0.35	-0.48	-0.42
Panel B. SPE														
HAR-J	0.00	-		HAR-J	3.74	-		HAR-J	0.91	-				
HAR-RJ	0.85	1.28	-	HAR-RJ	3.87	1.23	-	HAR-RJ	2.24	4.57	-			
HAR-ARJ	0.15	0.47	-1.90	-	HAR-ARJ	5.53	1.01	-0.09	-	HAR-ARJ	1.76	1.03	-0.75	-
HAR-C-J	0.85	1.25	0.04	0.72	HAR-C-J	1.37	0.40	0.06	0.11	HAR-C-J	-0.08	-0.24	-0.37	-0.30
Panel C. AE														
HAR-J	1.68	-		HAR-J	2.81	-		HAR-J	1.69	-				
HAR-RJ	2.50	0.58	-	HAR-RJ	3.69	1.20	-	HAR-RJ	2.69	3.35	-			
HAR-ARJ	1.26	-0.32	-4.58	-	HAR-ARJ	4.65	0.67	-0.03	-	HAR-ARJ	2.76	0.92	-0.21	-
HAR-C-J	2.90	1.19	0.41	1.55	HAR-C-J	0.07	-0.10	-0.32	-0.26	HAR-C-J	0.17	0.03	0.01	0.01
Panel D. APE														
HAR-J	1.26	-		HAR-J	2.76	-		HAR-J	1.58	-				
HAR-RJ	2.08	0.59	-	HAR-RJ	3.58	1.15	-	HAR-RJ	2.56	3.32	-			
HAR-ARJ	0.98	-0.19	-3.93	-	HAR-ARJ	4.40	0.64	-0.06	-	HAR-ARJ	2.56	0.89	-0.29	-
HAR-C-J	2.35	1.04	0.28	1.29	HAR-C-J	0.07	-0.10	-0.32	-0.24	HAR-C-J	0.22	0.06	0.02	0.03
Panel E. LL														
HAR-J	0.10	-		HAR-J	3.94	-		HAR-J	1.18	-				
HAR-RJ	1.29	1.46	-	HAR-RJ	4.45	1.46	-	HAR-RJ	2.65	4.78	-			
HAR-ARJ	0.39	0.37	-2.36	-	HAR-ARJ	6.22	1.04	-0.03	-	HAR-ARJ	2.28	1.03	-0.59	-
HAR-C-J	1.09	1.20	0.02	0.67	HAR-C-J	1.10	0.21	0.00	0.01	HAR-C-J	-0.08	-0.27	-0.39	-0.33
Panel F. QLIK														
HAR-J	0.17	-		HAR-J	3.94	-		HAR-J	1.26	-				
HAR-RJ	1.47	1.55	-	HAR-RJ	4.62	1.55	-	HAR-RJ	2.78	4.83	-			
HAR-ARJ	0.49	0.35	-2.57	-	HAR-ARJ	6.37	1.05	-0.02	-	HAR-ARJ	2.45	1.03	-0.54	-
HAR-C-J	1.21	1.19	0.02	0.67	HAR-C-J	1.00	0.16	0.00	0.00	HAR-C-J	-0.09	-0.28	-0.40	-0.34

D. The MedRV Estimator

Table D.16: Volatility Forecasting Errors (MedRV Estimator)

This table presents out-of-sample forecasting errors for the five volatility models considered. Jumps are detected based on the MedRV estimator of Andersen et al. (2012). Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day Horizon					5-Day Horizon					22-Day Horizon				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.536	0.533	0.535	0.533	0.535	0.376	0.374	0.373	0.372	0.380	0.402	0.401	0.401	0.401	0.410
Heating oil	0.399	0.400	0.403	0.401	0.404	0.247	0.248	0.250	0.248	0.254	0.244	0.245	0.246	0.245	0.253
Natural gas	1.493	1.477	1.483	1.481	1.475	0.842	0.833	0.847	0.839	0.834	0.843	0.837	0.841	0.840	0.853
Gasoline	0.484	0.483	0.488	0.484	0.490	0.297	0.297	0.301	0.299	0.304	0.289	0.289	0.290	0.290	0.296
B. MSPE															
Crude oil	7.341	7.276	7.314	7.290	7.260	3.539	3.487	3.464	3.466	3.425	4.324	4.306	4.314	4.322	4.341
Heating oil	7.488	7.494	7.563	7.520	7.595	3.525	3.541	3.563	3.554	3.618	4.054	4.060	4.058	4.062	4.163
Natural gas	8.243	8.252	8.278	8.245	8.216	3.081	3.030	3.091	3.057	2.999	3.136	3.100	3.124	3.116	3.158
Gasoline	7.740	7.740	7.781	7.696	7.850	3.663	3.642	3.689	3.684	3.764	4.197	4.190	4.208	4.200	4.313
C. MAE															
Crude oil	5.149	5.131	5.158	5.141	5.111	4.204	4.184	4.187	4.175	4.157	5.020	5.013	5.011	5.013	5.068
Heating oil	4.505	4.517	4.535	4.521	4.526	3.649	3.655	3.678	3.654	3.699	4.102	4.108	4.109	4.104	4.178
Natural gas	8.723	8.691	8.702	8.692	8.696	6.234	6.216	6.313	6.250	6.211	6.648	6.605	6.614	6.617	6.717
Gasoline	5.142	5.144	5.147	5.122	5.180	4.003	4.006	4.033	4.015	4.061	4.360	4.363	4.372	4.366	4.477
D. MAPE															
Crude oil	18.866	18.761	18.838	18.789	18.626	14.217	14.117	14.105	14.079	13.937	17.069	17.029	17.021	17.036	17.166
Heating oil	18.976	19.018	19.105	19.035	19.072	14.474	14.490	14.564	14.489	14.644	16.410	16.420	16.409	16.400	16.643
Natural gas	21.149	21.105	21.128	21.094	21.102	13.655	13.618	13.840	13.691	13.575	14.202	14.095	14.118	14.119	14.335
Gasoline	19.832	19.835	19.824	19.725	20.030	14.616	14.607	14.711	14.651	14.851	16.239	16.242	16.276	16.253	16.621
E. LL															
Crude oil	5.639	5.586	5.607	5.593	5.570	3.591	3.560	3.546	3.540	3.589	4.238	4.227	4.228	4.233	4.372
Heating oil	5.610	5.619	5.658	5.634	5.668	3.321	3.332	3.353	3.334	3.401	3.539	3.545	3.545	3.544	3.634
Natural gas	6.612	6.585	6.605	6.591	6.555	3.106	3.066	3.121	3.088	3.045	3.260	3.222	3.238	3.235	3.262
Gasoline	5.914	5.907	5.944	5.894	6.001	3.459	3.460	3.500	3.483	3.553	3.658	3.662	3.674	3.668	3.739
F. QLIKE															
Crude oil	-25.479	-25.504	-25.494	-25.502	-25.504	-23.176	-23.190	-23.196	-23.200	-23.151	-21.154	-21.158	-21.159	-21.157	-21.061
Heating oil	-37.243	-37.237	-37.218	-37.231	-37.217	-35.058	-35.053	-35.043	-35.053	-35.017	-33.582	-33.579	-33.579	-33.579	-33.535
Natural gas	14.593	14.574	14.585	14.580	14.559	17.036	17.016	17.044	17.026	17.005	18.229	18.208	18.215	18.215	18.224
Gasoline	-29.255	-29.259	-29.235	-29.260	-29.210	-27.032	-27.028	-27.008	-27.018	-26.983	-25.457	-25.453	-25.447	-25.450	-25.420

Table D.17: Comparisons of Out-of-Sample Volatility Forecasts for Crude Oil (MedRV Estimator)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Jump components are constructed based on the MedRV estimator of Andersen et al. (2012). Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-2.59	-			HAR-J	-1.33	-		HAR-J	-0.11	-			
HAR-RJ	-0.05	0.88	-		HAR-RJ	-1.32	-0.09	-	HAR-RJ	-0.16	-0.03	-		
HAR-ARJ	-1.41	0.11	-0.90	-	HAR-ARJ	-3.43	-1.09	-0.58	-	HAR-ARJ	-0.29	-0.03	0.01	-
HAR-C-J	-0.04	0.55	0.00	0.30	HAR-C-J	0.25	0.59	0.66	0.88	HAR-C-J	0.60	0.76	0.72	0.76
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.90	-			HAR-J	-1.75	-		HAR-J	-0.67	-			
HAR-RJ	-0.18	0.79	-		HAR-RJ	-2.02	-0.42	-	HAR-RJ	-0.13	0.09	-		
HAR-ARJ	-0.87	0.28	-0.49	-	HAR-ARJ	-2.13	-0.54	0.01	-	HAR-ARJ	-0.01	0.61	0.29	-
HAR-C-J	-0.70	-0.04	-0.43	-0.13	HAR-C-J	-1.21	-0.53	-0.21	-0.24	HAR-C-J	0.02	0.12	0.06	0.03
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.56	-			HAR-J	-2.20	-		HAR-J	-0.36	-			
HAR-RJ	0.15	1.65	-		HAR-RJ	-0.69	0.02	-	HAR-RJ	-0.33	-0.04	-		
HAR-ARJ	-0.23	0.55	-1.38	-	HAR-ARJ	-2.54	-0.46	-0.97	-	HAR-ARJ	-0.24	0.00	0.11	-
HAR-C-J	-2.79	-1.38	-3.05	-1.98	HAR-C-J	-1.33	-0.55	-0.55	-0.22	HAR-C-J	0.44	0.72	0.71	0.69
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.88	-			HAR-J	-2.54	-		HAR-J	-0.70	-			
HAR-RJ	-0.07	0.99	-		HAR-RJ	-1.42	-0.03	-	HAR-RJ	-0.55	-0.03	-		
HAR-ARJ	-0.66	0.22	-1.05	-	HAR-ARJ	-2.32	-0.40	-0.49	-	HAR-ARJ	-0.32	0.03	0.29	-
HAR-C-J	-4.60	-3.15	-4.07	-3.13	HAR-C-J	-2.76	-1.66	-1.30	-0.97	HAR-C-J	0.15	0.38	0.39	0.34
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-2.90	-			HAR-J	-1.33	-		HAR-J	-0.40	-			
HAR-RJ	-0.61	0.57	-		HAR-RJ	-1.47	-0.27	-	HAR-RJ	-0.25	0.00	-		
HAR-ARJ	-1.73	0.11	-0.53	-	HAR-ARJ	-2.00	-0.67	-0.16	-	HAR-ARJ	-0.12	0.12	0.23	-
HAR-C-J	-2.11	-0.21	-0.77	-0.33	HAR-C-J	0.00	0.16	0.33	0.41	HAR-C-J	0.97	1.27	1.19	1.13
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-3.22	-			HAR-J	-1.06	-		HAR-J	-0.21	-			
HAR-RJ	-0.65	0.61	-		HAR-RJ	-1.19	-0.20	-	HAR-RJ	-0.25	-0.02	-		
HAR-ARJ	-2.15	0.07	-0.70	-	HAR-ARJ	-1.85	-0.67	-0.31	-	HAR-ARJ	-0.14	0.01	0.20	-
HAR-C-J	-1.23	0.00	-0.22	-0.01	HAR-C-J	0.30	0.80	0.98	1.12	HAR-C-J	1.36	1.61	1.58	1.53

Table D.18: Comparisons of Out-of-Sample Volatility Forecasts for Heating Oil (MedRV Estimator)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Jump components are constructed based on the MedRV estimator of Andersen et al. (2012). Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.34	-			HAR-J	1.55	-		HAR-J	0.67	-			
HAR-RJ	1.89	2.71	-		HAR-RJ	3.58	2.39	-	HAR-RJ	0.54	0.11	-		
HAR-ARJ	2.87	5.42	-0.39	-	HAR-ARJ	1.36	0.39	-0.76	-	HAR-ARJ	0.57	0.09	-0.02	-
HAR-C-J	7.30	8.04	0.24	2.37	HAR-C-J	8.10	7.50	3.36	6.68	HAR-C-J	5.22	5.50	5.48	5.03
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.06	-			HAR-J	0.79	-		HAR-J	0.18	-			
HAR-RJ	2.09	3.31	-		HAR-RJ	2.17	0.86	-	HAR-RJ	0.04	-0.02	-		
HAR-ARJ	1.16	2.96	-0.94	-	HAR-ARJ	0.90	0.69	-0.05	-	HAR-ARJ	0.16	0.05	0.04	-
HAR-C-J	7.11	11.29	0.46	5.63	HAR-C-J	5.02	6.62	1.82	4.96	HAR-C-J	4.55	5.48	5.27	5.31
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.61	-			HAR-J	0.64	-		HAR-J	0.57	-			
HAR-RJ	2.40	1.83	-		HAR-RJ	3.43	4.06	-	HAR-RJ	0.27	0.02	-		
HAR-ARJ	2.62	0.95	-1.06	-	HAR-ARJ	0.40	-0.06	-4.12	-	HAR-ARJ	0.05	-0.98	-0.42	-
HAR-C-J	2.32	0.84	-0.27	0.17	HAR-C-J	5.50	5.97	1.26	6.21	HAR-C-J	3.47	3.77	4.33	4.21
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.06	-			HAR-J	0.30	-		HAR-J	0.10	-			
HAR-RJ	2.65	2.86	-		HAR-RJ	2.12	2.67	-	HAR-RJ	0.00	-0.10	-		
HAR-ARJ	1.75	0.71	-1.86	-	HAR-ARJ	0.20	0.00	-2.51	-	HAR-ARJ	-0.05	-1.37	-0.08	-
HAR-C-J	2.79	1.92	-0.26	0.74	HAR-C-J	4.33	5.18	1.27	5.22	HAR-C-J	2.86	3.43	4.23	4.08
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.33	-			HAR-J	0.87	-		HAR-J	0.43	-			
HAR-RJ	2.18	3.38	-		HAR-RJ	2.54	2.08	-	HAR-RJ	0.19	0.00	-		
HAR-ARJ	1.58	3.14	-1.14	-	HAR-ARJ	0.72	0.10	-0.99	-	HAR-ARJ	0.19	-0.03	0.00	-
HAR-C-J	6.14	8.16	0.13	3.33	HAR-C-J	7.09	7.27	3.07	6.70	HAR-C-J	4.64	5.04	4.86	5.12
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.53	-			HAR-J	0.93	-		HAR-J	0.58	-			
HAR-RJ	2.13	2.99	-		HAR-RJ	2.37	1.96	-	HAR-RJ	0.29	0.00	-		
HAR-ARJ	1.70	3.11	-1.25	-	HAR-ARJ	0.63	0.00	-1.30	-	HAR-ARJ	0.24	-0.07	-0.02	-
HAR-C-J	5.44	6.13	0.01	2.33	HAR-C-J	7.10	6.43	3.26	6.18	HAR-C-J	4.33	4.52	4.31	4.63

Table D.19: Comparisons of Out-of-Sample Volatility Forecasts for Natural Gas (MedRV Estimator)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Jump components are constructed based on the MedRV estimator of Andersen et al. (2012). Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.65	-			HAR-J	-2.01	-		HAR-J	-1.69	-			
HAR-RJ	-0.50	1.17	-		HAR-RJ	0.25	7.51	-	HAR-RJ	-0.13	2.40	-		
HAR-ARJ	-0.87	0.74	-0.45	-	HAR-ARJ	-0.30	4.87	-2.59	-	HAR-ARJ	-0.49	5.22	-0.15	-
HAR-C-J	-1.77	-0.15	-0.99	-0.62	HAR-C-J	-0.29	0.03	-1.20	-0.16	HAR-C-J	0.41	1.85	1.20	1.19
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.01	-			HAR-J	-1.12	-		HAR-J	-1.11	-			
HAR-RJ	0.10	0.66	-		HAR-RJ	0.03	8.81	-	HAR-RJ	-0.13	6.55	-		
HAR-ARJ	0.00	-0.16	-1.67	-	HAR-ARJ	-0.32	6.59	-1.66	-	HAR-ARJ	-0.57	2.53	-0.86	-
HAR-C-J	-0.07	-0.49	-0.98	-0.30	HAR-C-J	-0.95	-0.43	-3.79	-1.28	HAR-C-J	0.09	1.27	0.40	0.58
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.57	-			HAR-J	-0.46	-		HAR-J	-3.23	-			
HAR-RJ	-0.15	0.34	-		HAR-RJ	3.30	14.23	-	HAR-RJ	-1.12	0.60	-		
HAR-ARJ	-0.48	0.00	-0.46	-	HAR-ARJ	0.38	8.85	-6.20	-	HAR-ARJ	-1.73	2.76	0.06	-
HAR-C-J	-0.32	0.06	-0.04	0.02	HAR-C-J	-0.21	-0.02	-6.36	-1.02	HAR-C-J	0.92	3.16	2.76	2.44
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.16	-			HAR-J	-0.29	-		HAR-J	-3.14	-			
HAR-RJ	-0.02	0.20	-		HAR-RJ	2.82	14.25	-	HAR-RJ	-1.28	0.88	-		
HAR-ARJ	-0.22	-0.09	-0.63	-	HAR-ARJ	0.30	9.66	-6.25	-	HAR-ARJ	-2.12	1.63	0.00	-
HAR-C-J	-0.14	0.00	-0.10	0.01	HAR-C-J	-0.42	-0.27	-7.71	-1.68	HAR-C-J	0.68	2.73	2.18	2.09
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.30	-			HAR-J	-2.05	-		HAR-J	-2.81	-			
HAR-RJ	-0.01	0.63	-		HAR-RJ	0.12	7.05	-	HAR-RJ	-0.86	3.78	-		
HAR-ARJ	-0.15	0.20	-0.53	-	HAR-ARJ	-0.55	7.03	-2.32	-	HAR-ARJ	-1.83	3.48	-0.17	-
HAR-C-J	-0.93	-0.99	-1.53	-1.12	HAR-C-J	-1.41	-0.42	-3.71	-1.36	HAR-C-J	0.00	0.80	0.27	0.33
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.61	-			HAR-J	-2.72	-		HAR-J	-3.68	-			
HAR-RJ	-0.05	0.68	-		HAR-RJ	0.15	5.62	-	HAR-RJ	-1.34	2.74	-		
HAR-ARJ	-0.23	0.52	-0.32	-	HAR-ARJ	-0.78	6.60	-2.32	-	HAR-ARJ	-2.49	3.83	-0.04	-
HAR-C-J	-1.48	-1.17	-1.75	-1.55	HAR-C-J	-1.76	-0.45	-3.21	-1.37	HAR-C-J	-0.03	0.47	0.12	0.14

Table D.20: Comparisons of Out-of-Sample Volatility Forecasts for Gasoline (MedRV Estimator)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Jump components are constructed based on the MedRV estimator of Andersen et al. (2012). Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.53	-			HAR-J	0.06	-		HAR-J	0.08	-			
HAR-RJ	0.86	1.37	-		HAR-RJ	1.90	2.81	-	HAR-RJ	0.77	3.02	-		
HAR-ARJ	-0.13	0.01	-3.21	-	HAR-ARJ	1.34	1.52	-0.97	-	HAR-ARJ	0.88	1.37	-0.23	-
HAR-C-J	1.16	1.73	0.09	1.53	HAR-C-J	1.48	1.55	0.41	0.90	HAR-C-J	0.26	0.26	0.19	0.21
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	-0.95	-		HAR-J	-0.13	-			
HAR-RJ	0.88	1.16	-		HAR-RJ	0.77	8.75	-	HAR-RJ	0.28	4.94	-		
HAR-ARJ	-2.56	-2.48	-8.32	-	HAR-ARJ	0.46	1.49	-0.02	-	HAR-ARJ	0.04	0.88	-0.48	-
HAR-C-J	1.39	1.47	0.44	2.60	HAR-C-J	1.14	1.84	0.71	0.79	HAR-C-J	0.25	0.31	0.23	0.26
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.03	-			HAR-J	0.07	-		HAR-J	0.07	-			
HAR-RJ	0.06	0.03	-		HAR-RJ	2.68	5.24	-	HAR-RJ	0.46	1.75	-		
HAR-ARJ	-2.01	-3.06	-5.20	-	HAR-ARJ	0.80	0.99	-2.51	-	HAR-ARJ	0.25	0.36	-0.56	-
HAR-C-J	1.13	1.15	0.78	2.76	HAR-C-J	1.14	1.11	0.28	0.77	HAR-C-J	0.58	0.60	0.52	0.57
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.01	-			HAR-J	-0.05	-		HAR-J	0.01	-			
HAR-RJ	-0.01	-0.05	-		HAR-RJ	2.52	7.34	-	HAR-RJ	0.37	2.10	-		
HAR-ARJ	-4.15	-5.96	-8.28	-	HAR-ARJ	0.59	1.23	-1.62	-	HAR-ARJ	0.12	0.36	-0.63	-
HAR-C-J	2.15	2.39	2.32	5.22	HAR-C-J	1.34	1.54	0.49	1.03	HAR-C-J	0.44	0.47	0.39	0.44
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.24	-			HAR-J	0.00	-		HAR-J	0.08	-			
HAR-RJ	0.61	1.08	-		HAR-RJ	2.16	4.52	-	HAR-RJ	0.74	3.28	-		
HAR-ARJ	-0.99	-0.41	-4.60	-	HAR-ARJ	1.41	1.47	-0.55	-	HAR-ARJ	0.59	0.81	-0.44	-
HAR-C-J	2.16	2.82	0.80	3.36	HAR-C-J	1.82	2.04	0.71	1.18	HAR-C-J	0.21	0.20	0.15	0.17
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.37	-			HAR-J	0.21	-		HAR-J	0.27	-			
HAR-RJ	0.74	1.24	-		HAR-RJ	2.27	3.28	-	HAR-RJ	0.92	2.65	-		
HAR-ARJ	-0.28	-0.01	-3.13	-	HAR-ARJ	1.72	1.34	-0.89	-	HAR-ARJ	0.91	0.76	-0.41	-
HAR-C-J	1.95	2.67	0.57	2.76	HAR-C-J	1.92	1.91	0.67	1.23	HAR-C-J	0.18	0.16	0.11	0.13

E. Alternative Estimation Windows

Table E.21: Volatility Forecasting Errors (Rolling Window of 400 Observations)

This table presents out-of-sample forecasting errors for the five volatility models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. We use a trailing window of 400 observations to estimate the parameters of the forecasting models. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day					5-Day					22-Day				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.896	0.906	0.907	0.915	0.918	0.504	0.504	0.508	0.504	0.514	0.787	0.787	0.798	0.788	0.783
Heating oil	0.629	0.634	0.639	0.640	0.644	0.347	0.348	0.352	0.348	0.360	0.430	0.430	0.435	0.430	0.448
Natural gas	1.799	1.802	1.807	1.809	1.819	0.938	0.945	0.956	0.954	0.988	0.934	0.938	0.931	0.938	0.954
Gasoline	1.033	1.041	1.032	1.054	1.033	0.502	0.501	0.497	0.500	0.474	0.966	0.954	0.956	0.956	0.883
B. MSPE															
Crude oil	6.965	6.963	6.939	6.976	7.160	3.204	3.188	3.160	3.154	3.374	4.424	4.430	4.444	4.445	4.624
Heating oil	7.251	7.277	7.257	7.307	7.566	3.110	3.107	3.109	3.110	3.301	3.664	3.675	3.678	3.673	4.030
Natural gas	8.733	8.763	8.786	8.764	8.839	3.315	3.340	3.380	3.375	3.424	3.653	3.674	3.648	3.666	3.675
Gasoline	7.425	7.462	7.411	7.473	7.472	3.261	3.272	3.245	3.255	3.393	4.651	4.645	4.648	4.652	4.824
C. MAE															
Crude oil	6.455	6.471	6.458	6.485	6.525	4.942	4.956	4.958	4.949	5.054	6.615	6.598	6.646	6.601	6.574
Heating oil	5.549	5.565	5.579	5.581	5.628	4.248	4.256	4.266	4.249	4.335	5.112	5.114	5.145	5.113	5.234
Natural gas	9.464	9.486	9.517	9.515	9.565	6.797	6.836	6.890	6.858	6.949	7.294	7.322	7.292	7.299	7.327
Gasoline	6.701	6.729	6.692	6.753	6.746	4.924	4.927	4.905	4.906	4.940	6.705	6.701	6.709	6.706	6.847
D. MAPE															
Crude oil	18.772	18.784	18.751	18.805	18.960	13.736	13.758	13.709	13.704	14.156	17.563	17.509	17.591	17.510	17.566
Heating oil	18.894	18.935	18.939	18.978	19.204	13.669	13.675	13.666	13.644	14.033	16.053	16.061	16.104	16.034	16.595
Natural gas	21.650	21.702	21.771	21.737	21.853	14.220	14.297	14.426	14.333	14.461	15.100	15.155	15.100	15.104	15.086
Gasoline	19.627	19.722	19.599	19.704	19.858	13.927	13.939	13.871	13.867	14.208	17.490	17.484	17.500	17.492	18.156
E. LL															
Crude oil	5.482	5.494	5.481	5.520	5.562	3.280	3.263	3.253	3.243	3.367	4.493	4.480	4.516	4.500	4.637
Heating oil	5.527	5.538	5.541	5.567	5.617	2.989	2.988	2.994	2.990	3.098	3.396	3.402	3.415	3.405	3.594
Natural gas	6.989	7.008	7.028	7.028	7.048	3.314	3.338	3.375	3.359	3.456	3.576	3.595	3.568	3.594	3.631
Gasoline	5.854	5.884	5.847	5.897	5.993	3.163	3.175	3.139	3.146	3.301	4.405	4.406	4.413	4.418	4.667
F. QLIKE															
Crude oil	-9.666	-9.657	-9.662	-9.639	-9.633	-7.335	-7.345	-7.347	-7.353	-7.305	-4.814	-4.824	-4.801	-4.811	-4.742
Heating oil	-22.177	-22.175	-22.168	-22.158	-22.153	-19.981	-19.982	-19.977	-19.980	-19.939	-18.060	-18.057	-18.049	-18.054	-17.983
Natural gas	20.136	20.145	20.154	20.158	20.167	22.764	22.776	22.795	22.785	22.847	24.306	24.316	24.301	24.316	24.340
Gasoline	-12.406	-12.393	-12.410	-12.385	-12.318	-10.137	-10.130	-10.152	-10.148	-10.061	-7.730	-7.728	-7.724	-7.721	-7.580

Table E.22: Out-of-Sample Volatility Forecast Comparisons for Crude Oil (Rolling Window of 400 Observations)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 400 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	
1. SE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	1.48	-			HAR-J	0.08	-		HAR-J	0.00	-		
HAR-RJ	1.25	0.05	-		HAR-RJ	0.99	1.19	-	HAR-RJ	2.88	3.44	-	
HAR-ARJ	2.06	1.21	1.08	-	HAR-ARJ	0.00	-0.08	-1.59	HAR-ARJ	0.03	0.05	-2.37	
HAR-C-J	3.45	3.40	1.60	0.07	HAR-C-J	0.75	0.78	0.26	0.92	HAR-C-J	-0.01	-0.01	-0.18
2. SPE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	0.00	-			HAR-J	-0.25	-		HAR-J	0.04	-		
HAR-RJ	-0.17	-0.24	-		HAR-RJ	-0.89	-1.37	-	HAR-RJ	0.63	0.38	-	
HAR-ARJ	0.01	0.19	0.60	-	HAR-ARJ	-1.23	-2.60	-0.25	-	HAR-ARJ	0.30	0.43	0.00
HAR-C-J	3.15	7.16	5.41	5.23	HAR-C-J	2.26	3.35	4.04	4.43	HAR-C-J	0.32	0.32	0.25
3. AE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	0.40	-			HAR-J	0.78	-		HAR-J	-1.35	-		
HAR-RJ	0.01	-0.40	-		HAR-RJ	0.51	0.01	-	HAR-RJ	1.45	4.24	-	
HAR-ARJ	1.00	1.56	1.70	-	HAR-ARJ	0.09	-0.34	-0.33	-	HAR-ARJ	-0.60	0.06	-2.98
HAR-C-J	3.21	3.45	3.19	1.65	HAR-C-J	2.64	2.33	1.96	2.67	HAR-C-J	-0.06	-0.02	-0.18
4. APE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	0.02	-			HAR-J	0.15	-		HAR-J	-1.18	-		
HAR-RJ	-0.08	-0.26	-		HAR-RJ	-0.14	-0.87	-	HAR-RJ	0.27	2.44	-	
HAR-ARJ	0.09	0.47	0.61	-	HAR-ARJ	-0.20	-1.54	-0.02	-	HAR-ARJ	-0.75	0.00	-1.69
HAR-C-J	1.82	3.27	3.00	2.32	HAR-C-J	3.27	3.47	3.96	4.25	HAR-C-J	0.00	0.01	0.00
5. LL													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	0.05	-			HAR-J	-0.58	-		HAR-J	-0.36	-		
HAR-RJ	0.00	-0.13	-		HAR-RJ	-0.67	-0.24	-	HAR-RJ	0.86	2.96	-	
HAR-ARJ	0.33	1.13	0.96	-	HAR-ARJ	-1.35	-1.23	-0.70	-	HAR-ARJ	0.06	1.66	-0.43
HAR-C-J	1.43	2.78	2.12	0.79	HAR-C-J	1.06	1.85	2.01	2.47	HAR-C-J	0.37	0.46	0.26
6. QLIKE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	0.10	-			HAR-J	-0.85	-		HAR-J	-0.66	-		
HAR-RJ	0.03	-0.06	-		HAR-RJ	-0.52	-0.02	-	HAR-RJ	0.91	3.99	-	
HAR-ARJ	0.48	1.27	0.89	-	HAR-ARJ	-1.30	-0.66	-0.96	-	HAR-ARJ	0.03	2.44	-0.88
HAR-C-J	0.91	1.35	0.97	0.06	HAR-C-J	0.51	1.13	1.11	1.51	HAR-C-J	0.44	0.59	0.29

Table E.23: **Out-of-Sample Volatility Forecast Comparisons for Heating Oil (Rolling Window of 400 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 400 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.21	-			HAR-J	0.67	-		HAR-J	0.00	-			
HAR-RJ	1.53	0.32	-		HAR-RJ	2.72	2.39	-	HAR-RJ	1.96	6.04	-		
HAR-ARJ	1.99	2.22	0.01	-	HAR-ARJ	0.57	0.04	-1.99	-	HAR-ARJ	0.03	0.07	-3.31	-
HAR-C-J	3.43	1.74	0.28	0.13	HAR-C-J	1.16	0.95	0.34	0.94	HAR-C-J	0.11	0.12	0.06	0.11
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.21	-			HAR-J	-0.02	-		HAR-J	0.58	-			
HAR-RJ	0.01	-0.14	-		HAR-RJ	0.00	0.01	-	HAR-RJ	0.54	0.02	-		
HAR-ARJ	0.72	1.18	0.72	-	HAR-ARJ	0.00	0.03	0.00	-	HAR-ARJ	0.12	-0.01	-0.06	-
HAR-C-J	4.52	4.46	5.24	3.50	HAR-C-J	7.96	9.76	8.34	8.98	HAR-C-J	2.27	2.26	2.14	2.26
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.89	-			HAR-J	0.29	-		HAR-J	0.03	-			
HAR-RJ	1.69	0.35	-		HAR-RJ	0.80	0.48	-	HAR-RJ	2.37	3.64	-		
HAR-ARJ	2.20	3.00	0.01	-	HAR-ARJ	0.00	-0.62	-1.42	-	HAR-ARJ	0.00	-0.01	-6.98	-
HAR-C-J	6.50	5.89	2.00	2.82	HAR-C-J	2.38	2.20	1.54	2.74	HAR-C-J	0.33	0.34	0.19	0.35
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.30	-			HAR-J	0.01	-		HAR-J	0.08	-			
HAR-RJ	0.39	0.00	-		HAR-RJ	0.00	-0.03	-	HAR-RJ	0.90	0.68	-		
HAR-ARJ	0.92	1.30	0.34	-	HAR-ARJ	-0.20	-0.88	-0.30	-	HAR-ARJ	-0.14	-0.44	-4.10	-
HAR-C-J	7.97	11.97	6.83	6.72	HAR-C-J	5.85	6.59	6.47	8.02	HAR-C-J	1.42	1.46	1.21	1.60
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.09	-			HAR-J	-0.01	-		HAR-J	0.20	-			
HAR-RJ	0.18	0.02	-		HAR-RJ	0.04	0.14	-	HAR-RJ	0.98	0.62	-		
HAR-ARJ	0.85	2.88	0.58	-	HAR-ARJ	0.00	0.04	-0.06	-	HAR-ARJ	0.19	0.05	-0.69	-
HAR-C-J	2.89	4.21	2.44	1.36	HAR-C-J	4.55	5.66	4.51	5.38	HAR-C-J	1.18	1.18	0.99	1.12
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.02	-			HAR-J	-0.02	-		HAR-J	0.13	-			
HAR-RJ	0.24	0.19	-		HAR-RJ	0.07	0.29	-	HAR-RJ	1.10	1.03	-		
HAR-ARJ	0.72	3.69	0.37	-	HAR-ARJ	0.01	0.09	-0.12	-	HAR-ARJ	0.27	0.18	-0.98	-
HAR-C-J	0.87	1.38	0.42	0.05	HAR-C-J	2.83	3.70	2.69	3.43	HAR-C-J	0.77	0.77	0.59	0.70

Table E.24: **Out-of-Sample Volatility Forecast Comparisons for Natural Gas (Rolling Window of 400 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Each day, we use a trailing window of 400 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon					5-Day Horizon					22-Day Horizon			
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		HAR-RV	HAR-J	HAR-RJ	HAR-ARJ
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.06	–			HAR-J	1.69	–		HAR-J	1.02	–			
HAR-RJ	0.38	0.91	–		HAR-RJ	4.63	2.59	–	HAR-RJ	-0.28	-3.18	–		
HAR-ARJ	0.89	3.45	0.16	–	HAR-ARJ	2.36	1.20	-0.01	–	HAR-ARJ	0.34	-0.02	1.37	
HAR-C-J	1.98	2.23	0.83	0.61	HAR-C-J	4.40	4.26	2.34	2.55	HAR-C-J	0.79	0.56	0.99	0.58
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.36	–			HAR-J	2.14	–		HAR-J	1.67	–			
HAR-RJ	0.40	0.24	–		HAR-RJ	4.22	3.18	–	HAR-RJ	-0.03	-1.63	–		
HAR-ARJ	0.25	0.00	-0.46	–	HAR-ARJ	3.11	1.34	-0.02	–	HAR-ARJ	0.26	-0.13	0.75	
HAR-C-J	1.67	1.42	0.50	1.23	HAR-C-J	2.30	1.70	0.47	0.50	HAR-C-J	0.05	0.00	0.07	0.01
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.77	–			HAR-J	3.85	–		HAR-J	1.56	–			
HAR-RJ	1.72	1.83	–		HAR-RJ	7.07	4.31	–	HAR-RJ	0.00	-2.38	–		
HAR-ARJ	2.16	1.62	-0.01	–	HAR-ARJ	3.00	0.73	-0.75	–	HAR-ARJ	0.03	-2.72	0.09	
HAR-C-J	5.84	5.39	1.55	1.57	HAR-C-J	4.31	3.02	0.77	1.83	HAR-C-J	0.06	0.00	0.07	0.05
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.88	–			HAR-J	4.25	–		HAR-J	1.51	–			
HAR-RJ	1.88	1.69	–		HAR-RJ	7.93	5.49	–	HAR-RJ	0.00	-1.72	–		
HAR-ARJ	1.48	0.51	-0.59	–	HAR-ARJ	3.42	0.62	-1.84	–	HAR-ARJ	0.01	-2.48	0.01	
HAR-C-J	4.42	3.43	0.77	1.58	HAR-C-J	2.85	1.59	0.07	0.90	HAR-C-J	0.00	-0.06	0.00	0.00
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.38	–			HAR-J	1.97	–		HAR-J	1.11	–			
HAR-RJ	0.73	0.72	–		HAR-RJ	4.58	3.02	–	HAR-RJ	-0.13	-1.97	–		
HAR-ARJ	1.13	1.31	0.00	–	HAR-ARJ	2.52	1.13	-0.28	–	HAR-ARJ	0.39	-0.01	0.93	
HAR-C-J	1.43	0.94	0.18	0.21	HAR-C-J	3.54	3.12	1.37	2.17	HAR-C-J	0.27	0.14	0.34	0.16
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.27	–			HAR-J	1.63	–		HAR-J	0.87	–			
HAR-RJ	0.49	0.47	–		HAR-RJ	4.19	2.56	–	HAR-RJ	-0.24	-1.89	–		
HAR-ARJ	1.12	2.09	0.19	–	HAR-ARJ	2.07	0.95	-0.35	–	HAR-ARJ	0.38	0.00	0.92	
HAR-C-J	1.29	0.80	0.26	0.14	HAR-C-J	3.60	3.31	1.60	2.65	HAR-C-J	0.35	0.22	0.45	0.24

Table E.25: **Out-of-Sample Forecast Comparisons for Gasoline (Rolling Window of 400 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 400 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.30	-			HAR-J	-0.01	-		HAR-J	-0.75	-			
HAR-RJ	-0.01	-0.37	-		HAR-RJ	-0.31	-1.99	-	HAR-RJ	-0.33	0.14	-		
HAR-ARJ	1.56	0.73	3.40	-	HAR-ARJ	-0.09	-0.30	1.84	HAR-ARJ	-0.45	0.20	-0.02		
HAR-C-J	0.00	-0.13	0.00	-0.67	HAR-C-J	-0.58	-0.58	-0.42	-0.52	HAR-C-J	-0.36	-0.31	-0.32	-0.33
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.45	-			HAR-J	0.14	-		HAR-J	-0.04	-			
HAR-RJ	-0.07	-0.74	-		HAR-RJ	-0.15	-0.69	-	HAR-RJ	-0.01	0.01	-		
HAR-ARJ	0.70	0.08	2.23	-	HAR-ARJ	-0.02	-0.20	0.57	-	HAR-ARJ	0.00	0.13	0.14	-
HAR-C-J	0.16	0.01	0.28	0.00	HAR-C-J	1.55	1.59	2.16	1.75	HAR-C-J	0.30	0.36	0.34	0.33
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.90	-			HAR-J	0.01	-		HAR-J	-0.02	-			
HAR-RJ	-0.06	-1.34	-		HAR-RJ	-0.26	-1.42	-	HAR-RJ	0.02	0.28	-		
HAR-ARJ	2.56	0.56	6.01	-	HAR-ARJ	-0.30	-1.36	0.02	-	HAR-ARJ	0.00	0.15	-0.14	-
HAR-C-J	0.49	0.09	0.73	-0.01	HAR-C-J	0.02	0.01	0.10	0.09	HAR-C-J	0.19	0.23	0.20	0.21
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.61	-			HAR-J	0.04	-		HAR-J	-0.01	-			
HAR-RJ	-0.14	-3.17	-		HAR-RJ	-0.43	-1.02	-	HAR-RJ	0.02	0.10	-		
HAR-ARJ	0.78	-0.07	4.17	-	HAR-ARJ	-0.54	-1.03	-0.04	-	HAR-ARJ	0.00	0.03	-0.18	-
HAR-C-J	2.53	1.22	3.48	1.24	HAR-C-J	1.59	1.74	2.49	2.48	HAR-C-J	1.25	1.45	1.38	1.41
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.83	-			HAR-J	0.34	-		HAR-J	0.00	-			
HAR-RJ	-0.03	-1.44	-		HAR-RJ	-0.54	-1.59	-	HAR-RJ	0.08	0.16	-		
HAR-ARJ	1.30	0.22	4.93	-	HAR-ARJ	-0.27	-0.91	0.74	-	HAR-ARJ	0.28	0.70	0.40	-
HAR-C-J	4.10	3.39	4.98	2.25	HAR-C-J	2.81	2.76	3.94	3.46	HAR-C-J	1.44	1.62	1.54	1.48
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.63	-			HAR-J	0.41	-		HAR-J	0.02	-			
HAR-RJ	-0.04	-1.33	-		HAR-RJ	-0.78	-1.79	-	HAR-RJ	0.18	0.23	-		
HAR-ARJ	1.26	0.33	5.10	-	HAR-ARJ	-0.48	-1.21	0.87	-	HAR-ARJ	0.54	1.04	0.56	-
HAR-C-J	6.07	5.79	7.32	4.11	HAR-C-J	3.37	3.32	4.61	4.15	HAR-C-J	2.26	2.51	2.41	2.31

Table E.26: Volatility Forecasting Errors (Rolling Window of 800 Observations)

This table presents out-of-sample forecasting errors for the five volatility models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. We use a trailing window of 800 observations to estimate the parameters of the forecasting models. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day					5-Day					22-Day				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.560	0.560	0.558	0.560	0.563	0.444	0.445	0.443	0.443	0.447	0.507	0.509	0.506	0.510	0.484
Heating oil	0.370	0.371	0.369	0.371	0.369	0.254	0.254	0.256	0.255	0.252	0.236	0.236	0.239	0.237	0.234
Natural gas	1.192	1.192	1.197	1.195	1.180	0.586	0.587	0.598	0.586	0.578	0.605	0.605	0.606	0.605	0.627
Gasoline	0.476	0.472	0.469	0.471	0.490	0.329	0.329	0.330	0.328	0.347	0.337	0.341	0.343	0.342	0.361
B. MSPE															
Crude oil	8.060	8.063	8.022	8.077	8.082	4.101	4.109	4.044	4.063	4.118	5.055	5.079	5.033	5.072	4.930
Heating oil	8.105	8.115	8.095	8.118	7.913	3.630	3.630	3.647	3.635	3.540	3.704	3.706	3.740	3.713	3.702
Natural gas	8.762	8.735	8.742	8.754	8.602	3.151	3.142	3.174	3.145	3.087	3.176	3.169	3.181	3.183	3.273
Gasoline	7.929	7.879	7.830	7.868	8.194	3.913	3.897	3.902	3.884	4.072	4.429	4.463	4.479	4.471	4.754
C. MAE															
Crude oil	5.162	5.178	5.172	5.185	5.212	4.397	4.401	4.399	4.397	4.460	5.549	5.559	5.548	5.552	5.441
Heating oil	4.272	4.276	4.268	4.273	4.250	3.523	3.523	3.544	3.518	3.489	3.944	3.945	3.965	3.944	3.939
Natural gas	7.816	7.845	7.896	7.866	7.810	5.468	5.483	5.577	5.479	5.460	5.678	5.678	5.701	5.695	5.702
Gasoline	4.979	4.964	4.937	4.950	5.073	4.053	4.056	4.050	4.046	4.166	4.471	4.490	4.500	4.499	4.627
D. MAPE															
Crude oil	19.761	19.819	19.787	19.845	19.956	15.202	15.208	15.179	15.170	15.454	18.741	18.774	18.722	18.735	18.538
Heating oil	19.426	19.427	19.395	19.415	19.281	14.578	14.571	14.636	14.551	14.407	16.101	16.106	16.174	16.092	16.126
Natural gas	21.575	21.622	21.724	21.667	21.489	13.850	13.865	14.058	13.857	13.812	14.036	14.025	14.070	14.060	14.051
Gasoline	20.117	20.050	19.950	19.991	20.459	15.168	15.153	15.123	15.111	15.517	16.706	16.755	16.788	16.781	17.291
E. LL															
Crude oil	6.081	6.080	6.067	6.093	6.128	4.128	4.133	4.096	4.103	4.184	4.961	4.980	4.949	4.979	4.870
Heating oil	5.923	5.922	5.899	5.920	5.884	3.504	3.504	3.519	3.503	3.479	3.420	3.423	3.442	3.427	3.442
Natural gas	6.757	6.755	6.775	6.770	6.674	3.034	3.031	3.069	3.027	2.987	3.191	3.187	3.186	3.180	3.270
Gasoline	6.148	6.109	6.076	6.095	6.310	3.776	3.780	3.786	3.768	3.976	4.018	4.056	4.072	4.067	4.335
F. QLIKE															
Crude oil	-30.492	-30.493	-30.497	-30.487	-30.464	-27.819	-27.817	-27.833	-27.831	-27.786	-25.104	-25.095	-25.110	-25.094	-25.148
Heating oil	-45.451	-45.452	-45.463	-45.453	-45.454	-43.154	-43.153	-43.147	-43.154	-43.155	-41.344	-41.343	-41.335	-41.340	-41.329
Natural gas	4.401	4.400	4.410	4.407	4.364	6.898	6.897	6.917	6.894	6.875	8.423	8.421	8.418	8.415	8.464
Gasoline	-35.432	-35.453	-35.469	-35.459	-35.348	-33.085	-33.079	-33.076	-33.086	-32.965	-30.905	-30.884	-30.875	-30.878	-30.776

Table E.27: **Out-of-Sample Volatility Forecast Comparisons for Crude Oil (Rolling Window of 800 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 800 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.04	-			HAR-J	2.90	-		HAR-J	1.93	-			
HAR-RJ	-0.36	-0.60	-		HAR-RJ	-0.04	-0.57	-	HAR-RJ	-0.10	-0.64	-		
HAR-ARJ	0.02	0.80	2.83	-	HAR-ARJ	0.00	-1.16	0.08	-	HAR-ARJ	1.44	0.34	1.20	-
HAR-C-J	1.11	2.51	3.07	1.39	HAR-C-J	0.27	0.11	0.31	0.27	HAR-C-J	-0.73	-0.87	-0.66	-0.91
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.01	-			HAR-J	0.21	-		HAR-J	2.59	-			
HAR-RJ	-0.31	-0.91	-		HAR-RJ	-1.07	-1.70	-	HAR-RJ	-0.24	-0.93	-		
HAR-ARJ	0.10	0.37	3.63	-	HAR-ARJ	-1.05	-2.97	0.37	-	HAR-ARJ	0.44	-0.15	1.00	-
HAR-C-J	0.11	0.15	0.80	0.01	HAR-C-J	0.04	0.01	0.58	0.34	HAR-C-J	-0.23	-0.34	-0.17	-0.31
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.86	-			HAR-J	0.23	-		HAR-J	1.30	-			
HAR-RJ	0.51	-0.36	-		HAR-RJ	0.02	-0.01	-	HAR-RJ	-0.01	-0.46	-		
HAR-ARJ	1.55	1.96	1.92	-	HAR-ARJ	0.00	-0.22	-0.04	-	HAR-ARJ	0.04	-0.79	0.07	-
HAR-C-J	5.44	5.99	5.92	3.56	HAR-C-J	2.21	2.04	1.81	2.30	HAR-C-J	-0.41	-0.51	-0.38	-0.44
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.53	-			HAR-J	0.02	-		HAR-J	1.01	-			
HAR-RJ	0.17	-0.58	-		HAR-RJ	-0.11	-0.19	-	HAR-RJ	-0.13	-0.79	-		
HAR-ARJ	1.05	1.85	2.10	-	HAR-ARJ	-0.41	-0.94	-0.04	-	HAR-ARJ	-0.02	-1.91	0.05	-
HAR-C-J	4.38	6.44	6.74	3.73	HAR-C-J	2.49	2.58	2.70	3.29	HAR-C-J	-0.14	-0.19	-0.11	-0.13
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.13	-		HAR-J	2.72	-			
HAR-RJ	-0.18	-0.45	-		HAR-RJ	-1.05	-1.68	-	HAR-RJ	-0.25	-1.31	-		
HAR-ARJ	0.15	1.71	2.09	-	HAR-ARJ	-1.29	-3.72	0.11	-	HAR-ARJ	1.07	0.00	1.37	-
HAR-C-J	1.44	4.21	4.14	1.87	HAR-C-J	0.62	0.55	1.41	1.32	HAR-C-J	-0.11	-0.16	-0.08	-0.16
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.12	-		HAR-J	2.58	-			
HAR-RJ	-0.16	-0.25	-		HAR-RJ	-1.11	-1.76	-	HAR-RJ	-0.33	-1.47	-		
HAR-ARJ	0.10	1.76	1.35	-	HAR-ARJ	-1.26	-3.70	0.09	-	HAR-ARJ	1.29	0.02	1.59	-
HAR-C-J	2.13	6.56	5.50	3.51	HAR-C-J	0.71	0.65	1.37	1.31	HAR-C-J	-0.08	-0.12	-0.06	-0.12

Table E.28: **Out-of-Sample Volatility Forecast Comparisons for Heating Oil (Rolling Window of 800 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 800 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.17	-			HAR-J	1.07	-		HAR-J	0.04	-			
HAR-RJ	-0.12	-0.58	-		HAR-RJ	3.25	2.06	-	HAR-RJ	2.76	2.27	-		
HAR-ARJ	1.14	0.14	0.60	-	HAR-ARJ	0.42	0.06	-1.31	-	HAR-ARJ	0.38	0.42	-1.23	-
HAR-C-J	-0.11	-0.56	0.00	-0.61	HAR-C-J	-0.21	-0.36	-1.12	-0.40	HAR-C-J	-0.13	-0.14	-0.49	-0.24
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.12	-			HAR-J	0.00	-		HAR-J	0.11	-			
HAR-RJ	-0.02	-0.10	-		HAR-RJ	0.32	0.34	-	HAR-RJ	2.37	1.97	-		
HAR-ARJ	0.16	0.19	0.12	-	HAR-ARJ	0.03	0.05	-0.10	-	HAR-ARJ	0.15	0.13	-1.02	-
HAR-C-J	-3.87	-4.08	-1.77	-4.16	HAR-C-J	-1.68	-1.65	-1.78	-1.55	HAR-C-J	0.00	0.00	-0.08	-0.01
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.20	-			HAR-J	0.01	-		HAR-J	0.07	-			
HAR-RJ	-0.07	-0.36	-		HAR-RJ	2.40	2.44	-	HAR-RJ	2.07	1.67	-		
HAR-ARJ	0.04	-0.69	0.20	-	HAR-ARJ	-0.43	-0.80	-4.26	-	HAR-ARJ	0.00	-0.03	-2.51	-
HAR-C-J	-1.65	-2.94	-0.76	-2.39	HAR-C-J	-1.12	-1.14	-2.48	-0.79	HAR-C-J	-0.01	-0.01	-0.14	-0.01
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	-0.07	-		HAR-J	0.06	-			
HAR-RJ	-0.16	-0.25	-		HAR-RJ	0.92	1.33	-	HAR-RJ	1.45	1.19	-		
HAR-ARJ	-0.04	-0.83	0.10	-	HAR-ARJ	-0.58	-0.65	-2.58	-	HAR-ARJ	-0.06	-0.18	-2.29	-
HAR-C-J	-3.07	-4.51	-1.37	-3.63	HAR-C-J	-1.40	-1.29	-2.17	-0.96	HAR-C-J	0.01	0.00	-0.02	0.01
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.00	-		HAR-J	0.23	-			
HAR-RJ	-0.51	-0.55	-		HAR-RJ	0.45	0.47	-	HAR-RJ	1.04	0.73	-		
HAR-ARJ	-0.02	-0.13	0.47	-	HAR-ARJ	0.00	0.00	-0.52	-	HAR-ARJ	0.25	0.14	-0.54	-
HAR-C-J	-1.10	-1.36	-0.10	-1.22	HAR-C-J	-0.24	-0.25	-0.50	-0.23	HAR-C-J	0.06	0.05	0.00	0.03
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.02	-		HAR-J	0.31	-			
HAR-RJ	-0.58	-0.67	-		HAR-RJ	0.41	0.36	-	HAR-RJ	0.63	0.39	-		
HAR-ARJ	-0.04	-0.29	0.53	-	HAR-ARJ	0.00	0.00	-0.47	-	HAR-ARJ	0.39	0.21	-0.22	-
HAR-C-J	-0.02	-0.01	0.18	0.00	HAR-C-J	0.00	-0.01	-0.10	-0.01	HAR-C-J	0.13	0.11	0.02	0.07

Table E.29: **Out-of-Sample Volatility Forecast Comparisons for Natural Gas (Rolling Window of 800 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Each day, we use a trailing window of 800 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	0.12	-		HAR-J	0.00	-			
HAR-RJ	0.36	1.49	-		HAR-RJ	2.58	3.54	-	HAR-RJ	0.06	0.09	-		
HAR-ARJ	0.21	1.41	-0.48	-	HAR-ARJ	-0.01	-0.32	-3.41	-	HAR-ARJ	0.00	0.00	-0.30	-
HAR-C-J	-2.82	-6.91	-7.65	-8.23	HAR-C-J	-2.16	-4.26	-7.84	-2.85	HAR-C-J	1.33	1.44	1.37	1.43
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.14	-			HAR-J	-0.22	-		HAR-J	-0.13	-			
HAR-RJ	-0.02	0.02	-		HAR-RJ	0.21	0.96	-	HAR-RJ	0.03	0.20	-		
HAR-ARJ	-0.01	0.72	0.04	-	HAR-ARJ	-0.14	0.07	-0.51	-	HAR-ARJ	0.06	0.15	0.01	-
HAR-C-J	-3.46	-7.25	-3.29	-8.20	HAR-C-J	-1.60	-2.22	-4.89	-1.78	HAR-C-J	0.86	1.06	0.85	0.75
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.44	-			HAR-J	0.92	-		HAR-J	0.00	-			
HAR-RJ	3.60	4.44	-		HAR-RJ	6.03	8.52	-	HAR-RJ	0.38	0.75	-		
HAR-ARJ	3.62	2.71	-2.54	-	HAR-ARJ	0.31	-0.19	-10.00	-	HAR-ARJ	0.32	0.54	-0.22	-
HAR-C-J	-0.03	-2.73	-7.05	-5.33	HAR-C-J	-0.07	-0.84	-9.20	-0.50	HAR-C-J	0.07	0.07	0.00	0.01
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.43	-			HAR-J	0.17	-		HAR-J	-0.07	-			
HAR-RJ	1.65	3.28	-		HAR-RJ	4.38	7.27	-	HAR-RJ	0.15	0.46	-		
HAR-ARJ	1.71	2.32	-1.14	-	HAR-ARJ	0.03	-0.15	-7.54	-	HAR-ARJ	0.11	0.32	-0.08	-
HAR-C-J	-0.96	-5.13	-7.90	-7.57	HAR-C-J	-0.21	-0.66	-7.58	-0.39	HAR-C-J	0.00	0.01	-0.01	0.00
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	-0.05	-		HAR-J	-0.12	-			
HAR-RJ	0.10	0.70	-		HAR-RJ	1.07	2.35	-	HAR-RJ	-0.05	0.00	-		
HAR-ARJ	0.13	1.33	-0.05	-	HAR-ARJ	-0.33	-0.23	-2.17	-	HAR-ARJ	-0.21	-0.07	-0.22	-
HAR-C-J	-3.59	-8.84	-7.47	-10.17	HAR-C-J	-2.21	-3.39	-6.95	-2.22	HAR-C-J	1.10	1.24	1.17	1.25
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.00	-			HAR-J	-0.04	-		HAR-J	-0.13	-			
HAR-RJ	0.11	0.71	-		HAR-RJ	1.35	2.59	-	HAR-RJ	-0.18	-0.10	-		
HAR-ARJ	0.11	1.23	-0.07	-	HAR-ARJ	-0.54	-0.58	-2.60	-	HAR-ARJ	-0.54	-0.35	-0.44	-
HAR-C-J	-3.20	-7.97	-7.13	-9.10	HAR-C-J	-2.65	-4.00	-6.94	-2.52	HAR-C-J	1.23	1.33	1.30	1.44

Table E.30: **Out-of-Sample Volatility Forecast Comparisons for Gasoline (Rolling Window of 800 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 800 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	
1. SE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-2.57	-			HAR-J	0.21	-		HAR-J	2.83	-		
HAR-RJ	-6.58	-5.56	-		HAR-RJ	0.36	0.35	-	HAR-RJ	2.69	1.68	-	
HAR-ARJ	-2.93	-0.47	8.12	-	HAR-ARJ	-0.01	-0.54	-3.88	-	HAR-ARJ	2.87	1.20	-0.84
HAR-C-J	9.84	14.22	16.07	14.80	HAR-C-J	7.10	7.40	6.86	7.25	HAR-C-J	6.24	5.53	4.69
2. SPE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-1.13	-			HAR-J	-0.36	-		HAR-J	1.09	-		
HAR-RJ	-3.93	-1.52	-		HAR-RJ	-0.06	0.04	-	HAR-RJ	0.92	0.46	-	
HAR-ARJ	-1.43	-0.08	4.30	-	HAR-ARJ	-0.53	-0.34	-1.75	-	HAR-ARJ	0.84	0.16	-0.63
HAR-C-J	3.65	5.46	5.88	5.46	HAR-C-J	5.07	7.17	5.70	6.77	HAR-C-J	7.71	6.58	5.31
3. AE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-0.85	-			HAR-J	0.04	-		HAR-J	2.18	-		
HAR-RJ	-6.30	-6.35	-		HAR-RJ	-0.04	-0.33	-	HAR-RJ	2.40	1.10	-	
HAR-ARJ	-2.75	-1.92	6.35	-	HAR-ARJ	-0.27	-0.98	-0.30	-	HAR-ARJ	2.95	0.90	-0.11
HAR-C-J	9.44	16.20	20.20	17.54	HAR-C-J	7.94	8.66	9.43	9.37	HAR-C-J	4.82	4.28	3.69
4. APE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-1.10	-			HAR-J	-0.13	-		HAR-J	1.21	-		
HAR-RJ	-5.58	-5.35	-		HAR-RJ	-0.39	-0.46	-	HAR-RJ	1.50	0.69	-	
HAR-ARJ	-2.89	-1.86	3.39	-	HAR-ARJ	-0.94	-1.03	-0.21	-	HAR-ARJ	1.65	0.44	-0.13
HAR-C-J	6.93	13.21	16.95	15.05	HAR-C-J	4.99	6.28	7.06	7.10	HAR-C-J	4.98	4.68	4.01
5. LL													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-2.34	-			HAR-J	0.06	-		HAR-J	3.05	-		
HAR-RJ	-5.80	-3.37	-		HAR-RJ	0.11	0.11	-	HAR-RJ	3.00	1.34	-	
HAR-ARJ	-3.05	-0.60	4.06	-	HAR-ARJ	-0.12	-0.58	-2.75	-	HAR-ARJ	3.31	0.69	-0.48
HAR-C-J	7.34	12.28	14.31	13.23	HAR-C-J	5.86	6.90	6.41	6.68	HAR-C-J	5.87	5.52	5.03
6. QLIKE													
HAR-RV	-				HAR-RV	-			HAR-RV	-			
HAR-J	-3.03	-			HAR-J	0.32	-		HAR-J	3.47	-		
HAR-RJ	-6.21	-3.34	-		HAR-RJ	0.38	0.14	-	HAR-RJ	3.68	1.74	-	
HAR-ARJ	-3.93	-0.63	3.55	-	HAR-ARJ	-0.01	-0.71	-2.71	-	HAR-ARJ	4.26	0.94	-0.36
HAR-C-J	7.29	11.17	12.57	12.11	HAR-C-J	4.83	5.40	5.13	5.22	HAR-C-J	4.89	4.64	4.32

Table E.31: Volatility Forecasting Errors (Rolling Window of 1,000 Observations)

This table presents out-of-sample forecasting errors for the five volatility models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. We use a trailing window of 1,000 observations to estimate the parameters of the forecasting models. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day					5-Day					22-Day				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.643	0.643	0.645	0.644	0.641	0.566	0.567	0.565	0.565	0.555	0.574	0.574	0.574	0.575	0.502
Heating oil	0.396	0.397	0.398	0.398	0.395	0.305	0.306	0.308	0.307	0.305	0.246	0.246	0.248	0.248	0.244
Natural gas	1.137	1.134	1.142	1.136	1.117	0.623	0.620	0.636	0.621	0.606	0.698	0.696	0.700	0.698	0.705
Gasoline	0.525	0.522	0.520	0.520	0.544	0.399	0.399	0.400	0.397	0.422	0.373	0.378	0.379	0.378	0.402
B. MSPE															
Crude oil	8.274	8.277	8.307	8.300	8.226	4.886	4.898	4.821	4.848	4.754	5.407	5.409	5.383	5.403	4.768
Heating oil	8.537	8.566	8.614	8.575	8.461	4.245	4.258	4.268	4.287	4.213	3.810	3.813	3.856	3.854	3.808
Natural gas	8.427	8.372	8.409	8.386	8.152	3.251	3.209	3.254	3.224	3.104	3.463	3.443	3.475	3.477	3.483
Gasoline	8.211	8.189	8.122	8.124	8.479	4.599	4.572	4.572	4.539	4.771	4.715	4.735	4.743	4.734	5.022
C. MAE															
Crude oil	5.395	5.406	5.412	5.407	5.393	4.979	4.987	4.985	4.975	4.925	5.921	5.926	5.931	5.926	5.444
Heating oil	4.290	4.295	4.296	4.296	4.266	3.833	3.839	3.847	3.844	3.821	3.947	3.949	3.969	3.953	3.906
Natural gas	7.355	7.381	7.440	7.392	7.336	5.401	5.405	5.508	5.401	5.369	5.926	5.914	5.941	5.941	5.910
Gasoline	5.101	5.113	5.076	5.081	5.256	4.438	4.437	4.432	4.428	4.507	4.599	4.619	4.630	4.624	4.772
D. MAPE															
Crude oil	20.289	20.314	20.342	20.326	20.291	16.898	16.928	16.878	16.864	16.767	19.454	19.479	19.475	19.471	18.051
Heating oil	19.903	19.920	19.918	19.924	19.809	15.962	15.984	15.988	16.010	15.924	16.187	16.195	16.293	16.219	16.022
Natural gas	21.091	21.108	21.212	21.130	20.913	14.007	13.991	14.184	13.986	13.886	14.745	14.700	14.750	14.764	14.675
Gasoline	20.548	20.585	20.420	20.442	21.033	16.540	16.509	16.479	16.467	16.653	16.871	16.912	16.942	16.922	17.429
E. LL															
Crude oil	6.536	6.542	6.562	6.554	6.525	5.115	5.124	5.081	5.093	5.016	5.447	5.451	5.438	5.454	4.843
Heating oil	6.311	6.326	6.338	6.330	6.289	4.190	4.202	4.210	4.217	4.176	3.580	3.583	3.608	3.609	3.571
Natural gas	6.503	6.482	6.510	6.492	6.366	3.163	3.138	3.187	3.143	3.057	3.569	3.554	3.567	3.562	3.585
Gasoline	6.578	6.558	6.523	6.529	6.789	4.505	4.512	4.517	4.484	4.746	4.345	4.379	4.389	4.383	4.675
F. QLIKE															
Crude oil	-30.881	-30.877	-30.867	-30.872	-30.883	-27.714	-27.709	-27.729	-27.723	-27.764	-24.256	-24.254	-24.261	-24.251	-24.570
Heating oil	-48.993	-48.985	-48.980	-48.983	-48.999	-46.298	-46.292	-46.289	-46.285	-46.302	-43.954	-43.953	-43.943	-43.941	-43.960
Natural gas	0.950	0.943	0.956	0.947	0.891	3.273	3.261	3.287	3.262	3.222	4.334	4.326	4.329	4.326	4.342
Gasoline	-36.721	-36.733	-36.747	-36.743	-36.598	-34.135	-34.126	-34.123	-34.141	-33.986	-31.441	-31.421	-31.415	-31.418	-31.260

Table E.32: **Out-of-Sample Volatility Forecast Comparisons for Crude Oil (Rolling Window of 1,000 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 1,000 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.04	–			HAR-J	2.44	–		HAR-J	-0.07	–			
HAR-RJ	0.41	3.28	–		HAR-RJ	-0.01	-0.25	–	HAR-RJ	-0.02	-0.01	–		
HAR-ARJ	0.27	0.62	-0.92	–	HAR-ARJ	-0.03	-1.13	0.00	–	HAR-ARJ	0.11	0.24	0.08	–
HAR-C-J	-0.31	-0.76	-1.62	-1.10	HAR-C-J	-1.18	-1.48	-0.96	-1.08	HAR-C-J	-5.45	-5.53	-5.17	-5.52
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.00	–			HAR-J	0.84	–		HAR-J	0.05	–			
HAR-RJ	0.34	3.53	–		HAR-RJ	-0.83	-1.41	–	HAR-RJ	-0.16	-0.16	–		
HAR-ARJ	0.40	2.07	-0.16	–	HAR-ARJ	-0.80	-2.29	0.43	–	HAR-ARJ	-0.04	-0.09	0.16	–
HAR-C-J	-0.38	-0.60	-1.41	-1.22	HAR-C-J	-1.15	-1.34	-0.24	-0.52	HAR-C-J	-3.70	-3.77	-3.47	-3.74
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.57	–			HAR-J	5.58	–		HAR-J	1.46	–			
HAR-RJ	0.95	1.37	–		HAR-RJ	0.10	-0.01	–	HAR-RJ	0.28	0.04	–		
HAR-ARJ	0.74	0.07	-1.54	–	HAR-ARJ	-0.12	-1.49	-0.46	–	HAR-ARJ	0.54	0.00	-0.04	–
HAR-C-J	-0.02	-0.60	-1.14	-0.67	HAR-C-J	-1.08	-1.41	-1.07	-0.86	HAR-C-J	-4.47	-4.65	-4.28	-4.67
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.19	–			HAR-J	4.28	–		HAR-J	1.83	–			
HAR-RJ	0.54	1.44	–		HAR-RJ	-0.05	-0.38	–	HAR-RJ	0.10	0.00	–		
HAR-ARJ	0.43	0.43	-0.77	–	HAR-ARJ	-0.47	-2.09	-0.06	–	HAR-ARJ	0.29	-0.10	0.00	–
HAR-C-J	0.00	-0.12	-0.53	-0.26	HAR-C-J	-0.45	-0.67	-0.25	-0.22	HAR-C-J	-3.14	-3.31	-3.01	-3.29
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.04	–			HAR-J	1.41	–		HAR-J	0.31	–			
HAR-RJ	0.53	2.40	–		HAR-RJ	-0.74	-1.37	–	HAR-RJ	-0.10	-0.15	–		
HAR-ARJ	0.44	1.29	-0.68	–	HAR-ARJ	-0.86	-2.71	0.20	–	HAR-ARJ	0.22	0.06	0.25	–
HAR-C-J	-0.07	-0.30	-1.27	-0.78	HAR-C-J	-1.07	-1.27	-0.40	-0.60	HAR-C-J	-3.39	-3.46	-3.25	-3.44
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.10	–			HAR-J	1.35	–		HAR-J	0.37	–			
HAR-RJ	0.64	2.02	–		HAR-RJ	-0.78	-1.46	–	HAR-RJ	-0.15	-0.22	–		
HAR-ARJ	0.50	0.91	-0.99	–	HAR-ARJ	-0.76	-2.59	0.19	–	HAR-ARJ	0.40	0.19	0.39	–
HAR-C-J	-0.01	-0.16	-0.97	-0.48	HAR-C-J	-0.85	-1.00	-0.38	-0.53	HAR-C-J	-2.93	-2.99	-2.80	-2.98

Table E.33: **Out-of-Sample Volatility Forecast Comparisons for Heating Oil (Rolling Window of 1,000 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 1,000 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	7.44	-			HAR-J	7.40	-		HAR-J	0.19	-			
HAR-RJ	0.83	0.14	-		HAR-RJ	2.54	1.16	-	HAR-RJ	1.90	1.50	-		
HAR-ARJ	9.11	2.79	-0.06	-	HAR-ARJ	3.20	1.35	-0.09	-	HAR-ARJ	1.96	2.03	-0.03	-
HAR-C-J	-0.18	-1.29	-1.00	-1.59	HAR-C-J	0.00	-0.06	-0.47	-0.33	HAR-C-J	-0.06	-0.07	-0.40	-0.46
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	3.31	-			HAR-J	6.31	-		HAR-J	0.46	-			
HAR-RJ	0.77	0.34	-		HAR-RJ	0.47	0.08	-	HAR-RJ	3.75	2.99	-		
HAR-ARJ	4.63	3.76	-0.21	-	HAR-ARJ	1.87	1.02	0.12	-	HAR-ARJ	2.00	2.12	-0.01	-
HAR-C-J	-0.86	-1.39	-1.11	-1.63	HAR-C-J	-0.19	-0.38	-0.39	-0.77	HAR-C-J	0.00	0.00	-0.19	-0.21
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	2.91	-			HAR-J	4.21	-		HAR-J	0.28	-			
HAR-RJ	0.16	0.01	-		HAR-RJ	0.88	0.29	-	HAR-RJ	1.95	1.39	-		
HAR-ARJ	3.42	0.56	0.00	-	HAR-ARJ	2.38	0.56	-0.04	-	HAR-ARJ	0.42	0.25	-0.97	-
HAR-C-J	-2.08	-3.01	-1.59	-3.11	HAR-C-J	-0.13	-0.28	-0.49	-0.43	HAR-C-J	-0.44	-0.50	-0.93	-0.66
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	1.10	-			HAR-J	3.53	-		HAR-J	0.22	-			
HAR-RJ	0.03	0.00	-		HAR-RJ	0.12	0.00	-	HAR-RJ	2.42	1.81	-		
HAR-ARJ	1.58	1.17	0.01	-	HAR-ARJ	1.78	0.60	0.08	-	HAR-ARJ	0.47	0.36	-1.17	-
HAR-C-J	-1.20	-1.62	-0.77	-1.74	HAR-C-J	-0.06	-0.14	-0.12	-0.28	HAR-C-J	-0.34	-0.38	-0.81	-0.54
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	4.37	-			HAR-J	6.62	-		HAR-J	0.30	-			
HAR-RJ	0.51	0.11	-		HAR-RJ	0.53	0.08	-	HAR-RJ	1.41	1.02	-		
HAR-ARJ	6.21	3.51	-0.05	-	HAR-ARJ	3.22	1.16	0.06	-	HAR-ARJ	2.62	2.64	0.00	-
HAR-C-J	-0.31	-0.87	-0.72	-1.07	HAR-C-J	-0.06	-0.19	-0.25	-0.45	HAR-C-J	-0.01	-0.02	-0.16	-0.20
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	4.59	-			HAR-J	6.27	-		HAR-J	0.24	-			
HAR-RJ	0.54	0.09	-		HAR-RJ	0.40	0.05	-	HAR-RJ	0.77	0.53	-		
HAR-ARJ	6.37	2.90	-0.04	-	HAR-ARJ	3.94	1.22	0.08	-	HAR-ARJ	2.90	2.71	0.03	-
HAR-C-J	-0.09	-0.51	-0.49	-0.63	HAR-C-J	-0.03	-0.13	-0.16	-0.34	HAR-C-J	-0.01	-0.02	-0.12	-0.19

Table E.34: **Out-of-Sample Volatility Forecast Comparisons for Natural Gas (Rolling Window of 1,000 Observations)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Each day, we use a trailing window of 1,000 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.13	-			HAR-J	-0.94	-		HAR-J	-0.49	-			
HAR-RJ	0.31	2.74	-		HAR-RJ	1.50	3.35	-	HAR-RJ	0.27	1.11	-		
HAR-ARJ	-0.01	1.25	-1.64	-	HAR-ARJ	-1.00	0.24	-2.62	-	HAR-ARJ	0.02	0.33	-0.44	-
HAR-C-J	-4.28	-7.04	-9.58	-7.96	HAR-C-J	-4.20	-5.20	-8.32	-4.62	HAR-C-J	0.35	0.62	0.19	0.32
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.33	-			HAR-J	-1.53	-		HAR-J	-0.62	-			
HAR-RJ	-0.02	1.00	-		HAR-RJ	0.00	1.87	-	HAR-RJ	0.17	1.23	-		
HAR-ARJ	-0.22	0.61	-0.31	-	HAR-ARJ	-1.70	0.66	-0.42	-	HAR-ARJ	0.25	0.67	0.01	-
HAR-C-J	-6.03	-8.08	-7.71	-8.75	HAR-C-J	-2.76	-2.82	-6.17	-2.69	HAR-C-J	0.07	0.35	0.01	0.01
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.78	-			HAR-J	0.06	-		HAR-J	-0.66	-			
HAR-RJ	2.68	4.14	-		HAR-RJ	3.93	6.49	-	HAR-RJ	0.14	0.68	-		
HAR-ARJ	1.65	1.57	-3.41	-	HAR-ARJ	0.00	-0.18	-7.00	-	HAR-ARJ	0.27	1.04	0.00	-
HAR-C-J	-0.23	-2.42	-6.23	-3.45	HAR-C-J	-0.56	-1.19	-8.62	-0.89	HAR-C-J	-0.07	0.00	-0.27	-0.27
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.03	-			HAR-J	-0.13	-		HAR-J	-1.02	-			
HAR-RJ	0.74	2.80	-		HAR-RJ	2.15	5.24	-	HAR-RJ	0.00	0.42	-		
HAR-ARJ	0.19	0.83	-1.82	-	HAR-ARJ	-0.25	-0.04	-5.08	-	HAR-ARJ	0.07	0.76	0.11	-
HAR-C-J	-2.28	-5.87	-7.94	-6.63	HAR-C-J	-1.01	-1.24	-6.70	-0.98	HAR-C-J	-0.18	-0.02	-0.20	-0.28
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.19	-			HAR-J	-1.76	-		HAR-J	-0.95	-			
HAR-RJ	0.01	1.15	-		HAR-RJ	0.29	2.55	-	HAR-RJ	-0.01	0.37	-		
HAR-ARJ	-0.07	0.69	-0.46	-	HAR-ARJ	-2.26	0.23	-1.54	-	HAR-ARJ	-0.09	0.10	-0.12	-
HAR-C-J	-5.17	-9.54	-9.47	-10.09	HAR-C-J	-3.91	-4.09	-7.96	-3.63	HAR-C-J	0.09	0.37	0.11	0.16
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.11	-			HAR-J	-2.01	-		HAR-J	-1.14	-			
HAR-RJ	0.03	1.00	-		HAR-RJ	0.43	2.39	-	HAR-RJ	-0.11	0.11	-		
HAR-ARJ	-0.02	0.64	-0.44	-	HAR-ARJ	-2.66	0.08	-1.74	-	HAR-ARJ	-0.36	0.00	-0.22	-
HAR-C-J	-4.30	-9.16	-9.19	-9.59	HAR-C-J	-4.61	-4.81	-7.65	-4.23	HAR-C-J	0.10	0.41	0.20	0.29

Table E.35: Out-of-Sample Volatility Forecast Comparisons for Gasoline (Rolling Window of 1,000 Observations)

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 1,000 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.26	-			HAR-J	0.01	-		HAR-J	1.59	-			
HAR-RJ	-2.48	-3.40	-		HAR-RJ	0.13	0.37	-	HAR-RJ	1.42	0.82	-		
HAR-ARJ	-2.17	-2.51	5.86	-	HAR-ARJ	-0.34	-2.15	-4.92	-	HAR-ARJ	1.48	0.36	-0.61	-
HAR-C-J	10.07	12.76	14.38	13.98	HAR-C-J	6.14	6.74	6.37	7.01	HAR-C-J	6.62	7.07	6.72	6.52
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.32	-			HAR-J	-0.50	-		HAR-J	0.22	-			
HAR-RJ	-2.29	-6.52	-		HAR-RJ	-0.17	0.00	-	HAR-RJ	0.17	0.08	-		
HAR-ARJ	-2.23	-6.19	0.18	-	HAR-ARJ	-1.28	-2.94	-3.73	-	HAR-ARJ	0.11	0.00	-0.42	-
HAR-C-J	1.75	2.18	3.09	2.95	HAR-C-J	2.94	4.46	3.88	5.21	HAR-C-J	5.39	5.55	5.04	5.13
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.46	-			HAR-J	0.00	-		HAR-J	1.55	-			
HAR-RJ	-1.42	-8.24	-		HAR-RJ	-0.05	-0.16	-	HAR-RJ	1.85	1.72	-		
HAR-ARJ	-0.88	-7.14	5.54	-	HAR-ARJ	-0.32	-0.96	-0.18	-	HAR-ARJ	1.69	0.46	-0.83	-
HAR-C-J	15.97	18.05	23.53	22.67	HAR-C-J	1.61	2.08	2.48	2.40	HAR-C-J	6.17	6.25	5.82	5.81
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.25	-			HAR-J	-0.33	-		HAR-J	0.44	-			
HAR-RJ	-2.09	-8.73	-		HAR-RJ	-0.46	-0.41	-	HAR-RJ	0.64	0.82	-		
HAR-ARJ	-1.47	-8.17	4.57	-	HAR-ARJ	-1.19	-1.35	-0.11	-	HAR-ARJ	0.42	0.10	-0.70	-
HAR-C-J	7.89	8.98	14.12	13.42	HAR-C-J	0.26	0.55	0.82	0.84	HAR-C-J	4.22	4.72	4.52	4.54
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.54	-			HAR-J	0.07	-		HAR-J	1.55	-			
HAR-RJ	-2.27	-3.98	-		HAR-RJ	0.11	0.10	-	HAR-RJ	1.32	0.54	-		
HAR-ARJ	-1.81	-2.91	4.96	-	HAR-ARJ	-0.49	-2.89	-4.78	-	HAR-ARJ	1.38	0.11	-0.36	-
HAR-C-J	6.44	8.64	10.85	10.32	HAR-C-J	4.87	5.69	5.46	6.13	HAR-C-J	5.97	6.26	6.27	6.03
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.76	-			HAR-J	0.41	-		HAR-J	2.20	-			
HAR-RJ	-2.17	-2.73	-		HAR-RJ	0.46	0.16	-	HAR-RJ	1.98	0.75	-		
HAR-ARJ	-1.61	-1.56	6.88	-	HAR-ARJ	-0.17	-2.42	-4.27	-	HAR-ARJ	2.29	0.19	-0.26	-
HAR-C-J	7.85	9.83	11.63	11.15	HAR-C-J	4.59	5.01	4.84	5.19	HAR-C-J	5.55	5.72	5.74	5.48

F. Weighted Least Squares Estimation

Table F.36: Volatility Forecasting Errors (Weighted Least Squares Estimation)

This table presents out-of-sample forecasting errors for the five volatility models considered. Each panel focuses on a specific loss function. MSE is the mean squared error, MSPE is the mean squared percentage error, MAE is the mean absolute error, MAPE is the mean absolute percentage error, LL is the logarithmic loss, and QLIKE is the quasi likelihood loss function. We consider three forecast horizons, namely 1, 5, and 22 days. Out-of-sample forecasts are obtained using a rolling window of 600 observations. The models are estimated via weighted least squares using as weights the inverse of the fitted values from OLS estimation. In order to facilitate the presentation of our results, we multiply each loss function by 100.

	1-Day					5-Day					22-Day				
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-C-J
A. MSE															
Crude oil	0.533	0.529	0.527	0.529	0.534	0.373	0.371	0.369	0.369	0.375	0.399	0.399	0.398	0.400	0.418
Heating oil	0.400	0.401	0.397	0.401	0.403	0.245	0.245	0.246	0.245	0.249	0.243	0.243	0.245	0.244	0.252
Natural gas	1.484	1.478	1.484	1.485	1.479	0.832	0.829	0.841	0.834	0.844	0.825	0.824	0.824	0.823	0.842
Gasoline	0.478	0.477	0.477	0.477	0.487	0.292	0.293	0.293	0.292	0.306	0.286	0.288	0.289	0.288	0.302
B. MSPE															
Crude oil	7.300	7.270	7.218	7.278	7.396	3.497	3.481	3.422	3.439	3.603	4.319	4.330	4.294	4.334	4.663
Heating oil	7.474	7.513	7.425	7.515	7.540	3.473	3.477	3.466	3.480	3.489	4.023	4.028	4.043	4.034	4.088
Natural gas	8.189	8.158	8.186	8.199	8.146	3.017	2.993	3.044	3.030	3.011	3.009	2.998	3.014	3.013	3.053
Gasoline	7.589	7.601	7.646	7.616	7.819	3.575	3.582	3.592	3.587	3.724	4.155	4.176	4.191	4.185	4.332
C. MAE															
Crude oil	5.136	5.144	5.127	5.148	5.177	4.190	4.186	4.177	4.179	4.256	5.022	5.014	5.011	5.014	5.107
Heating oil	4.506	4.514	4.496	4.517	4.522	3.633	3.634	3.639	3.632	3.663	4.092	4.094	4.106	4.092	4.184
Natural gas	8.701	8.698	8.717	8.717	8.723	6.190	6.178	6.250	6.191	6.274	6.526	6.526	6.527	6.514	6.525
Gasoline	5.100	5.106	5.102	5.096	5.170	3.973	3.983	3.980	3.968	4.091	4.339	4.356	4.375	4.360	4.498
D. MAPE															
Crude oil	18.814	18.836	18.770	18.851	18.987	14.170	14.149	14.093	14.101	14.468	17.103	17.082	17.051	17.068	17.544
Heating oil	18.954	18.992	18.911	19.001	19.036	14.376	14.376	14.374	14.367	14.438	16.369	16.369	16.398	16.355	16.607
Natural gas	21.102	21.094	21.147	21.139	21.128	13.516	13.480	13.649	13.517	13.629	13.878	13.872	13.887	13.855	13.846
Gasoline	19.634	19.669	19.676	19.647	19.947	14.489	14.515	14.499	14.463	14.869	16.161	16.207	16.273	16.226	16.646
E. LL															
Crude oil	5.606	5.590	5.560	5.600	5.645	3.552	3.527	3.499	3.500	3.604	4.195	4.188	4.179	4.190	4.430
Heating oil	5.605	5.617	5.568	5.624	5.635	3.281	3.281	3.281	3.282	3.300	3.493	3.494	3.513	3.501	3.540
Natural gas	6.582	6.566	6.587	6.596	6.536	3.063	3.046	3.092	3.067	3.045	3.168	3.158	3.165	3.163	3.177
Gasoline	5.827	5.822	5.838	5.831	5.932	3.382	3.395	3.395	3.389	3.519	3.603	3.618	3.634	3.626	3.746
F. QLIKE															
Crude oil	-25.547	-25.556	-25.570	-25.550	-25.533	-23.256	-23.272	-23.282	-23.285	-23.241	-21.220	-21.226	-21.227	-21.225	-21.112
Heating oil	-37.244	-37.241	-37.262	-37.237	-37.235	-35.079	-35.079	-35.078	-35.078	-35.068	-33.609	-33.608	-33.598	-33.604	-33.588
Natural gas	14.539	14.531	14.540	14.546	14.512	16.978	16.969	16.992	16.978	16.964	18.141	18.135	18.137	18.136	18.139
Gasoline	-29.295	-29.300	-29.294	-29.295	-29.252	-27.072	-27.064	-27.066	-27.069	-27.000	-25.488	-25.481	-25.473	-25.477	-25.420

Table F.37: **Out-of-Sample Volatility Forecast Comparisons for Crude Oil (Weighted Least Squares Estimation)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for crude oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. The models are estimated via weighted least squares using as weights the inverse of the fitted values from OLS estimation. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-1.42	–			HAR-J	-1.42	–		HAR-J	-0.09	–			
HAR-RJ	-3.82	-1.78	–		HAR-RJ	-1.97	-0.60	–	HAR-RJ	-0.36	-0.08	–		
HAR-ARJ	-1.05	1.30	3.73	–	HAR-ARJ	-1.96	-0.69	0.06	–	HAR-ARJ	0.07	0.52	0.38	–
HAR-C-J	0.01	3.18	4.82	2.36	HAR-C-J	0.17	0.72	1.19	1.08	HAR-C-J	1.20	1.41	1.39	1.30
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.30	–			HAR-J	-0.46	–		HAR-J	0.32	–			
HAR-RJ	-2.10	-2.79	–		HAR-RJ	-2.25	-2.48	–	HAR-RJ	-0.84	-1.76	–		
HAR-ARJ	-0.16	0.69	4.74	–	HAR-ARJ	-1.80	-2.51	0.67	–	HAR-ARJ	0.19	0.04	1.32	–
HAR-C-J	1.26	3.52	5.34	3.06	HAR-C-J	1.37	2.13	4.34	3.45	HAR-C-J	2.30	2.34	2.72	2.40
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.16	–			HAR-J	-0.13	–		HAR-J	-0.40	–			
HAR-RJ	-0.30	-2.36	–		HAR-RJ	-0.58	-0.34	–	HAR-RJ	-0.62	-0.02	–		
HAR-ARJ	0.35	1.37	4.64	–	HAR-ARJ	-0.54	-0.44	0.01	–	HAR-ARJ	-0.28	0.00	0.02	–
HAR-C-J	2.20	3.11	5.06	2.39	HAR-C-J	1.91	2.50	2.81	2.88	HAR-C-J	0.45	0.58	0.56	0.58
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.07	–			HAR-J	-0.19	–		HAR-J	-0.23	–			
HAR-RJ	-0.45	-2.50	–		HAR-RJ	-1.17	-0.95	–	HAR-RJ	-1.23	-0.33	–		
HAR-ARJ	0.21	1.44	4.61	–	HAR-ARJ	-1.19	-1.36	0.03	–	HAR-ARJ	-0.44	-0.20	0.10	–
HAR-C-J	2.42	4.13	6.45	3.29	HAR-C-J	2.73	3.60	4.56	4.53	HAR-C-J	0.95	1.13	1.20	1.19
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.16	–			HAR-J	-1.71	–		HAR-J	-0.18	–			
HAR-RJ	-1.94	-2.40	–		HAR-RJ	-2.88	-1.51	–	HAR-RJ	-0.75	-0.21	–		
HAR-ARJ	-0.02	2.62	4.60	–	HAR-ARJ	-3.47	-2.80	0.00	–	HAR-ARJ	-0.04	0.03	0.26	–
HAR-C-J	0.58	3.06	5.19	1.99	HAR-C-J	0.61	1.54	2.66	2.69	HAR-C-J	1.85	2.15	2.15	2.17
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	-0.17	–			HAR-J	-2.45	–		HAR-J	-0.54	–			
HAR-RJ	-1.69	-1.80	–		HAR-RJ	-3.25	-1.01	–	HAR-RJ	-0.62	-0.01	–		
HAR-ARJ	-0.02	3.24	3.73	–	HAR-ARJ	-4.32	-2.61	-0.07	–	HAR-ARJ	-0.22	0.04	0.03	–
HAR-C-J	0.30	2.30	3.94	1.27	HAR-C-J	0.20	0.97	1.60	1.84	HAR-C-J	1.60	1.98	1.86	1.99

Table F.38: **Out-of-Sample Volatility Forecast Comparisons for Heating Oil (Weighted Least Squares Estimation)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for heating oil volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. The models are estimated via weighted least squares using as weights the inverse of the fitted values from OLS estimation. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.23	–			HAR-J	0.31	–		HAR-J	1.04	–			
HAR-RJ	-1.59	-2.21	–		HAR-RJ	0.53	0.19	–	HAR-RJ	2.53	1.45	–		
HAR-ARJ	0.58	1.30	2.92	–	HAR-ARJ	0.48	0.09	-0.09	–	HAR-ARJ	0.64	0.15	-1.19	–
HAR-C-J	1.58	1.99	3.88	0.71	HAR-C-J	2.93	2.42	1.61	1.92	HAR-C-J	1.97	1.86	1.25	1.54
2. SPE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.83	–			HAR-J	0.07	–		HAR-J	0.27	–			
HAR-RJ	-0.92	-3.09	–		HAR-RJ	-0.08	-0.24	–	HAR-RJ	1.16	0.62	–		
HAR-ARJ	0.78	0.04	3.39	–	HAR-ARJ	0.14	0.06	0.29	–	HAR-ARJ	0.39	0.16	-0.27	–
HAR-C-J	1.41	0.58	3.49	0.44	HAR-C-J	0.17	0.10	0.32	0.04	HAR-C-J	0.80	0.72	0.39	0.50
3. AE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.37	–			HAR-J	0.04	–		HAR-J	0.09	–			
HAR-RJ	-0.39	-1.21	–		HAR-RJ	0.27	0.17	–	HAR-RJ	1.16	0.95	–		
HAR-ARJ	0.63	0.51	1.70	–	HAR-ARJ	-0.01	-0.12	-0.41	–	HAR-ARJ	0.00	-0.02	-1.96	–
HAR-C-J	0.93	0.72	2.04	0.24	HAR-C-J	1.49	1.54	1.12	1.61	HAR-C-J	1.86	1.88	1.48	1.88
4. APE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.28	–			HAR-J	0.00	–		HAR-J	0.00	–			
HAR-RJ	-0.43	-1.43	–		HAR-RJ	0.00	0.00	–	HAR-RJ	0.32	0.32	–		
HAR-ARJ	0.42	0.25	1.93	–	HAR-ARJ	-0.07	-0.14	-0.03	–	HAR-ARJ	-0.11	-0.16	-1.47	–
HAR-C-J	1.00	1.39	2.74	0.72	HAR-C-J	0.42	0.51	0.51	0.59	HAR-C-J	1.18	1.24	0.97	1.32
5. LL														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.18	–			HAR-J	0.00	–		HAR-J	0.03	–			
HAR-RJ	-1.65	-3.05	–		HAR-RJ	0.00	0.00	–	HAR-RJ	1.13	0.86	–		
HAR-ARJ	0.37	0.70	4.04	–	HAR-ARJ	0.01	0.03	0.01	–	HAR-ARJ	0.38	0.29	-0.76	–
HAR-C-J	0.81	1.13	4.21	0.37	HAR-C-J	0.47	0.52	0.39	0.38	HAR-C-J	0.66	0.65	0.20	0.40
6. QLIKE														
HAR-RV	–				HAR-RV	–			HAR-RV	–				
HAR-J	0.06	–			HAR-J	-0.02	–		HAR-J	0.00	–			
HAR-RJ	-1.79	-2.71	–		HAR-RJ	0.01	0.03	–	HAR-RJ	1.04	0.85	–		
HAR-ARJ	0.24	1.12	4.00	–	HAR-ARJ	0.00	0.05	-0.01	–	HAR-ARJ	0.45	0.40	-0.76	–
HAR-C-J	0.39	0.64	3.31	0.07	HAR-C-J	0.62	0.77	0.37	0.54	HAR-C-J	0.58	0.59	0.13	0.32

Table F.39: **Out-of-Sample Volatility Forecast Comparisons for Natural Gas (Weighted Least Squares Estimation)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for natural gas volatility. Each day, we use a trailing window of 600 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. The models are estimated via weighted least squares using as weights the inverse of the fitted values from OLS estimation. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-1.03	-			HAR-J	-0.97	-		HAR-J	-0.14	-			
HAR-RJ	0.00	0.84	-		HAR-RJ	1.87	6.45	-	HAR-RJ	-0.07	0.00	-		
HAR-ARJ	0.02	4.70	0.10	-	HAR-ARJ	0.33	3.00	-1.67	-	HAR-ARJ	-0.20	-0.04	-0.11	-
HAR-C-J	-0.24	0.01	-0.22	-0.44	HAR-C-J	0.37	0.76	0.03	0.30	HAR-C-J	0.69	0.89	0.87	0.86
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.31	-			HAR-J	-1.20	-		HAR-J	-0.32	-			
HAR-RJ	0.00	0.29	-		HAR-RJ	0.69	7.27	-	HAR-RJ	0.05	0.44	-		
HAR-ARJ	0.04	1.66	0.09	-	HAR-ARJ	0.79	2.14	-0.14	-	HAR-ARJ	0.04	0.25	-0.01	-
HAR-C-J	-0.28	-0.05	-0.33	-0.71	HAR-C-J	-0.01	0.11	-0.40	-0.08	HAR-C-J	0.33	0.54	0.24	0.24
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.01	-			HAR-J	-0.89	-		HAR-J	0.00	-			
HAR-RJ	0.22	0.87	-		HAR-RJ	3.45	7.72	-	HAR-RJ	0.00	0.01	-		
HAR-ARJ	0.49	1.79	0.00	-	HAR-ARJ	0.01	1.46	-4.29	-	HAR-ARJ	-0.34	-0.57	-1.41	-
HAR-C-J	0.39	0.75	0.03	0.04	HAR-C-J	2.16	3.56	0.22	2.37	HAR-C-J	0.00	0.00	0.00	0.02
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.02	-			HAR-J	-1.15	-		HAR-J	-0.03	-			
HAR-RJ	0.28	1.16	-		HAR-RJ	3.29	8.47	-	HAR-RJ	0.02	0.10	-		
HAR-ARJ	0.45	1.41	-0.03	-	HAR-ARJ	0.00	1.40	-4.13	-	HAR-ARJ	-0.20	-0.13	-1.32	-
HAR-C-J	0.09	0.25	-0.06	-0.02	HAR-C-J	0.94	2.24	-0.03	1.02	HAR-C-J	-0.03	-0.02	-0.04	0.00
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.30	-			HAR-J	-1.61	-		HAR-J	-0.50	-			
HAR-RJ	0.02	0.77	-		HAR-RJ	1.29	6.75	-	HAR-RJ	-0.03	0.18	-		
HAR-ARJ	0.28	2.58	0.21	-	HAR-ARJ	0.15	2.46	-1.07	-	HAR-ARJ	-0.08	0.07	-0.06	-
HAR-C-J	-1.08	-0.90	-1.76	-2.59	HAR-C-J	-0.15	0.00	-1.46	-0.24	HAR-C-J	0.03	0.12	0.05	0.06
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.34	-			HAR-J	-1.87	-		HAR-J	-0.64	-			
HAR-RJ	0.00	0.55	-		HAR-RJ	1.27	5.83	-	HAR-RJ	-0.13	0.08	-		
HAR-ARJ	0.22	2.69	0.40	-	HAR-ARJ	0.02	2.59	-1.42	-	HAR-ARJ	-0.26	0.02	-0.05	-
HAR-C-J	-1.67	-1.51	-2.10	-3.32	HAR-C-J	-0.36	-0.07	-2.09	-0.45	HAR-C-J	0.00	0.02	0.00	0.01

Table F.40: **Out-of-Sample Volatility Forecast Comparisons for Gasoline (Weighted Least Squares Estimation)**

This table presents test statistics from pairwise comparisons of equal predictive accuracy of forecasting models for gasoline volatility. Each day, we use a trailing window of 1,000 observations to estimate the parameters of the HAR models. Equipped with these estimates, we then make out-of-sample forecasts of volatility. The models are estimated via weighted least squares using as weights the inverse of the fitted values from OLS estimation. We consider three forecasting horizons: daily, weekly and monthly. We report the test statistics from comparing the mean difference between the forecast errors of the model [name in row] and those of the model [name in column]. The Giacomini and White (2006) test-statistic is distributed as a chi-squared random variable with 1 degree of freedom. We highlight in bold all the significant test statistics based on the 95 % confidence level.

	1-Day Horizon				5-Day Horizon				22-Day Horizon					
	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ	HAR-RV	HAR-J	HAR-RJ	HAR-ARJ		
1. SE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.55	-			HAR-J	1.53	-		HAR-J	4.14	-			
HAR-RJ	-0.02	0.60	-		HAR-RJ	0.53	0.00	-	HAR-RJ	5.49	2.46	-		
HAR-ARJ	-0.23	0.04	-0.37	-	HAR-ARJ	0.12	-0.19	-1.20	-	HAR-ARJ	5.08	0.54	-1.53	-
HAR-C-J	6.20	10.26	9.47	9.33	HAR-C-J	12.84	13.64	10.62	10.93	HAR-C-J	6.85	6.67	5.65	5.94
2. SPE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.09	-			HAR-J	0.16	-		HAR-J	2.29	-			
HAR-RJ	1.50	2.92	-		HAR-RJ	0.22	0.11	-	HAR-RJ	2.80	0.64	-		
HAR-ARJ	0.45	0.37	-1.67	-	HAR-ARJ	0.10	0.02	-0.16	-	HAR-ARJ	2.91	0.35	-0.29	-
HAR-C-J	7.33	8.85	8.01	7.41	HAR-C-J	9.38	12.21	6.59	5.83	HAR-C-J	5.42	5.59	4.32	4.73
3. AE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.19	-			HAR-J	1.24	-		HAR-J	2.62	-			
HAR-RJ	0.02	-0.11	-		HAR-RJ	0.12	-0.04	-	HAR-RJ	5.00	2.75	-		
HAR-ARJ	-0.06	-0.68	-0.51	-	HAR-ARJ	-0.04	-0.74	-2.64	-	HAR-ARJ	2.85	0.17	-3.85	-
HAR-C-J	7.53	9.34	8.89	9.81	HAR-C-J	11.18	11.29	10.26	11.63	HAR-C-J	6.82	6.75	5.42	6.28
4. APE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	0.38	-			HAR-J	0.49	-		HAR-J	1.64	-			
HAR-RJ	0.43	0.02	-		HAR-RJ	0.01	-0.05	-	HAR-RJ	4.13	2.12	-		
HAR-ARJ	0.04	-0.23	-1.08	-	HAR-ARJ	-0.11	-0.51	-2.00	-	HAR-ARJ	2.22	0.24	-3.10	-
HAR-C-J	11.34	14.62	11.33	12.86	HAR-C-J	9.73	10.67	8.93	9.84	HAR-C-J	6.05	6.27	4.64	5.47
5. LL														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.06	-			HAR-J	0.80	-		HAR-J	2.29	-			
HAR-RJ	0.21	1.06	-		HAR-RJ	0.26	0.00	-	HAR-RJ	4.14	1.55	-		
HAR-ARJ	0.03	0.31	-0.47	-	HAR-ARJ	0.08	-0.05	-0.49	-	HAR-ARJ	3.52	0.54	-1.10	-
HAR-C-J	7.84	12.37	8.46	8.61	HAR-C-J	12.05	14.56	9.29	8.91	HAR-C-J	6.13	6.20	4.71	5.30
6. QLIKE														
HAR-RV	-				HAR-RV	-			HAR-RV	-				
HAR-J	-0.36	-			HAR-J	1.06	-		HAR-J	2.33	-			
HAR-RJ	0.01	0.70	-		HAR-RJ	0.21	-0.04	-	HAR-RJ	4.32	1.81	-		
HAR-ARJ	0.00	0.34	-0.15	-	HAR-ARJ	0.05	-0.19	-0.63	-	HAR-ARJ	3.59	0.56	-1.37	-
HAR-C-J	5.63	9.77	6.60	6.53	HAR-C-J	11.89	14.39	9.38	9.28	HAR-C-J	5.96	5.86	4.49	5.12