

Interprofessional Education (IPE) and Pharmacy in the UK: a study on IPE activities across different Schools of Pharmacy

Article

Accepted Version

Patel, N. ORCID: <https://orcid.org/0000-0002-8600-0663>, Begum, S. and Kayyali, R. (2016) Interprofessional Education (IPE) and Pharmacy in the UK: a study on IPE activities across different Schools of Pharmacy. Pharmacy, 4 (4). 28. ISSN 2226-4787 doi: 10.3390/pharmacy4040028 Available at <https://centaur.reading.ac.uk/66882/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.3390/pharmacy4040028>

Publisher: MDPI

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

1
2
3 **Interprofessional Education (IPE) and Pharmacy in the UK. A study on IPE**
4 **activities across different Schools of Pharmacy.**
5

6 Nilesh Patel¹, Shahmina Begum², Reem Kayyali²
7

8 ¹University of Reading, Food Biosciences Building, PO Box 226, Whiteknights,
9 Reading, Berkshire, RG6 6AP

10 ²Kingston University, Penrhyn Road, Kingston upon Thames, KT1 2EE
11

12 Corresponding author: Dr Nilesh Patel; nilesh.patel@reading.ac.uk; 0118 378 4639
13

14 Keywords Interprofessional Education; Interprofessional learning; pharmacy;
15 healthcare professionals
16
17

18

19

20 **ABSTRACT**

21 Interprofessional education (IPE) has been recognised internationally, as a way to
22 improve healthcare professional interaction and team working, in order to enhance
23 patient care. Since pharmacists are increasingly part of multi-professional healthcare
24 teams and are expanding their clinical roles, many pharmacy regulators have
25 stipulated IPE must be included in educational curricula. This study aimed to
26 examine how different Schools of Pharmacy (SOPs) in the UK implement IPE within
27 their pharmacy course. Information about IPE was mainly obtained through
28 interviews with staff from various SOPs. Nine telephone interviews were conducted
29 which were analysed using a thematic analysis approach in order to derive common
30 categories. These were identified as students, activities, barriers and facilitators and
31 benefits of IPE. It was found that teaching methods used for IPE varied across
32 SOPs. No standard strategy to deliver IPE was identified. Students were thought to
33 value the IPE experience, especially the interaction with other professionals. The
34 main barriers to implementing IPE arose from limited financial and organisational
35 support. In general many SOPs in the UK are undertaking IPE but challenges remain
36 in establishing it as a routine part of the course, something which seems to echo
37 difficulties in implementation of IPE both nationally and internationally.

38

40 INTRODUCTION

41 Internationally, the importance of healthcare professionals working together to create
42 an optimal health care system has been recognised. The World Health Organisation
43 (WHO) has noted that in order to better integrate care, strengthen quality and
44 improve patient safety, interprofessional education (IPE) is necessary [1]. IPE is
45 defined as occurring '*when two or more professions learn with, from and about each*
46 *other to improve collaboration and the quality of care*' [2]. Therefore the potential
47 benefits of getting different healthcare professionals together to learn from each
48 other and understand each other's roles in order to improve patient care and safety
49 has been a driver to implement IPE within professional curricula and practice.

50 In recent years it has become more evident that patient cases have become more
51 complex and the inclusion of more than one profession in their care has therefore
52 increased [3]. There are also increasing public reports about poor standards of
53 patient care across healthcare sectors in the UK with suggestions that better team
54 working and communication is need amongst healthcare workers. IPE is a possible
55 solution to some of these issues as interprofessional working has helped decrease
56 medical errors, improve patient satisfaction, patient care and knowledge and skills of
57 professionals [4]. Knowledge of different working practices, awareness of different
58 professional accountabilities, roles and competencies are pivotal in driving improved
59 healthcare [5, 6]. Working together for patients requires teamwork and an
60 appreciation of not only the types of services provided but of the providers
61 themselves [7, 8], which makes IPE more relevant.

The development of the understanding of the roles and responsibilities of all health and social care professionals is undertaken at both undergraduate and postgraduate levels through various activities ranging from university-based classroom activities, forums and practice-based or workplace placements. In a recent review by [9] that looked at IPE in the UK over the period 1997-2013 it was reported that at least two thirds of UK universities with qualifying courses in health and social care included IPE, outlining the growing importance of IPE. There is some suggestion that for IPE to have biggest impact on healthcare professionals it should be incorporated early on in their education [10-13].

In the UK, the pharmacy regulatory body, the General Pharmaceutical Council (GPhC), makes it a requirement for Pharmacy (MPharm degree) courses to demonstrate *'learning based on experience that provides education in interprofessional practices and procedures with other healthcare professionals'* [14].

Nearly all MPharm courses in the UK are four years in length, and are commonly described as Levels 4-7, or Parts 1-4. It is not clearly stipulated by the GPhC at which level/part IPE should be undertaken, therefore there is likely to be variation in when and how it is delivered. The requirement for Pharmacy courses to undertake IPE is not unique to the UK. In the United States (US), the learning outcomes in the Accreditation Council for Pharmacy Education (ACPE) Accreditation Standards and Guidelines were changed to include IPE and make it a priority and in the most recent ACPE standards [15] IPE is now included as a standalone standard (Standard 11) and describes the key elements in IPE education as being team dynamics, team education and team practice. The importance of having IPE in pharmacy is not just restricted to the UK or the US but has also been included in pharmacy curricula in Germany, Poland, Australia and elsewhere [15-20].

In addition the education of healthcare professionals increasingly relies on demonstrating competency and mapping against competency frameworks. For IPE, a US collaborative representing various healthcare courses, including pharmacy, has created core competencies for interprofessional collaborative practice (IPEC) to guide curriculum development across health professions schools [21]. In the UK there is the Interprofessional Capability Framework, which has been developed to serve a similar purpose [22]. These curriculum frameworks provide a foundation for what students are expected to demonstrate in terms of knowledge, skills, values and attitudes. However, there are limitations in using these frameworks for IPE [23].

In a study by Jones et al [24], it was noted that delivery of IPE was not homogenous across pharmacy education programmes across the US, and that various barriers had to be overcome to implement IPE effectively. This may also be the case in the UK, but evidence is lacking as to how IPE is delivered and what the specific barriers for SOPs in the UK are. Therefore, an investigation into the engagement with IPE in UK SOPs was undertaken to achieve the following aims; to find out if IPE is undertaken by SOPs in the UK, discover the types of IPE activities which are undertaken and identify the barriers and benefits of IPE as perceived by pharmacy staff involved in IPE.

METHODS

A purposive sampling technique was used to recruit participants for this exploratory study. The primary purpose of the study was to gather data about types of IPE activities undertaken within UK SOPs, and a secondary purpose of gathering data that would explore pharmacy staff IPE experiences of IPE. Ultimately, it was hoped that a best practice model of IPE (i.e. a standard way of complying with IPE

requirements) could be derived from the information obtained. A list of staff at twenty-six Schools of Pharmacy (SoP) in the United Kingdom (UK) was compiled. School of Pharmacy websites were used to collect contact details of staff that we believed to be leading or associated with IPE, or the Head of the SoP when this was not evident. Twenty-four SOPs were emailed a participant information sheet and an invitation letter outlining the study aims and an invitation to provide a reflective account of initiating and running IPE as well as what activities were undertaken. Two SOPs were not contacted as data has already been collected about their IPE involvement. A follow-up email was sent to the staff after two weeks. Invited staff either replied back with redirection to another staff member, agreed to participate (followed up with a convenient date and time for an interview) or declined to participate. No further follow-up occurred for the non-responders.

All participants who agreed to be interviewed gave their informed consent for inclusion before participating in the study. Interviews were conducted over the telephone (during March-April 2013) using a semi-structured guide, and the information recorded by hand by the researcher. The questions that were asked came under the general themes of IPE activities (for example, do they undertake IPE? what types of activities are undertaken? what topics are covered? is there an assessed component to IPE?), staff/student involvement (for example, which students are exposed to IPE? which staff are involved in teaching?), evaluation of IPE (for example, what feedback is received from students?) and what are the barriers and facilitators in undertaking IPE?. Each interview lasted approximately 30 minutes. All information was anonymised with each interviewee given a code to prevent association to defined quotations. Transcriptions were analysed using a

thematic analysis approach, which was carried out using the methodology of Ryan and Bernard [25]. Two researchers carried out the data analysis in various stages to reduce the possibility of any researcher bias during the category development. Categories were confirmed and verified by detailed line-by-line reading of the transcripts, which were further refined and reduced until a final list of categories were obtained and agreed by both researchers. At the end of the study the transcripts were destroyed. Ethical approval was granted by the Science, Engineering and Computing (SEC) Research Ethics Committee at Kingston University on 10th January 2013.

RESULTS

Twenty six SOPs were identified from which information about IPE were sought. However, only 34.6% (n=9) of the contacted SOPs agreed to participate in a telephone interview. Three other SOPs had responded but declined to participate in an interview. One SOP reported that at the time of the study no IPE was undertaken. The written information provided by the two SOPs that did not participate in an interview was incorporated, when relevant, to the categories derived from the interviews.

Analysis of the data led to the derivation of four main categories; students, activities, barriers and facilitators and benefits of IPE.

1. Students

It was noted that five SOPs run IPE for all levels of the MPharm degree and three SOPs run it for only Level 7 of the MPharm. The rest of the SOPs provided IPE over a mixture of levels. Fifteen traditional healthcare courses (HCC) were involved in IPE

across the investigated SOPs. These were medicine, nursing (including mental health, paediatric and adult), midwifery, physiotherapy, radiography (including diagnostics and therapeutic), paramedics, occupational therapists (OT), operating department practitioners (ODP), speech and language therapists, dietetics, dentistry, optometry, nutrition, podiatry and audiology. Medicine, nursing and midwifery appeared to be common HCC's to undertake IPE with. Non-healthcare courses (non-HCC) cited were psychology, occupational health, health science, health and social care, vision science, social work (commonly encountered), applied biomedical sciences, biology, police and youth and community work.

Participants recognised the importance and benefits of pharmacy students working with other courses not traditionally related to healthcare, for example social carers, whose profession had been criticised in one London Borough for not safeguarding against the abuse over an 8 month period of a 17 month old child ('Baby P').

"Working with non-healthcare courses would be beneficial as the pharmacist role is promoted and gives possible insight into patient perspective" (Participant A).

"Importance of social care is demonstrated by recent cases about safeguarding and childcare like Baby P. Social care is important when addressing issues about asylum seekers, vulnerable adults and children" (Participant Y). "Hospital scientists are commonly neglected, but when in clinical settings medical staff are dependent on them for test results. IPE allows appreciation of these non-healthcare courses" (Participant X).

When asked about what the students thought about working with other courses, a few participants mentioned that pharmacy students were more comfortable and

confident when working with other healthcare students of a similar level and clinical experience, especially when it came to showing others what they could do as pharmacists. *“Students mixed in their preference; some prefer nurses due to their vast amount of clinical experience. Some prefer medics as they get to showcase their role as a pharmacist, due to medics underestimating the importance of a pharmacist in patient care” (Participant A).* *“I find pharmacy students prefer to work with students who have clinical experiences and do not like to work outside of the clinical setting” (Participant Y).* *“Students felt scared and intimidated by the postgraduate medics and nurses due to their breadth of knowledge and experience. Doctors were more challenging whilst the nurses were ‘motherly’ or nurturing” (Participant I).*

2. Activities

The majority of the SOPs run IPE activities once a year. Usually activities consume a full day unless students are sent on a placement. Many of the SOPs follow up IPE sessions with work for students to complete without the facilitator. The activities themselves are undertaken either on campus, or off-campus.

Activities hosted by the different SOPs on campus have some structural similarities to each other and tend to be lecture or workshop-based. These different types of activities are outlined in table 1.

Table 1: IPE activities undertaken by SOPs.

Teamwork and personality traits	Many SOPs mentioned that they get students to examine their personality type using Myers-Briggs Type Indicator (MBTI)
--	---

	tests, their role and factors which can affect team performance using Belbin Team Roles as a way to promote the idea of team working. Typically this is done during an 'ice-breaking' session when the different healthcare profession students first meet.
Practice-based scenarios	In all cases there is some practice-based scenario involved in IPE. Students are typically divided into multidisciplinary groups to discuss a presented case or scenario and feedback to facilitators or professionals that may be involved in the case/scenario. The cases/scenarios may be on social care issues, professionalism, ethical dilemmas, health promotion, compromised patient safety, critical situation, and discharge meeting notes.
IPE days/conferences	A mixture of lectures and workshops occurring over a whole day. Generally, the day is based on a particular topic or disease. For example the start of the day usually includes an introduction to the topic (alcohol misuse, safeguarding children and vulnerable adults, drug charts, transfer of care and evidence-based medicines for prescribing were mentioned) with a video and brief lectures from healthcare professionals, patients or relevant organisations. These were then typically followed by mixed professional group workshops in the afternoon.
Peer teaching	This was mentioned by two SOPs whereby students from one profession teach other healthcare courses on topics within their specialism. For example in one SOP fourth year students teach

	physiotherapy students about the safe and effective use of medicines. In turn, they are taught by physiotherapy students about physical therapies. In another SOP, their students were taught by medicine and nursing students who themselves were trained in basic life support.
Buddy systems	In one SOP, first year MPharm students are introduced to other first year HCC students and are placed in mixed groups to complete tasks. During their time at university they are expected to remain within their group and organise their own meetings to undertake various tasks given to them, which has the added benefit of eliminating any timetabling problems.

208

209 With regards to off-campus events, many SOPs opt to send their students on
210 placements (for example hospitals, nursing homes, GP practices) with other health
211 and social care students. The students are required to complete activities related to
212 their visit. Types of activities on placement include shadowing professionals for a
213 day, observing interprofessional working in practice, going through case studies or
214 ethical scenarios, and interacting with patients and/or carers.

215 Some SOPs summatively assess their IPE activities. For example some components
216 of the activity are assessed in an end of year exam, or there is a reflective
217 assignment or poster presentation or a portfolio to complete. One SoP uses
218 objective structured clinical examinations (OSCEs) to assess IPE.

219 3. *Barriers and facilitators*

220 All interviewees mentioned that the UK pharmacy regulator (GPhC) requires SOPs
221 to undertake IPE in order to be accredited, with one mentioning that these

requirements are not the same for some of the other healthcare profession courses. IPE involvement was also thought to be hindered by the fact that not all universities and therefore SOPs have access to a wide range of healthcare courses, or there is competition with nearby SOPs. *“Differing standards and requirements for healthcare professional courses make the emphasis on IPE differ between the courses. Therefore, MPharm staff are more likely to try and incorporate IPE into their course due to the strict GPhC requirements, which regulate the course. Currently there are no requirements for nursing and medicine to incorporate IPE into their course. Also, these courses do not have strict regulations on their content as MPharm” (Participant A).* *“Unfortunately, cannot involve other healthcare professional courses as the degrees do not take place in the university and nearby universities have their own pharmacy courses. This leads to a considerable difference in IPE teaching” (Participant Y).* However it should be noted that both the Nursing and Midwifery Council [26] and the General Medical Council [27] state that they expect students to engage in IPE during their education.

In addition, timetabling IPE events within the pharmacy course and with other healthcare courses was seen as particularly problematic. *“Both schools of teaching have hectic timetables, which make it difficult to organise formal slots in both timetables for IPE sessions” (Participant A).* *“It’s a nightmare with another university. Especially trying to find time when medics and pharmacy students are free. Medics are taught on a rotation basis between September and July, whereas pharmacy students are taught between September and March” (Participant S).*

246 In terms of facilitating sessions, most SOPs stated that pharmacy practice staff is
247 mainly tasked with running all IPE activities, with often only one member of staff
248 responsible for the organisation. The presence or lack of an IPE organisation
249 structure was seen to vary between SOPs and was cited for many as making
250 organising IPE problematic when no clear structure was in place. Particular
251 examples of where there seemed to be a formal organisation of IPE include one
252 SOP that reported that they had teams dedicated to IPE, where an IPE lead
253 overlooks all the teams for each year group. The team consists mainly of pharmacy
254 practice staff and some non-pharmacy related staff, medical practitioners and
255 lecturers to show that interprofessionalism is practiced as well as taught. Similarly,
256 another SOP had a steering group to strategise IPE, an organisation group that
257 ensures day-to-day running which includes an IPE champion who communicates
258 with the coordinators and ensures IPE achieves the objectives for the SoP, an IPE e-
259 learning group that develops online IPE activities and an IPE research group that
260 undertake research and write reports about IPE. One participant stressed the
261 importance of having an “*expert*” administrative staff member who is able to organise
262 the logistics of the day and the placements.

263 During the course of discussion around the area of IPE activities, comments about
264 funding arose. In the main, IPE was funded by the participating courses. Of interest
265 was that sources of funding were sought by some SOPs. These included higher
266 education grants, Health Education England (HEE) funding, supplementary funding
267 from the government and one SOP was awarded £1000 from an internal funding bid.
268 One SOP stated that their IPE was funded by a service level agreement with
269 collaborative hospitals whereas another discussed a future collaboration with the

270 police force whereby the police force would fund the session under '*knowledge*
271 *impact*' as part of the police knowledge fund.

272 4. *Benefits of IPE*

273 A uniform agreement amongst interviewees was that IPE is beneficial. Each SoP
274 highlighted benefits that they felt their students gained from IPE during their time at
275 university and after they had left. Some participants commented on improvement in
276 skills and knowledge of their students when working with other healthcare
277 professionals. "...*vital skills in people and mannerism are developed and improved*
278 *during IPE sessions*" (**Participant F**). "*IPE provide students with an opportunity to*
279 *increase clinical knowledge and ability to understand the social aspects of a patient*"
280 (**Participant S**).

281 Many SOPs stated that IPE has provided students with a better understanding of the
282 roles of other professionals in patient care, not only the common ones they are likely
283 to encounter. "...*allows medics to understand the role of a pharmacist*" (**Participant**
284 **W**). "...*use knowledge and develop relationships for effective patient care. Break*
285 *down barriers between professionals*" (**Participant C**). "...*allows interaction with*
286 *under-represented professionals in patient care like Operating Department*
287 *Practitioner*" (**Participant F**).

288 289 DISCUSSION

290 There is little published data on IPE conducted within SOPs in the UK. Most of the
291 studies examining pharmacy involvement in IPE are from the US and elsewhere,
292 with much of the focus and perspectives being from the medical and nursing
293 professions [28]. Therefore this study is one of the first in the UK to provide a

294 snapshot of IPE in some SOPs, with the degree to which IPE is seen to occur across
295 the SOPs varying greatly. In an environment of multidisciplinary team working,
296 knowledge about other professionals will ideally make it easier to redirect and
297 correctly identify the professional needed to meet the needs of the patient. Findings
298 from the study have shown that a large number of professions and non-healthcare
299 professions have been involved in IPE. For some of these professions their
300 importance to pharmacy may not be apparent, for example, the police, biomedical
301 science students and social workers. However, healthcare is quite complex and
302 involves many different people and so students should at least be aware of the roles
303 of not only those people directly involved in the care of patients (medics and nurses,
304 which some participants suggested their students were wanting to be more engaged
305 with) but some of the others mentioned above. In addition, for those participants who
306 mentioned difficulties in setting up IPE due to lack of available professions, thinking
307 more widely of other people involved in the care of people with healthcare needs
308 may be of benefit (as one or two SOPs have already done).

309 Generally, many of the participants felt students were gaining an understanding of
310 their role and the role of other professionals in patient care. Indeed a recent literature
311 review undertaken by The Royal College of Nursing's found that IPE enabled
312 students to have a positive attitude and perception of other professionals'
313 contribution to a patient care pathway [29]. A report on new medical, nursing and
314 pharmacy graduates' reflections on their experiences of IPE during their
315 undergraduate degree found that they valued IPE and regarded their experiences as
316 positive [30]. Also from our own study IPE was thought to give pharmacy students an
317 opportunity to promote their role as a pharmacist, which was thought to be under-
318 rated by other professionals.

A common feature seen for many of the SOPs is exposing the students to IPE for one academic year only and usually in the early years, although some did prioritise IPE to final year students (Level 7). Those SOPs that included IPE in the early years of the course tended to cover team working skills and learning about the roles of other professionals through ice-breaker sessions. Having IPE only in the final year may have been because these students are considered mature and better equipped in terms of clinical knowledge to be able to effectively interact with other healthcare professionals. However, IPE was rarely undertaken across all years, which some participants said was because of difficulties in finding appropriate professional partners and timetabling of the events. A couple of SOPs do seem to have overcome these barriers either because of the organisational support they receive or close vicinity to other professional courses.

The type of IPE activities undertaken by SOPs also varies considerably (Table 1). These range from what might be considered as multiprofessional (for example just having students from different professions sitting together in a lecture theatre) to truly interprofessional (by working very closely and interacting with other professions). Use of patient/case scenarios was common across all SOPs and this seemed to allow a variation of topics to be covered, although the main theme seemed to be around patient safety. Other examples of activities included buddy groups, conferences and placements. Peer learning was also mentioned, something which has been used with success elsewhere with physical therapy students teaching pharmacy students about ambulatory devices [31].

Some of these IPE activities are not dissimilar to those done elsewhere. For example, Odegard et al [32] examined IPE initiatives undertaken at the University of Washington, which included introductory seminars, lecture-based courses, student-

operated clinics, and an interprofessional objective structured clinical evaluation (OSCE). MacDonnell et al [33] reported on pharmacy, medical and nursing students working together to diagnose and treat patients, whilst Rotz et al [34] reported on having pharmacy and medical students participate in an interprofessional experiential course series. Activities not highlighted in our study, but could be of interest to pharmacy courses are the use of interprofessional training wards [35], or e-learning, the latter of which when the study was undertaken would have been less used within universities, although it's not without its challenges for implanting in IPE [9, 36].

There has been recent increased emphasis on patient and public involvement in both teaching and research, therefore one could argue that an important criterion for effective IPE is involving patients and clients in the design, teaching, participation and assessment of programmes [37, 38]. One SOP set up an IPE conference day where patients, carers and service users were able to tell students their story. The service users were given a unique insight into the workings of a healthcare team when deciding on their care pathway and healthcare students were given a chance to understand the importance of involving the patient as much as possible in the treatment plan.

Some SOPs included a form of assessment of IPE, but we were unable to determine the rationale for why they did this. However one possible reason would be to ensure student engagement with IPE. Indeed Barr et al [9] reported that students value IPE more when it was assessed and that in the absence of some form of summative assessment IPE was given a lower priority by students, and interestingly, also by teachers.

What is evident across the different SOPs is that there is no standardised way in delivering IPE despite their being a capability framework to follow. A conceptual framework does exist for developing a strategic plan for IPE (the Leicester Model), which has been adopted in various settings [39-41]. As one participant suggested, it is useful to have a dedicated IPE lead, a strategy group, and engagement from all staff, not only the pharmacy practice team in order for IPE to be easy to deliver. Indeed Barr et al [9] also mentioned that having an IPE coordinator was important for alignment of timetables and other logistical issues along with backing from line managers and institutional endorsement. This type of thinking is also echoed by Brazeau [42] who reported that in order to develop an effective IPE programme, investment in terms of time and money are needed, as well as a top down administrative support and leadership approach. Thus University support would be instrumental to overcome some of these barriers.

The general lack of investment in interprofessional research and in evidence regarding the effects of IPE may compound this issue of organisational support further. However it is noteworthy to mention a systematic review on the effectiveness of IPE by Reeves et al [43], which states that there has been some useful progress being made in relation to strengthening the evidence base for IPE, but in order to provide a greater clarity of IPE and its effects on professional practice and patient/client care, rigorous mixed method studies of IPE are required to be undertaken.

Limitations to this study include that the interviews were not recorded and some of the information was derived from written documents. In addition we were unable to ascertain if data saturation was achieved, partly as we were unable to speak to all

the SOPs or complete a full thematic analysis. The low response rate may be because the study was undertaken during the academic term when staff is busy teaching, or that there was more than one SOP at the time the study was undertaken that did not provide IPE. Information provided by the interviewees on the benefits of IPE was anecdotal and not based on acquired evidence. This does highlight that more robust and rigorous research is required to draw conclusions on the effects of IPE on professional working and its impact on patients as currently these are limited and provide only evidence to support the positive outcomes of IPE events [29, 44, 45]. However the current study does provide a snapshot of what IPE was undertaken at the time the study was undertaken.

CONCLUSION

There are a range of activities which are being used for IPE within UK SOPs, which this study is one of the first to explore. None of the UK SOPs have a common standardised approach to IPE which makes it difficult to compare and contrast IPE practices and define a best practice model of IPE. For many SOPs, if IPE is to be beneficial certain barriers need to be overcome and there are lessons to be learnt from looking at good IPE practices seen within the UK and also internationally. Further research is needed to evaluate how IPE is undertaken and perceived by pharmacy students in the UK and in the effectiveness of IPE on promoting better and safer work practices.

Acknowledgements: Funding for this study was obtained from the Student Academic Development Research Associate Scheme (SADRAS) of Kingston University.

Author contributions: Patel and Kayyali conceived and designed the research project; Begum performed the interviews and analysed the data. Patel put together the manuscript for publication.

Conflicts of Interests: The authors declare no conflict of interest.

REFERENCES

1. Framework for Action on Interprofessional Education & Collaborative Practice (WHO/HRH/HPN/10.3) (2010). Geneva: World Health Organization. Available online: http://www.who.int/hrh/nursing_midwifery/en/ (accessed 29th June 2016)
2. Centre for the Advancement of Interprofessional Education (CAIPE). Available online: <http://www.caipe.org.uk/resources/defining-ipe/> (accessed on 29th June 2016).
3. Barr, H. Interprofessional Education. In *A Practical Guide for Medical Teachers*, 4th ed.; Dent, J.; Harden, R., Eds.; Elsevier Health Sciences: London, UK, 2013; pp. 187-192.
4. Reeves, S.; Goldman, J.; Oandasan, I. Key factors in planning and implementing interprofessional education in health care settings. *J Allied Health* **2007**, *36*, 233–235. PMID 18293805
5. Dow, A.; Salas, E.; Mazmanian, P.E. Improving quality in systems of care: solving complicated challenges with simulation-based continuing professional development. *JCEHP* **2012**, *32*, 230-235, DOI 10.1002/chp.21150.

6. McNair, R.P. The case for educating health care students in professionalism as the core content of interprofessional education. *Med Educ*, **2005**, 39, 456–464. DOI 10.1111/j.1365-2929.2005.02116.x
7. Hall, P.; Weaver, L. Interdisciplinary education and teamwork: a long and winding road. *Med Educ*, **2001**, 35, 867–875. DOI 10.1046/j.1365-2923.2001.00919.x
8. Mikan, S.M.; Rodger, S.A. Effective health care teams: a model of six characteristics developed from shared perceptions. *J Interprof Care*, **2005**, 19, 358–370. DOI 10.1080/13561820500165142
9. Barr, H.; Helme, M.; d'Avray, L. Review of Interprofessional Education in the United Kingdom 1997-2013. <http://caipe.org.uk/resources/publications/> (accessed 18th August 2016).
10. Barr, H.; Koppel, I.; Reeves, S.; Hammick, M.; Freeth, D. *Effective interprofessional education: development, delivery and evaluation*, 1st ed.; Blackwell: London, UK, 2005.
11. World Health Organisation. Transforming and scaling up health professionals' education and training: World Health Organisation 2013. Geneva: World Health Organisation. http://www.who.int/hrh/resources/transf_scaling_hpet/en/ (accessed 29th June 2016).
12. Cant, R.; Leach, M.; Hood, K. Factors affecting Australian medical students' attitudes to interprofessional education; validity of the Readiness for Inter-professional Learning Scale-Med. *JIEP*, **2015**, 1, 90-96. <http://dx.doi.org/10.1016/j.xjep.2015.10.002> (accessed 20th August 2016).

13. Hind, M.; Norman, I.; Cooper, S.; Gill, E.; Hilton, R.; Judd, P, Jones, S.C.
Interprofessional perceptions of health care students. *J Interprof Care* **2003**,
17, 21-34. DOI 10.1080/1356182021000044120
14. General Pharmaceutical Council. Future Pharmacist. Standards for the
education and training of pharmacists. Available online:
https://www.pharmacyregulation.org/sites/default/files/GPhC_Future_Pharmacists.pdf (accessed on 29th June 2016).
15. Accreditation Council for Pharmacy Education. Accreditation Standards and
Guidelines for the Professional Program in Pharmacy Leading to the Doctor of
Pharmacy Degree. Available online: <https://www.acpe-accredit.org/pdf/Standards2016FINAL.pdf> (accessed on 29th June 2016).
16. Altin, S.V.; Tebest, R.; Kautz-Freimuth, S.; Redaelli, M.; Stock, S. Barriers in
the implementation of interprofessional education programs – a qualitative
study from Germany. *BMC Med Educ* **2014**, 14, 1-9, DOI 10.1186/1472-6920-
14-227.
17. Cerbin-Koczorowska, M.; Michalak, M.; Skotnicki, M.; Waszyk-Nowaczyk, A.
Partnership - is it even possible? Different attitudes of medical and pharmacy
students toward interprofessional cooperation. *Farmacia* **2014** 62, 1171-1180.
Available online: [http://www.revistafarmacia.ro/201406/art-13-
Cerbin_M_1171-1180.pdf](http://www.revistafarmacia.ro/201406/art-13-Cerbin_M_1171-1180.pdf) (accessed on 29th June 2016).
18. Croker, A.; Fisher, K.; Smith, T. When students from different professions are
co-located: the importance of interprofessional rapport for learning to work
together. *J Interprof Care* **2015**, 29, 41-48. DOI
10.3109/13561820.2014.937481.

19. Wilby, K.J.; Al-Abdi, T.; Hassan, A.; Brown, M.A.; Paravattil, B.; Khalifa, S.I. Attitudes of pharmacy and nutrition students towards team-based care after first exposure to interprofessional education in Qatar. *J Interprof Care* **2015**, *29*, 82-84. DOI 10.3109/13561820.2014.933949.
20. Lee, B.; Shinozaki, H.; Bouphevanh, K.; Tokita, Y.; Makino, T.; Matsui, H.; Saitoh, T.; Tozato, F.; Watanabe, H. A plan for embedding an interprofessional education initiative into an existing programme in a Southeast Asian university. *J Interprof Care* **2016**, *30*, 401-403. DOI 10.3109/13561820.2016.1149156
21. Interprofessional Education Collaborative. *Core competencies for interprofessional collaborative practice. 2016 update*.
<https://ipecollaborative.org/Resources.html> (accessed 23rd August 2016).
22. Walsh, C.L.; Gordon, M.F.; Marshall, M.; Wilson, F.; Hunt, T. Interprofessional capability: A developing framework for interprofessional education. *Nurse Educ Pract* **2005**, *5*, 230–237. <http://dx.doi.org/10.1016/j.nepr.2004.12.004>
23. Thistlethwaite, J.E.; Forman, Matthews, D.; Rogers, L.R.; Steketee, G.D.; Yassine, C. Competencies and Frameworks in Interprofessional Education: A Comparative Analysis. *Academic Medicine* **2014**, *89*, 869-875. DOI 10.1097/ACM.0000000000000249
24. Jones, K.M.; Blumenthal, D.K.; Burke, J.M.; Condren, M.; Hansen, R.; Holiday-Goodman, M.; Peterson, C.D. Interprofessional Education in Introductory Pharmacy Practice Experiences at US Colleges and Schools of Pharmacy. *Am J Pharm Educ*. **2012**, *76*, 80. DOI 10.5688/ajpe76580.
25. Ryan, G.W.; Bernard, H.R. Techniques to Identify Themes. *Field Methods* **2003**, *15*, 85–109. DOI 10.1177/1525822X02239569.

26. Nursing and Midwifery Council. Standards for Education. Available online: <https://www.nmc.org.uk/education/standards-for-education/> (accessed on 29th June 2016)
27. General Medical Council. Promoting Excellence: standards for medical education and training. Available online: <http://www.gmc-uk.org/education/standards.asp> (accessed on 29th June 2016)
28. Lapkin, S.; Levett-Jones, T.; Gilligan, C. A cross-sectional survey examining the extent to which interprofessional education is used to teach nursing, pharmacy and medical students in Australian and New Zealand Universities. *J Interprof Care* 2012, 26, 390-396. DOI 10.3109/13561820.2012.690009
29. Clifton, M., Dale, C., Bradshaw, C. Impact and Effectiveness of Inter-professional Education in Primary Care: An RCN Literature Review. The Royal College of Nursing Primary Care Educators Forum, London; 2007. Available online: https://www2.rcn.org.uk/__data/assets/pdf_file/0004/78718/003091.pdf (accessed on 29th June 2016)
30. Gilligan, C.; Outram, S.; Levett-Jones, T. Recommendations from recent graduates in medicine, nursing and pharmacy on improving interprofessional education in university programs: a qualitative study. *BMC Med Educ* **2014**, 14, 52. DOI 10.1186/1472-6920-14-52.
31. Sadowski, C.A.; Li, D.; Jones, C.A. Interprofessional Peer Teaching of Pharmacy and Physical Therapy Students. *Am J Pharm Educ* **2015**, 79, 155. DOI 10.5688/ajpe7910155.
32. Odegard, P.S.; Robins, L.; Murphy N.; Belza, B.; Brock, D.; Gallagher, T.H.; Lindhorst, T.; Morton, T.; Schaad, D.; Mitchell, P. Interprofessional initiatives

at the University of Washington. *Am J Pharm Educ.* **2009**, 73, 63. PMICD:
PMC2720359.

33. MacDonnell, C.P.; Rege, S.V.; Misto, K.; Dollase, R.; George, P. An
Introductory Interprofessional Exercise for Healthcare Students. *Am J Pharm
Educ* **2012**, 76, 154. DOI 10.5688/ajpe768154

34. Rotz, M.E.; Duenas, .GG. "Collaborative-ready" students: Exploring factors
that influence collaboration during a longitudinal interprofessional education
practice experience. *J Interprof Care* **2016**, 30, 238-241 DOI
10.3109/13561820.2015.1086731

35. Dando, N.; d'Avray, L.; Colman, J.; Hoy, A.; Todd, J. Evaluation of an
interprofessional practice placement in a UK in-patient palliative care unit.
Palliat Med. **2012**, 26, 178-84. DOI 10.1177/0269216311400479.

36. Solomon, P.; Baptiste, S.; Hall, P.; Luke, R.; Orchard, C.; Rukholm, E.; Carter,
L.; King, S.; Damiani-Taraba, G. Students' perceptions of interprofessional
learning through facilitated online learning modules. *Med Teacher* **2010**, 32,
391-398. <http://dx.doi.org/10.3109/0142159X.2010.495760> (accessed 20th
August 2016),

37. Furness, P.; Armitage, H.; Pitt, R. An evaluation of practice-based
interprofessional education initiatives involving service users. *J Interprof Care*
2011, 25, 46-52. DOI:10.3109/13561820.2010.497748

38. Westberg, S.M.; Adams, J.; Thiede, K.; Stratton, T.P.; Bumgardner, M.A. An
interprofessional activity using standardized patients. *Am J Pharm Educ.*
2006, 70, 34. PMCID: PMC1636934.

39. Anderson, E.S.; Lennox, A. The Leicester Model of Interprofessional Education: Developing, delivering and learning from student voices for 10 years. *J Interprof Care* **2009**, *23*, 557-573. DOI 10.3109/13561820903051451
40. Kinnair, D.J.; Anderson, E.S.; Thorpe, L.N. Development of interprofessional education in mental health practice: Adapting the Leicester Model. *J Interprof Care* **2012**, *26*, 189-197. DOI 10.3109/13561820.2011.647994
41. Lennox, A.; Anderson, E.S. Delivering quality improvements in patient care: the application of the Leicester Model of interprofessional education. *Qual Primary Care* **2012**, *20*, 219-226. PMID 22828677.
42. Brazeau, G.A. Interprofessional education: More is needed. *Am J Pharm Educ.* **2013**, *77*, 184. DOI 10.5688/ajpe779184.
43. Reeves, S.; Zwarenstein, M.; Goldman, J.; Barr, H.; Freeth, D.; Koppel, I.; Hammick, M. The effectiveness of interprofessional education: Key findings from a new systematic review. *J Interprof Care* **2010**, *24*, 230-241. DOI 10.3109/13561820903163405.
44. Hammick, M.; Freeth, D.; Koppel, I.; Reeves, S.; Barr, H. A best evidence systematic review of interprofessional education. *Med Teach* **2007**, *29*, 735-751. DOI 10.1080/01421590701682576.
45. Reeves, S.; Perrier, L.; Goldman, J.; Freeth, D.; Zwarenstein, M. Interprofessional education: effects on professional practice and healthcare outcomes (update). *Cochrane Database of Syst Rev.* **2013**, *3*. DOI 10.1002/14651858.CD002213.pub3.