

Farnesoid X Receptor and its ligands inhibit the function of platelets

Article

Supplemental Material

Cover Image

Moraes, L. A., Unsworth, A. J., Vaiyapuri, S. ORCID: https://orcid.org/0000-0002-6006-6517, Ali, M. S., Sasikumar, P., Sage, T., Flora, G. D., Bye, A. P. ORCID: https://orcid.org/0000-0002-2061-2253, Kriek, N., Dorchies, E., Molendi-Coste, O., Dombrowicz, D., Staels, B., Bishop-Bailey, D. and Gibbins, J. M. ORCID: https://orcid.org/0000-0002-0372-5352 (2016) Farnesoid X Receptor and its ligands inhibit the function of platelets. Arteriosclerosis Thrombosis and Vascular Biology, 36 (12). pp. 2324-2333. ISSN 1524-4636 doi: 10.1161/ATVBAHA.116.308093 Available at https://centaur.reading.ac.uk/67335/

It is advisable to refer to the publisher's version if you intend to cite from the work. See <u>Guidance on citing</u>.

To link to this article DOI: http://dx.doi.org/10.1161/ATVBAHA.116.308093

Publisher: Lippincott, Williams & Wilkins


All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the End User Agreement.



www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading Reading's research outputs online



Thrombus formation