

## The China plant trait database: toward a comprehensive regional compilation of functional traits for land plants

Article

**Accepted Version** 

Wang, H., Harrison, S. P. ORCID: https://orcid.org/0000-0001-5687-1903, Prentice, I. C., Yang, Y., Bai, F., Togashi, H. F., Wang, M., Zhou, S. and Ni, J. (2018) The China plant trait database: toward a comprehensive regional compilation of functional traits for land plants. Ecology, 99 (2). 500. ISSN 0012-9658 doi: 10.1002/ecy.2091 Available at https://centaur.reading.ac.uk/73603/

It is advisable to refer to the publisher's version if you intend to cite from the work. See <u>Guidance on citing</u>.

To link to this article DOI: http://dx.doi.org/10.1002/ecy.2091

Publisher: Wiley

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the <a href="End User Agreement">End User Agreement</a>.

www.reading.ac.uk/centaur



## **CentAUR**

Central Archive at the University of Reading Reading's research outputs online

## The China Plant Trait Database: towards a comprehensive regional compilation of functional traits for land plants

HAN WANG,<sup>1</sup> SANDY P. HARRISON,<sup>1,2</sup> I. COLIN PRENTICE,<sup>1,3</sup> YANZHENG YANG,<sup>4,1</sup> FAN BAI,<sup>5</sup> HENRIQUE FURSTENAU TOGASHI,<sup>6,7</sup> MENG WANG,<sup>1</sup> SHUANGXI ZHOU,<sup>6</sup> JIAN NI<sup>8,9</sup>

<sup>&</sup>lt;sup>1</sup> State Key Laboratory of Soil Erosion and Dryland Farming on the Loess Plateau, College of Forestry, Northwest A&F University, Yangling 712100, China

<sup>&</sup>lt;sup>2</sup> School of Archaeology, Geography and Environmental Sciences (SAGES), Reading University, Reading, RG6 6AB, UK

<sup>&</sup>lt;sup>3</sup> AXA Chair of Biosphere and Climate Impacts, Imperial College London, Silwood Park Campus, Buckhurst Road, Ascot SL5 7PY, UK

<sup>&</sup>lt;sup>4</sup> Ministry of Education Key Laboratory for Earth System Modelling, Department of Earth System Science, Tsinghua University, Beijing 100084, China

<sup>&</sup>lt;sup>5</sup> State Key Laboratory of Vegetation and Environmental Change, Institute of Botany, Chinese Academy of Science, Beijing 100093, China

<sup>&</sup>lt;sup>6</sup> Department of Biological Sciences, Macquarie University, North Ryde, NSW 2109, Australia

<sup>&</sup>lt;sup>7</sup> The Ecosystem Modelling and Scaling Infrastructure Facility, Macquarie University, North Ryde, NSW 2109, Australia

<sup>&</sup>lt;sup>8</sup> College of Chemistry and Life Sciences, Zhejiang Normal University, Yingbin Avenue 688, 321004 Jinhua, China

<sup>&</sup>lt;sup>9</sup> State Key Laboratory of Environmental Geochemistry, Institute of Geochemistry, Chinese Academy of Sciences, Lincheng West Road 99, 550081 Guiyang, China

Abstract.

Plant functional traits provide information about adaptations to climate and

environmental conditions, and can be used to explore the existence of alternative plant

strategies within ecosystems. Trait data are also increasingly being used to provide

parameter estimates for vegetation models. Here we present a new database of plant

functional traits from China. Most global climate and vegetation types can be found in

China, and thus the database is relevant for global modelling. The China Plant Trait

Database contains information on morphometric, physical, chemical and photosynthetic

traits from 122 sites spanning the range from boreal to tropical, and from deserts and

steppes through woodlands and forests, including montane vegetation. Data collection at

each site was based either on sampling the dominant species or on a stratified sampling of

each ecosystem layer. The database contains information on 1215 unique species, though

many species have been sampled at multiple sites. The original field identifications have

been taxonomically standardized to the Flora of China. Similarly, derived photosynthetic

traits, such as electron-transport and carboxylation capacities, were calculated using a

standardized method. To facilitate trait-environment analyses, the database also contains

detailed climate and vegetation information for each site.

Key words: plant traits, leaf morphometry, leaf economics, leaf chemistry,

photosynthetic properties,  $J_{max}$ ,  $V_{cmax}$ 

The complete data set is available online at: [to be completed at proof stage].

Corresponding Editor: W. K. Michener.

<sup>1</sup> E-mail: wanghan\_sci@yahoo.com