

*Defining antimicrobial stewardship
competencies for undergraduate health
professional education in the United
Kingdom: a study protocol*

Article

Accepted Version

Courtenay, M., Castro-Sanchez, E., Deslandes, R., Hodson, K., Lim, R., Morris, G., Reeves, S. and Weiss, M. (2018) Defining antimicrobial stewardship competencies for undergraduate health professional education in the United Kingdom: a study protocol. *Journal of Interprofessional Care*, 32 (5). pp. 638-640. ISSN 1469-9567 doi: <https://doi.org/10.1080/13561820.2018.1463200> Available at <https://centaur.reading.ac.uk/76665/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1080/13561820.2018.1463200>

Publisher: Informa Healthcare


All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online



Defining antimicrobial stewardship competencies for undergraduate health professional education in the United Kingdom: A study protocol

| | |
|------------------|---|
| Journal: | <i>Journal of Interprofessional Care</i> |
| Manuscript ID | CJIC-2017-0500.R1 |
| Manuscript Type: | Original Article |
| Keywords: | Delphi approach, Interprofessional education, Pre-qualifying/pre-licensure, Interprofessional collaboration, Collaborative competence |
| | |

SCHOLARONE™
Manuscripts

1
2
3 **Defining antimicrobial stewardship competencies for undergraduate health professional**
4
5 **education in the United Kingdom: A study protocol**
6
7

8
9
10 **Abstract**

11 Multi-drug resistant infections have been identified as one of the greatest threats to human
12 health. Healthcare professionals are involved in an array of patient care activities for which
13 an understanding of antimicrobial stewardship is important. Although antimicrobial
14 prescribing and stewardship competencies have been developed for healthcare
15 professionals who adopt the role of prescriber, competencies do not exist for other
16 medicine related stewardship activities. Undergraduate education provides an ideal
17 opportunity to prepare healthcare professionals for these roles and activities. This report
18 presents a protocol for a study designed to provide national consensus on antimicrobial
19 stewardship competencies appropriate for undergraduate healthcare professional
20 education. A modified Delphi process will be used in which a panel of Experts, comprising
21 members from across the UK, with expertise in prescribing and medicines management with
22 regards to the education and practice of healthcare professionals, and antimicrobial
23 prescribing and stewardship, will be invited to take part in two survey rounds. The
24 competencies developed will be applicable to all undergraduate healthcare professional
25 education programmes. They will help to standardise curricula content and enhance the
26 impact of antimicrobial stewardship education.
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51 **Key words:** Antimicrobial stewardship, healthcare professionals, prescribing, undergraduate
52 professional education, interprofessional education, modified Delphi
53
54
55
56
57

Introduction

Drug resistant infections have been identified as one of the greatest threats to human health. Longer illnesses, increased mortality, prolonged stays in hospital, loss of protection for patients undergoing medical procedures, and increased costs are all direct consequences of infection with resistant micro-organisms. (World Health Organization (WHO) 2015). In the European Union (EU), around 25 000 patients die each year from infections with antimicrobial resistant bacteria, resulting in health-care costs and lost productivity totalling at least €1.5 billion per year (WHO 2015). Antimicrobial resistance is a multifaceted problem requiring multifactorial interventions to prevent its emergence and further spread (Fishman 2006).

Antimicrobial stewardship (AMS) is an interprofessional effort that involves optimal, prudent antimicrobial use for patients across the continuum of care: acute, inpatient, long-term care, and outpatient settings (Fishman 2006). Although the education of undergraduate healthcare students on AMS is a key activity for the containment of antimicrobial resistance, a survey of undergraduate programmes in human and veterinary medicine, dentistry, pharmacy and nursing in the UK, identified that students receive inconsistent stewardship education, and only around a third of programmes included all the recommended AMS principles (Castro-Sanchez et al 2016).

Background

Over recent years there has been increasing emphasis upon students' capacity to act effectively in complex, diverse, and variable situations and less emphasis upon factual knowledge that learners are expected to acquire. The desired outcomes of the educational

1
2
3 process (i.e. competency-based education (CBE)) emphasizes the capacity of the learner to
4
5 successfully carry out tasks in the real world, rather than the learner's ability to absorb and
6
7 recite content (e.g. Gruppen et al 2012). CBE recognizes that quality of care is not improved
8
9 simply by accumulating and disseminating the best available evidence (e.g. Rathert et al
10
11 2012). Instead, with the increasing emphasis on person-centred care, it is necessary for
12
13 clinicians to respond to patients' needs in a compassionate, knowledgeable, and
14
15 coordinated fashion (Gachoud et al 2012). This shift toward assessment of quality and
16
17 outcomes of care has meant that both professional and interprofessional curricular content
18
19 is now associated with competencies.
20
21
22
23
24

25
26 Antimicrobial prescribing and stewardship competencies (Public Health England (PHE)
27
28 2013), designed to complement the Royal Pharmaceutical Society (RPS) generic competency
29
30 framework for all prescribers (RPS 2016), have been developed for independent prescribers.
31
32 This includes medical students (who are able to prescribe upon qualifying) and healthcare
33
34 professionals such as pharmacists, nurses, physiotherapists, and podiatrists/chiropractors
35
36 who can prescribe after completing an additional post registration prescribing qualification.
37
38 However, not all healthcare professionals adopt the role of prescriber, and many are
39
40 involved in other patient and medicine related stewardship activities for which an
41
42 understanding of AMS is important. Although undergraduate education provides an
43
44 opportunity to prepare healthcare professionals for these roles and activities, AMS
45
46 competencies for undergraduate students have not been established. Additionally, the
47
48 gradual implementation of new roles such as Nursing Associates in the UK, responsible for
49
50 delivering direct care likely including tasks related to medication management and whose
51
52 training will be mainly practical and 'hands on', requires consistent approaches to AMS.
53
54
55
56
57

1
2
3
4
5 It is increasingly recognised that collaboration and teamwork across health professionals are
6
7 necessary to improve the quality and safety of health care (Interprofessional Education
8
9 Collaborative Expert Panel (IPEC 2016). Interprofessional education is important if a
10
11 workforce is to practice collaboratively. AMS involves interprofessional effort (Fishman
12
13 2006, Castro-Sanchez 2016), and resonates with the present emphasis upon
14
15 interprofessional education and practice. However, AMS knowledge taught on
16
17 undergraduate healthcare educational degree programmes tends to focus on basic
18
19 microbiology, the classification and use of antibiotics, as well as practical activities such as
20
21 the collection of specimens and therapeutic drug monitoring (Castro-Sanchez et al 2016)
22
23 with very little emphasis on collaboration and teamwork and the complex daily problems
24
25 faced by patients, families, and healthcare professionals. Whilst it is clear that such domains
26
27 of AMS education need to be strengthened, optimal skills, attitudes and behaviours are yet
28
29 to be agreed upon. This paper presents a protocol for a research study that will be
30
31 undertaken to provide UK national consensus on AMS competencies appropriate for
32
33 undergraduate healthcare professional education.
34
35
36
37
38
39
40
41

42 **Methods**

43
44 Where there is an absence of research evidence or the desire to gather opinion, structured
45
46 or formal methods are commonly used to reach consensus. We will therefore employ the
47
48 Delphi technique, a commonly used formal consensus method which uses an iterative series
49
50 (or rounds) of questionnaires to gather data and achieve group consensus. A classic Delphi
51
52 survey begins with a questionnaire containing open ended questions from which
53
54 subsequent questionnaires are developed (Day & Boveva 2005). However, our work will
55
56
57

1
2
3 adopt a modified Delphi survey, whereby competency domains and descriptors, developed
4
5 previously (see Table 1), will form the content for the first round of the Delphi study. These
6
7 domains and descriptors, reflecting an integrative approach (Roegiers 2007, and Peyser et al
8
9 2006), were informed by available prescribing and stewardship competency frameworks
10
11 (RPS 2016, PHE 2013), AMS principles (PHE 2015), evidence of the key AMS principles
12
13 delivered on undergraduate health professional education programmes (Castro-Sánchez et
14
15 al 2016), and interprofessional competencies (Canadian Interprofessional Health
16
17 Collaboration (CIHC) 2010).
18
19

20
21 INSERT TABLE 1 ABOUT HERE
22

23 *Recruitment*

24
25
26 'Experts' are employed as panel members in the Delphi technique as opposed to a
27
28 representative random sample of the target population. There is a lack of agreement as to
29
30 what constitutes an 'expert' and participants are selected with regards to explicit criteria
31
32 (Trevelyan & Robinson 2015). 'Expert' in this study will be defined as; individuals reflecting
33
34 expertise in prescribing and medicines management with regards to the education and
35
36 practice of healthcare professionals, and antimicrobial prescribing and stewardship.
37
38
39
40
41

42 *Identification of expert panel members*

43
44 Purposive and snowball sampling methods will be used to recruit expert panel members
45
46 across the UK. Individuals in Royal Colleges and Societies, national groups and organisations,
47
48 and those reflecting expert criteria and identified from the literature, will be identified and
49
50 contacted by the researchers. Other potential participants, identified by these individuals,
51
52 will also be followed up by the researchers i.e. snowball sampling.
53
54
55
56
57

Sample size

There is a lack of agreement as to the optimum number of participants to include on a Delphi panel, and sample size is dependent on what is being investigated, the complexity of the problem, the homogeneity or heterogeneity of the sample and availability of resources (Keeney et al 2011). In-line with sample size recommendations for a homogenous sample i.e. around 15 participants (Skulmoski et al 2007), we will aim to recruit between 15-20 participants. All those who express an interest to participate and fulfilled our 'expert' definition, will be included.

Data collection and analysis

In round one, participants will be asked to use a 6 point Likert scale (1=strongly agree to 6 =strongly disagree) to rate AMS competency statements and each associated descriptor with regards to the extent to which they consider it to be important. Space will also be provided for panel members to list any additional descriptors they think are missing. The strength and extent of agreement for each item will be determined by the median and interquartile range (IQR). Responses where the median is more than or equal to 5 (i.e. a high level of agreement that participants viewed it as important) with a small IQR (less than or equal to 1.5), will be considered important descriptors that have reached consensus. Content analysis will be used to explore qualitative responses. Only descriptors for which there is a lack of agreement, descriptors that are amended in the light of qualitative feedback, and additional descriptors identified by panel members, will be included in round two questionnaire.

Ethical considerations

1
2
3 Ethical approval for the study will be sought through the School of Healthcare Sciences
4
5 Research Governance and Ethics Committee, Cardiff University.
6
7
8

9 10 **Discussion**

11
12 The aim of this study is to provide national consensus on AMS competencies appropriate for
13
14 undergraduate healthcare professional education. By starting with a predetermined list of
15
16 competency statements and descriptors, the traditional round one of the Delphi survey, i.e.
17
18 item generation will be unnecessary. The competencies developed will address a gap in AMS
19
20 education for UK healthcare professional undergraduate programmes. They will provide a
21
22 foundation for those healthcare professional students who will become prescribers, and
23
24 also provide guidance for healthcare professionals who do not go onto prescribe, but, who
25
26 are involved in the array of patient care and medicines management activities for whom an
27
28 understanding and engagement with AMS is important. They will help to standardise
29
30 curricula content and enhance the impact of AMS education and Improve suboptimal
31
32 practice.
33
34
35
36
37
38

39 40 **Declaration of interest**

41
42 The authors report no conflicts of interest. The authors alone are responsible for the
43
44 content and writing of this article. The views expressed are those of the authors and not
45
46 necessarily those of the National Health Service, the National Institute of Health Research,
47
48 the Department of Health, or Public Health England.
49

50 51 **Funding**

52
53 Enrique Castro-Sanchez was funded by the Wellcome Foundation and the Florence
54
55 Nightingale Foundation.
56
57

References

- Castro-Sánchez, E., Drumright, L.N., Gharbi, M., Farrell, S., Holmes, A.H. (2016). Mapping Antimicrobial Stewardship in Undergraduate Medical, Dental, Pharmacy, Nursing and Veterinary Education in the United Kingdom. *PLoS ONE* 11(2): e0150056. doi:10.1371/journal.pone.0150056
- CIHC (2010). *A national interprofessional competency framework*. University of British Columbia: Vancouver
- Day, J., Bobeva, M. (2005). A generic toolkit for the successful management of Delphi studies. *Electronic Journal of Business Research Methods*, 3,103–16.
- Fishman, N. (2006) Antimicrobial stewardship. *American Journal of Infection Control*, 34(5 suppl 1),S55-S63.
- Gachoud, D., Albert, M., Kuper, A., Stroud, L., Reeves, S. (2012). Meanings and perceptions of patient-centredness in social work, nursing and medicine: a comparative study. *Journal of Interprofessional Care*, 26, 484-490.
- Gruppen, L.D., Mangrulkar, R.S., Kolars, J.C. (2012). The promise of competency-based education in the health professions for improving global health. *Human Resources for Health*,10(1),43.
- Interprofessional Education Collaborative (2016) Core competencies for interprofessional collaborative practice: 2016 update. Washington, DC: Interprofessional Education Collaborative.
- Keeney, S., Hasson, F., McKenna, H., (2011). The Delphi technique in nursing and health research. Chichester, West Sussex: Wiley-Blackwell..
- Peyser, A., Gerard, F-M., & Roegiers, X. (2006). Implementing a pedagogy of integration: Some thoughts based on a textbook elaboration experience in Vietnam. *Planning and changing*, 37(1/2), 37-55./2), 37-55.
- PHE (2015). Start Smart - Then Focus Antimicrobial Stewardship Toolkit for English Hospitals. London (UK): Public Health England.
- PHE (2013). *Antimicrobial prescribing and stewardship competencies*. London (UK): Public Health England.
- Rathert, C., Wyrwich, M.D., Boren, S.A. (2012). Patient-centered care and outcomes: A systematic review of the literature. *Medical Care Research and Review*, 70(4), 351-379. doi: 10.1177/ 1077558712465774.
- Roegiers, X. (2007). Curricular reforms guide schools: but, where to? Curriculum change and competency-based approaches: A worldwide perspective. *Prospects*, 37(2), 155-186.
- RPS (2016). *A competency framework for all prescriber*. London (UK): Royal Pharmaceutical Society.

1
2
3 Skulmoski, GJ., Hartman, FT., Krahn, J. T. (2017). The Delphi methods for graduate research.
4 Journal of Information Technology and Education; 6:1–21.
5

6 Trevelyan, EG., Robinson, N. (2015). Delphi methodology in health research: how to do it?
7 *European Journal of Integrative Medicine*; 7, 423–428
8

9 World Health Organization. (2015). *Global action plan on antimicrobial resistance*. Retrieved
10 from:
11 http://www.wpro.who.int/entity/drug_resistance/resources/global_action_plan_eng.pdf
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For Peer Review Only

Table 1: Competency domains, and examples of their associated descriptors

| Domain | Descriptor examples |
|---|--|
| Domain 1: Infection prevention and control | Describe the different types of organisms that may cause infections |
| | Describe what a micro-organism is |
| Domain 2: Antibiotics and antimicrobial resistance | Recognise the symptoms of infection |
| | Describe at least two different ways that antibiotics may kill bacteria |
| Domain 3: The diagnosis of infection and the use of antibiotics | Explain how microbiology samples may aid diagnosis of infection |
| | Discuss the use of rapid point-of-care diagnostic testing in infection diagnosis |
| Domain 4: Antimicrobial prescribing practice | Describe why, and how, it is important to switch from IV antibiotics to oral therapy |
| | Explain how you would recognise and manage sepsis |
| Domain 5: Person centred care | Support participation of patients/carers as integral partners when planning/delivering their care |
| | Share information with patients/carer in a respectful manner and in such a way that is understandable, encourages discussion, and enhances participation in decision-making |
| Domain 6: Interprofessional collaborative practice | Demonstrate an understanding of the roles, responsibilities, and competencies of other health professionals involved in antimicrobial treatment policy decisions |
| | Explain why it is important that healthcare professionals, involved in the delivery of antimicrobial therapy, have a common understanding of antimicrobial treatment policy decisions, the quality of antimicrobial use, and effective patient/client outcomes |

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For Peer Review Only