

*Developmental changes in the  
germinability, desiccation tolerance,  
hardseededness, and longevity of  
individual seeds of Trifolium ambiguum*

Article

Accepted Version

Table 1

Hay, F. R., Smith, R. D., Ellis, R. H. ORCID:  
<https://orcid.org/0000-0002-3695-6894> and Butler, L. H. (2010)  
Developmental changes in the germinability, desiccation  
tolerance, hardseededness, and longevity of individual seeds  
of *Trifolium ambiguum*. *Annals of Botany*, 105 (6). p. 1035.  
ISSN 0305-7364 doi: 10.1093/aob/mcq037 Available at  
<https://centaur.reading.ac.uk/7688/>

It is advisable to refer to the publisher's version if you intend to cite from the  
work. See [Guidance on citing](#).

Published version at: <http://dx.doi.org/10.1093/aob/mcq037>

To link to this article DOI: <http://dx.doi.org/10.1093/aob/mcq037>

Publisher: Oxford University Press

Publisher statement: This is a pre-copy-editing, author-produced PDF of an article  
accepted for publication in *Annals of Botany* following peer review. The definitive  
publisher-authenticated version *Ann Bot* (2010) 105 (6): 1035-1052. doi:  
10.1093/aob/mcq037 is available online at: <http://dx.doi.org/10.1093/aob/mcq037>

All outputs in CentAUR are protected by Intellectual Property Rights law,

including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)

## **CentAUR**

Central Archive at the University of Reading

Reading's research outputs online

**Table 1.** Results of the Sharpiro-Wilk test for normality (W) and the skewness and kurtosis of fitted normal distributions for the four developmental parameters indicated. Data shown are for all seeds harvested on a given date (and so M1 only for 14, 30, 33, 44, 54, 64 DAP in experiment 1).

DAP	Fresh weight			Dry weight			Mass of water			Moisture content		
	W	Skew.	Kurt.	W	Skew.	Kurt.	W	Skew.	Kurt.	W	Skew.	Kurt.
<i>Experiment 1 (pollinated 8 Dec. 2004)</i>												
14	0.9018	-0.65	-0.83	0.8910*	-0.82	-0.56	0.9038	-0.61	-0.88	0.8171**	1.80	4.15
22	0.9658	-0.18	-1.12	0.9412	-0.34	-1.23	0.9412	0.38	-0.60	0.9622	-0.18	-1.11
28	0.8988*	-0.50	-1.15	0.9527	-0.47	-0.85	0.9368	-0.33	-1.15	0.9623	0.37	-0.37
30	0.8457*	-1.27	0.67	0.7862**	-1.65	1.83	0.8923	-0.89	-0.15	0.9258	0.58	-0.46
33	0.9590	0.21	-1.15	0.9533	-0.32	0.75	0.9162	-0.01	-1.56	0.8112**	1.20	0.16
36	0.9401	-0.59	0.03	0.9589	-0.17	-1.16	0.9444	-0.91	0.75	0.9318	-0.91	1.06
40	0.9434	0.62	-0.42	0.9623	0.50	-0.29	0.8698*	1.08	0.13	0.8828*	0.49	-1.34
44	0.9429	0.49	0.17	0.9345	-0.82	0.32	0.7855***	1.42	0.71	0.7636***	1.92	3.16
47	0.9198	0.61	-0.15	0.9159*	-0.84	-0.21	0.7398***	1.46	0.72	0.7630***	1.40	0.62
50	0.9402	0.22	-1.14	0.9555	0.19	-1.07	0.9488	0.50	-0.84	0.9582	0.07	-1.03
54	0.7926	-1.70	4.07	0.7922**	-1.72	4.16	0.8613*	-1.05	2.72	0.8656*	1.06	0.06
58	0.9092	-0.64	-0.89	0.9184	-0.60	-0.92	0.8880	-0.87	-0.52	0.8415**	0.88	-0.65
61	0.9664	0.07	-0.56	0.9639	0.14	-0.59	0.9791	-0.20	0.21	0.9693	-0.24	-0.91
64	0.9460	-0.34	-1.42	0.9297	-0.33	-1.51	0.9915	-0.27	-0.96	0.9723	-0.18	-1.42
<i>Experiment 2 (pollinated 11 Jan. 2006)</i>												
20	0.8886*	-1.32	1.86	0.8782*	-1.39	1.82	0.8996*	-1.24	1.63	0.9190	0.48	-0.91
23	0.9691	-0.47	0.14	0.9141	-1.01	0.97	0.9875	0.17	-0.35	0.8325**	1.55	1.91
27	0.9679	0.16	-0.99	0.9262	-0.53	-0.80	0.9561	0.58	-0.31	0.8267**	1.57	2.94
30	0.8382**	-1.64	3.83	0.8158**	-1.79	3.19	0.8825*	-1.02	3.01	0.9691	0.18	-0.13
34	0.9565	0.13	-1.21	0.9472	-0.28	-1.11	0.9250	0.31	-1.32	0.8566*	1.48	2.97
36	0.9758	-0.06	-1.00	0.9506	-0.26	-1.10	0.9703	-0.30	-0.80	0.9515	-0.80	0.62
38	0.9552	0.01	-1.11	0.9518	-0.43	-0.85	0.9418	-0.56	-0.44	0.7138***	-1.76	1.84
40	0.9407	-0.40	-1.03	0.9553	0.01	-1.29	0.9601	-0.19	-0.68	0.8810*	-0.85	-0.08
42	0.9343	-0.09	-1.32	0.9757	-0.09	-1.32	0.8961*	-0.01	-1.61	0.8857*	-0.24	-1.53
44	0.9276	0.53	-0.77	0.9531	-0.66	0	0.8546**	0.36	-1.38	0.8209**	0.09	-1.80
49	0.9222	-0.96	0.85	0.9306	-0.84	0.53	0.8949*	-1.05	1.17	0.8130**	1.90	4.71
56	0.9631	-0.24	0.67	0.9569	-0.27	0.72	0.9538	0.19	-1.06	0.9260	0.66	-0.28
63	0.9166	0.35	1.84	0.9150	0.45	1.97	0.9649	-0.02	-0.79	0.9775	0.04	-0.68
70	0.8922*	-1.23	1.32	0.9011*	-1.21	1.32	0.9671	-0.58	-0.13	0.9702	0.05	-0.88

A significant value for the W-statistic indicates non-normality. \*P < 0.05; \*\*P < 0.01; \*\*\*P < 0.001.