

Particle size distribution of forages and mixed rations, and their relationship with ration variability and performance of UK dairy herds

Article

Supplemental Material

Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Tayyab, U., Wilkinson, R. G., Reynolds, C. K. ORCID: https://orcid.org/0000-0002-4152-1190 and Sinclair, L. A. (2018) Particle size distribution of forages and mixed rations, and their relationship with ration variability and performance of UK dairy herds. Livestock Science, 217. pp. 108-115. ISSN 1871-1413 doi: 10.1016/j.livsci.2018.09.018 Available at https://centaur.reading.ac.uk/79818/

It is advisable to refer to the publisher's version if you intend to cite from the work. See <u>Guidance on citing</u>.

To link to this article DOI: http://dx.doi.org/10.1016/j.livsci.2018.09.018

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the End User Agreement.



www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading Reading's research outputs online

Supplementary Tables

Table S1. Particle size distribution of rations fed as TMR (n = 28) or PMR (n = 22) on 50 dairy herds.

PS distribution (% DM)							
Fractions ¹ (mm)	TMR	PMR	SED	P value			
>60	0.1	0.1	0.08	0.14			
44-60	3.8	11.8	2.41	0.002			
26.9-44	20.7	32.8	3.99	0.004			
19-26.9	3.8	5.1	0.95	0.16			
8-19	39.1	29.6	3.57	0.01			
4-8	14.1	8.9	1.42	< 0.001			
<4	18.4	11.7	2.62	0.014			
X_m^2	14.0	26.5	2.98	< 0.001			

¹Rations were separated into 7 fractions; >60, 44-60, 26.9-44, 19-26.9, 8-19, 4-8 and <4 mm.

Table S2. Particle size distribution of dried 0hMR (n = 50), 4hMR (n = 50), RefMR (n = 33), grass silage (n = 50) and maize silage (n = 34) on 50 dairy herds.

grade dilage (11 = 60) and maize dilage (11 = 61) on 60 daily nords.								
Fractions ¹	Particle size distribution (% DM ± SD)							
(mm)	0hMR	4hMR	RefMR	GS	MS			
>26.9	16.2 ± 16.31	17.0 ± 16.42	25.6 ± 19.95	45.7 ± 17.83	-			
19-26.9	3.5 ± 1.88	3.7 ± 3.06	4.0 ± 2.06	2.9 ± 1.25	4.3 ± 2.17			
8-19	38.0 ± 10.03	38.2 ± 9.11	36.4 ± 10.77	34.4 ± 11.79	52.6 ± 10.53			
4-8	21.2 ± 6.68	20.4 ± 6.21	18.3 ± 7.23	10.1 ± 4.02	28.8 ± 7.26			
<4	21.1 ± 9.24	20.6 ± 9.20	15.8 ± 7.46	6.9 ± 3.61	14.3 ± 6.08			
SED	1.53	1.53	1.88	1.41	1.77			
P value	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001			

¹Rations were separated into 5 fractions; >26.9, 19-26.9, 8-19, 4-8 and <4 mm.

Table S3. The particle size distribution (%DM) of North American rations.

	Sova et	Endres and		Hosseinkhan	Miller-Cushon	
Fractions	al.	Espejjo	DeVries et	i <i>et al.</i>	and DeVries	White et al.
(mm)	(2013)	(2010)	al. (2011)	(2008)	(2009)	(2017)
>19	19.8	10	18.4	18.1	8.8	11.4
8-19	34.3	41.5	33.6	32.3	46.6	31.9
4-8	35.5	47.6	48.0	49.6	44.5	56.7
<4	10.5	-	-	-	-	-

²Geometric mean particle size.