

*In vitro rumen fermentation of diets with different types of condensed tannins derived from sainfoin (Onobrychis viciifolia Scop.) pellets and hazelnut (Corylus avellana L.) pericarps*

Article

Other

Table 1

Niderkorn, V., Barbier, E., Macheboeuf, D., Torrent, A., Mueller-Harvey, I. and Hoste, H. (2020) In vitro rumen fermentation of diets with different types of condensed tannins derived from sainfoin (*Onobrychis viciifolia* Scop.) pellets and hazelnut (*Corylus avellana* L.) pericarps. *Animal Feed Science and Technology*, 259. 114357. ISSN 0377-8401 doi: 10.1016/j.anifeedsci.2019.114357 Available at <https://centaur.reading.ac.uk/87252/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.anifeedsci.2019.114357>

Publisher: Elsevier

including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

[www.reading.ac.uk/centaur](http://www.reading.ac.uk/centaur)

## **CentAUR**

Central Archive at the University of Reading

Reading's research outputs online

**Table 1**

Chemical composition and characteristics of pellets of sainfoin (PS) and hazelnut pericarps (HP) included in the experimental diets

	PS	HP
DM (g/kg)	905	898
CP (g/kg DM)	146	106
Cellulose (g/kg DM)	211	135
CT characteristics		
Concentration (g CT/kg DM)	17	63
Prodelphinidin:procyanidin (PD/PC, mol %)	75:25	28:72
Mean degree of polymerisation (mDP)	11.5	13.3
<i>Cis/trans</i> -flavan-3-ols (mol %)	85:15	58:42

DM, dry matter; CP, crude protein; CT, condensed tannins